DANGER: KEEP OUT OF REACH OF CHILDREN

Kleen-R-Egg causes eye damage and severe skin irritation. Do not get in eyes, on skin or on clothing. Wear goggles or face shield and rubber gloves when handling. Harmful or fatal if swallowed. Avoid contamination of food. Avoid breathing spray mist.

FIRST AID

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse.

If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution or, if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately.

NOTE TO PHYSICIAN

Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock as well as oxygen and measures to support bleaching manually or mechanically may be needed. If persistent, convulsions may be controlled by the cautious intravenous injection of a short-acting barbiturate drug.

RUSSELL KLEEN-R-EGG #346-GG

Russell Kleen-R-Egg is outstanding in that it efficiently cleans and sanitizes hatching eggs with a minimum of time and without excessive foaming of the solution regardless of the type of machine being used. The germicidal properties are stable even in the presence of organic material.

RUSSELL **KLEEN-R-EGG DETERGENT - SANITIZER** For Washing Hatching Eggs

This product fulfills the criteria of Appendix F of the Grade 'A' Pasteurized Milk Ordinance 1965 Recommendations of the U.S. Public Health Service in waters up to 500 ppm of hardness . . . calculated as CaCO3 when tested by the A.O.A.C. Germicidal and Detergent Sanitizers . . . Official Method.

ACTIVE INGREDIENTS:

Sodium carbonate monohydrate	35%
Sodium metasilicate anhydrous	15%
Methyldodecylbenzyl trimethyl ammonium chloride 80%, Methyldodecylxylylene bis (trimethyl	
ammonium chloride) 20%	5%
INERT INGREDIENTS	

Net Contents 5 Pounds E.P.A. Reg. No. 346-33


DANGER

KEEP OUT OF REACH OF CHILDREN See Left Side Panel For Additional Precautionary and First Aid Statements.

Container Disposal: When empty, rinse container thoroughly with water and destroy it by crushing it and burying in a safe place.

Manufactured by

I. D. RUSSELL COMPANY LABORATORIES KANSAS CITY, MISSOURI 64108



DIRECTIONS FOR WASHING AND SANITIZING HATCHING EGGS

- 1. Keep pens and nests clean.
- 2. Dissolve 1 ounce of Russell's Kleen-R-Egg in each 2 gallons of water (110-130°F.) maintain wash solution at even temperature. Very dirty hatching eggs may require slightly stronger solutions.
- 3. For Spray type machines, follow manufacturer's directions.
- 4. For hand washing or immersion type machines, immerse hatching eggs for 3 minutes. Remove from solution, allow to drain. Change solution if it becomes dirty.
- 5. If separate rinse is used, add one ounce detergent-sanitizer per 2 gallons water. Maintain rinse at temperature slightly greater than wash solution.
- 6. Dry hatching eggs rapidly and store in cool, damp room.
- General cleaning and sanitizing:
- 1. Remove all poultry and feeds from premises, trucks, coops and crates.
- 2. Remove all litter and droppings from floors, walls, and surfaces of facilities occupied or traversed by poultry.
- 3. Empty all troughs, racks and other feeding and watering appliances.
- 4. Saturate surfaces with recommended solution.
- 5. Ventilate buildings, coops and other closed spaces. Do not house poultry or employ equipment until treatment has been absorbed, set or dried.
- 6. All treated feed racks, mangers, troughs, automatic feeders, fountains and waterers must be thoroughly rinsed with potable water prior to reuse.

Dissolve one ounce in 2 gallons of water. Use this solution to clean feed hoppers, drinking fountains, and other equipment. This same strength solution may be used to scrub floors and walls of brooder rooms, hatching egg rooms, and pole sheds.

346-33

and General Cleaning

TOTAL 100%