

[346-36]

RUSSELL

SUPER ROOST SPREAD

Kills most external parasites of poultry; lice, feather mites, Northern fowl mites, chiggers and fowl ticks (blue bugs).

ACTIVE INGREDIENTS:

Malathion (O-O-dimethyl dithiophosphate of diethyl mercaptosuccinate)	6%
Aromatic Petroleum Distillate	15%
Petroleum Distillate	79%
Total	100%

Net Contents:

1 QUART

CAUTION:

Keep Out of Reach of Children

See Side Panel for Additional Cautions
Manufactured by

**I. D. RUSSELL COMPANY LABORATORIES
KANSAS CITY, MISSOURI 64141**

ACCEPTED
346-36
MAY 31 1974
CONTAINS NO HAZARDOUS MATERIALS
FOR FEDERAL AND STATE REGULATORY
AGENCIES POISON REGISTERED
ED UNDER NO.

DIRECTIONS

Each 16 ounces of Super Roost Spread will treat approximately 225 feet of roosts to aid in reducing or controlling lice and mites on poultry.

Body lice, feather lice, feather mites, Northern fowl mites and fowl ticks (blue bugs). For best results, scrape or clean roosts and apply a thin layer of Super Roost Spread on the top side of all roost poles. This application should be made a few minutes before poultry go to roost.

For best results, repeat in 10 days. Provide moderate ventilation.

FOR CAGE BIRDS

Pour Super Roost Spread in a pan and use paint roller or paint brush. Put solution over the bottom of the cages. Repeat in 10 days. Provide proper ventilation.

KILLING MITES IN HOUSES

Russell's Super Roost Spread may be mixed in proportions of 8 tablespoonfuls to one gallon of kerosene or distillate and sprayed or painted freely on perches, walls and inside nesting boxes. First, remove and burn old nesting material and after spraying or painting, replace with fresh nesting material. When spraying, use a sprayer nozzle that throws a fine mist (not fog) and force it into all cracks and crevices where mites harbor and breed. Repeat as necessary to control.

KILLING FOWL TICK (BLUE BUGS) IN HOUSES

Mix one pint Super Roost Spread with one quart kerosene or distillate. All cracks and rough surfaces should be thoroughly covered. Repeat in 30 days.

CAUTION

Do not use in dwellings or in reach of children. Avoid contamination of feed and food products.

Harmful if swallowed, inhaled or absorbed through the skin. Avoid breathing spray mist. Avoid getting in eyes, on skin, or on clothing. Wash thoroughly with soap and water.

This product is toxic to fish. Keep out of lakes, streams, or ponds. Do not apply where runoff is likely to occur. Do not contaminate water by cleaning of equipment, or disposal of wastes. Apply this product only as specified on this label.

Do not reuse empty container. Destroy it by perforating or crushing. Bury or discard in a safe place away from water supplies.

Do not use, pour, spill or store near heat or open flame.

E.P.A. Reg. No. 346-36