

ACCEPTED

OCT 30 1984

For the Federal Insecticide
Fungicide and Rodenticide Act
Registration No. 100-100000
EPA Reg. No.

GENERAL INFORMATION

Read the entire label carefully before using this product. It contains important information about the safe and effective use of this product. It also contains information about the hazards of this product and the precautions to be taken to avoid these hazards. It is the responsibility of the user to read and understand the label and to use the product in accordance with the directions on the label.

NOTICE OF WARRANTY

The manufacturer warrants that this product is free from defects in material and workmanship under normal use and conditions. The manufacturer does not warrant that this product will be effective against all pests or that it will provide complete protection against pests. The manufacturer does not warrant that this product will be effective against pests in all areas or under all conditions. The manufacturer does not warrant that this product will be effective against pests in all areas or under all conditions. The manufacturer does not warrant that this product will be effective against pests in all areas or under all conditions.

DIRECTIONS FOR USE

Apply this product to the pest or pest infestation as directed on the label. Do not apply this product to areas where it is not intended to be used. Do not apply this product to areas where it is not intended to be used. Do not apply this product to areas where it is not intended to be used. Do not apply this product to areas where it is not intended to be used. Do not apply this product to areas where it is not intended to be used.

SPRAYS

Apply this product to the pest or pest infestation as directed on the label. Do not apply this product to areas where it is not intended to be used. Do not apply this product to areas where it is not intended to be used. Do not apply this product to areas where it is not intended to be used.

DUSTS

Apply this product to the pest or pest infestation as directed on the label. Do not apply this product to areas where it is not intended to be used. Do not apply this product to areas where it is not intended to be used. Do not apply this product to areas where it is not intended to be used.

ALMONDS

Apply this product to the pest or pest infestation as directed on the label. Do not apply this product to areas where it is not intended to be used. Do not apply this product to areas where it is not intended to be used. Do not apply this product to areas where it is not intended to be used.

CONTINUED ON REVERSE PANEL

◀ DIRECTIONS CONTINUED FROM SIDE PANEL

TOMATOES Early blight, late blight, septoria leaf spot, verticillium wilt, and other diseases. Apply when first signs appear. Repeat every 7 to 10 days. For control of late blight, apply when first signs appear. Repeat every 7 to 10 days. For control of septoria leaf spot, apply when first signs appear. Repeat every 7 to 10 days. For control of verticillium wilt, apply when first signs appear. Repeat every 7 to 10 days.

POTATOES Early blight, late blight, septoria leaf spot, verticillium wilt, and other diseases. Apply when first signs appear. Repeat every 7 to 10 days. For control of late blight, apply when first signs appear. Repeat every 7 to 10 days. For control of septoria leaf spot, apply when first signs appear. Repeat every 7 to 10 days. For control of verticillium wilt, apply when first signs appear. Repeat every 7 to 10 days.

APPLES: Downy mildew, apple scab, cedar-rust, and other diseases. Apply when first signs appear. Repeat every 7 to 10 days. For control of downy mildew, apply when first signs appear. Repeat every 7 to 10 days. For control of apple scab, apply when first signs appear. Repeat every 7 to 10 days. For control of cedar-rust, apply when first signs appear. Repeat every 7 to 10 days.

CABBAGE Downy mildew, cabbage looper, and other diseases. Apply when first signs appear. Repeat every 7 to 10 days. For control of downy mildew, apply when first signs appear. Repeat every 7 to 10 days. For control of cabbage looper, apply when first signs appear. Repeat every 7 to 10 days.

CELERY Early blight, late blight, septoria leaf spot, verticillium wilt, and other diseases. Apply when first signs appear. Repeat every 7 to 10 days. For control of early blight, apply when first signs appear. Repeat every 7 to 10 days. For control of late blight, apply when first signs appear. Repeat every 7 to 10 days.

CARROTS Leaf spot diseases. Apply when first signs appear. Repeat every 7 to 10 days.

WATERMELONS: Downy mildew, watermelon wilt, and other diseases. Apply when first signs appear. Repeat every 7 to 10 days.

CUCUMBERS: Downy mildew, cucumber beetle, and other diseases. Apply when first signs appear. Repeat every 7 to 10 days.

CANTALOUPEs and SQUASH Downy mildew, cantaloupe wilt, and other diseases. Apply when first signs appear. Repeat every 7 to 10 days.

LETTUCE and ENDIVE Downy mildew. As a preventive, apply every 7 to 10 days as a dust or foliar spray. Apply when disease appears. Repeat every 7 to 10 days. For control of downy mildew, apply when first signs appear. Repeat every 7 to 10 days.

LIMA BEANS Downy mildew and other diseases. Apply when first signs appear. Repeat every 7 to 10 days. For control of downy mildew, apply when first signs appear. Repeat every 7 to 10 days.

ONIONS Downy mildew, purple blotch, and other diseases. Apply when first signs appear. Repeat every 7 to 10 days.

SPINACH Downy mildew (blue mold) and white rust. Apply when first signs appear. Repeat every 7 to 10 days. For control of downy mildew, apply when first signs appear. Repeat every 7 to 10 days. For control of white rust, apply when first signs appear. Repeat every 7 to 10 days.