

5
lb

SEE DIRECTIONS FOR USE FOLDER
ENCLOSED IN BOTTOM FLAP OF BAG

5
lb



LOROX

HERBICIDE

WETTABLE POWDER

ACTIVE INGREDIENT:

Linuron (3-(3,4-dichlorophenyl)-1-methoxy-1-methylurea) 50%

INERT INGREDIENTS 50%

Keep out of reach of children.
**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS**

CAUTION! HARMFUL IF SWALLOWED
MAY IRRITATE EYES, NOSE, THROAT, AND SKIN

Avoid breathing dust or spray mist. Avoid contact with skin, eyes, and clothing.
For medical emergencies involving this product, call toll free 1-800-441-3637

ENVIRONMENTAL HAZARDS

IMPORTANT— When mixing, loading, and spraying, wear a wide-brimmed hat, mid-forearm to elbow length chemical-resistant gloves, and one-piece overalls which have long sleeves and long pants. Overalls should be constructed of finely woven fabric, as specified in the USDA/EPA Guide for Commercial Applicators.

Any article of clothing worn when applying product must be cleaned before reusing. Clothing which has been drenched or has been well absorbed with concentrated pesticide must be disposed in a sanitary fashion as recommended or followed by state and local authorities, by burning.

Instead of clothing and equipment specified above, the applicator can use an enclosed tractor cab which provides a filtered air supply (as described by Tashenberg and Bourke, 1975).

Injury to or loss of desirable trees or other plants may result from a failure to observe the following:

Do not apply (except as recommended) or drain or flush equipment on or near desirable trees or other plants, or on areas where the plants may extend, or in locations where the chemical may be washed or may come into contact with the plants. Do not use on home plantings of trees, shrubs or herbaceous plants, nor on lawns, walks, driveways, tennis courts, or similar areas. Prevent drift of dry powder or spray to desirable plants. Do not contaminate any body of water. Keep from contact with fertilizers, insecticides, fungicides, and seeds.

Do not apply aerially.

Thoroughly clean all traces of Linuron from application equipment immediately after use. Flush tank, pump, hoses, and boom with several changes of water after removing nozzle tips and screens (clean these parts separately).

Net 5 lb

E. I. du Pont de Nemours and Company (Inc.)

ACTUAL SIZE

NOTICE OF WARRANTY

Du Pont warrants that this product conforms to the chemical description on the label thereof and is reasonably fit for purposes stated on such label only when used in accordance with directions under normal use conditions. It is impossible to eliminate all risks inherently associated with use of this product. Crop injury, ineffectiveness, or other unintended consequences may result because of such factors as weather conditions, presence of other materials, or the manner of use or application, all of which are beyond the control of Du Pont. In no case shall Du Pont be liable for consequential, special or indirect damages resulting from the use or handling of this product. All such risks shall be assumed by the Buyer. DU PONT MAKES NO WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE NOR ANY OTHER EXPRESS OR IMPLIED WARRANTY EXCEPT AS STATED ABOVE.

DIRECTIONS FOR USE—SEE FOLDER ENCLOSED IN BOTTOM FLAP OF BAG

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

"Lorox" Herbicide should be used only in accordance with recommendations on this label, or in separate published DuPont recommendations available through local dealers. Do not use on any crop in Kern County, California, except carrots when a permit has been obtained from the Agricultural Commission.

Du Pont will not be responsible for losses or damages resulting from use of this product in any manner not specifically recommended by Du Pont. User assumes all risks associated with such nonrecommended use.

SELECTIVE USE IN CROPS

	<u>Preemergence Use</u>	<u>Postemergence Use</u>
ASPARAGUS	California	California
CARROTS	Michigan, Wisconsin	United States
CELERY	—	East of Rocky Mountains*
CORN (FIELD)	East of Rocky Mountains	United States
CORN (SWEET)	—	United States
COTTON	—	East of Rocky Mountains
PARSNIPS	United States	—
POTATOES	East of Rocky Mountains	—
SORGHUM	Southwest and Great Plains	United States
SOYBEANS	United States	United States

*Postemergence only.

Non-Crop Weed Control

ROADSIDES • FENCE ROWS

STORAGE AND DISPOSAL

STORAGE: Store product in original container only, away from other pesticides, fertilizer, food, or feed.

DISPOSAL: Do not contaminate water, food, or feed by storage or disposal. Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.



AGRICULTURAL BULLETIN




LOROX®
CORN (FIELD)

SUPPLEMENTAL LABELING
EPA REGISTRATION NO. 352-270

LOROX® HERBICIDE
FOR CONTROL OF ATRAZINE-RESISTANT LAMBSQUARTERS
IN FIELD CORN EAST OF THE ROCKY MOUNTAINS

DIRECTIONS FOR USE



It is a violation of federal law to use this product
in a manner inconsistent with its labeling.

Du Pont Lorox® Herbicide is recommended for use as a preemergence treatment of field corn to control atrazine-resistant lambsquarters.

HOW TO USE

Add 3/4 to 1 pound Lorox® per acre (broadcast) as a tank mix with standard preemergence herbicides that are registered for field corn. Use only on soils containing 1 to 4% organic matter. Make a single application of the tank mixture after planting but before crop emerges. Plant seed at least 1 3/4" deep on flat or raised seedbeds only or injury to the crop may result. Do not spray over top of emerged field corn. Soil should be well prepared and as free as possible from trash and clods before planting.

Apply in water with ground spray equipment at a minimum of 20 gals. per acre.

For replanting or recropping instructions, refer to labels of products involved and use the most restrictive directions.

IMPORTANT

BEFORE USING LOROX®, READ AND CAREFULLY OBSERVE THE CAUTIONARY STATEMENTS AND ALL OTHER INFORMATION APPEARING ON THE PRODUCT LABELS.

This bulletin contains new or supplemental instructions for use of these products which may not appear on the package labels. Follow the instructions carefully.

This labeling must be in the possession of the user at the time of pesticide application.