



SEE DIRECTIONS FOR USE FOLDER IN BOTTOM FLAP



WETTABLE POWDER

ACTIVE INGREDIENT:

Terbufos (3-tert-butyl-5-chloro-4-methylphenyl)

80%

INERT INGREDIENTS

20%

Keep out of reach of children
PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS

CAUTION! MAY IRRITATE EYES, NOSE, THROAT AND SKIN

As with any chemical product, avoid contact with eyes, nose, throat, and skin. Wash thoroughly with soap and water after use.

Do not apply this product in such a manner as to directly or through drift expose workers or other persons. The area being treated must be vacated by unprotected persons.

STATEMENT OF PRACTICAL TREATMENT

If on skin: Flush with plenty of soap and water.

ENVIRONMENTAL HAZARDS

May be toxic to fish, birds, and other animals if ingested. Do not allow to be ingested.

Do not use in areas where there are large numbers of birds, fish, or other animals. Do not use in areas where there are large numbers of bees, butterflies, or other beneficial insects. Do not use in areas where there are large numbers of plants, trees, or other vegetation. Do not use in areas where there are large numbers of people, animals, or other living beings. Do not use in areas where there are large numbers of children, the elderly, or other vulnerable populations. Do not use in areas where there are large numbers of people, animals, or other living beings. Do not use in areas where there are large numbers of children, the elderly, or other vulnerable populations.

Net 5 lb

E. I. du Pont de Nemours & Company (Inc.)
Agricultural Chemicals Dept., Wilmington, DE

GENERAL INFORMATION

This herbicide is a selective, contact herbicide. It is used to control weeds in alfalfa and other legume crops. It is applied as a spray or granules. It is effective against a wide range of weeds, including annual and perennial species. It is safe for use on the crops listed in the selective use section. It is important to follow the directions carefully to ensure effective control of weeds and to protect the crops.

NOTICE OF WARRANTY

This product is warranted to be free from defects in material and workmanship. It is warranted to perform as described in the directions. The warranty is limited to the product and does not extend to the results of its use. The user assumes all liability for the use of this product. The manufacturer is not responsible for any damage or loss resulting from the use of this product. The warranty is void if the product is used in a manner not approved by the manufacturer.

SELECTIVE USE IN CROPS

• FIELD AND VEGETABLE CROPS

Alfalfa: United States

Asparagus: United States

Mint (Peppermint, Spearmint): United States

Sugarcane: Louisiana, Texas, Hawaii,
Puerto Rico

• FRUIT AND NUT CROPS

Apples: United States

Peaches: United States

Blueberries: United States

**Caneberries (Blackberries, Boysenberries, Dewberries,
Loganberries, Raspberries,
Youngberries):** United States

Citrus: United States

Pecans: United States

Strawberries: All states except California and Florida

STORAGE AND DISPOSAL

STORAGE: Store product in original container. Do not store with other pesticides, fertilizer, food, or feed.

DISPOSAL: Do not contaminate water, food, or feed, or feed by storage or disposal. Wastes resulting from use of this product may be disposed of on site or at an approved waste disposal facility.

Completely empty bag into incineration equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by State and local authorities, burning. If burned, stay out of smoke.

NOTICE TO BUYER: This product is registered with the U.S. Environmental Protection Agency. It is labeled for use on the crops listed in the selective use section. It is important to read the label carefully before using this product.



Product Labeling

WETTABLE POWDER
ACTIVE INGREDIENT:
Terbacil [3-tert-butyl-5-chloro-6-methyluracil]
INERT INGREDIENTS

80%
20%

Keep out of reach of children.
PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS

CAUTION! MAY IRRITATE EYES, NOSE, THROAT, AND SKIN
Avoid breathing dust or spray mist. Avoid contact with skin, eyes, and clothing. Wash thoroughly with soap and water after handling.
Do not apply this product in such a manner as to directly or through drift expose workers or other persons. The area being treated must be vacated by unprotected persons.

STATEMENT OF PRACTICAL TREATMENT
If in eyes: Flush with plenty of water. If on skin: Wash with plenty of water.

ENVIRONMENTAL HAZARDS

Keep out of reach of children. Do not use near water. Do not use near food crops.

IMPORTANT
This product is a restricted use pesticide. It may be used only by or under the direct supervision of a person licensed by the State Department of Agriculture. For more information, consult your State Department of Agriculture.

GENERAL INFORMATION

This product is a restricted use pesticide. It may be used only by or under the direct supervision of a person licensed by the State Department of Agriculture. For more information, consult your State Department of Agriculture.

NOTICE OF WARRANTY

This product is warranted to be free from defects in material and workmanship. It is not warranted to be effective against all weeds or to provide complete control of weeds.

DIRECTIONS FOR USE

Apply to the treated areas without protective clothing until sprays have dried. Because certain states may require more restrictive intervals for various crops treated with this product, consult your State Department of Agriculture for further information.

Written or oral warnings must be given to all persons who are permitted to be in a treated area or an area about to be treated with this product. When oral warnings are given, they must be given in a language customarily understood by workers. Oral warnings must be given if there is reason to believe that written warnings cannot be understood by workers. Warnings must include the following information: **CAUTION: Area treated with Sinbar on (date of application).** Do not enter without appropriate protective clothing until sprays have dried. In case of contact, flush skin or eyes with plenty of water. For eyes, get medical attention.

the same time, the fact that the majority of respondents were male may have influenced their responses. The study was also limited by its cross-sectional design, which does not allow for the examination of changes over time. Finally, the study did not include a control group, which could have helped to identify potential confounding factors.

[illegible][illegible][illegible][illegible]

EQUIPMENT—SPRAY VOLUMES AND PRESSURES

[illegible]

USE BAILS

USE PATENT: The use of the patent is limited to the use of the product in the treatment of the disease or condition for which it is approved. The use of the patent for any other purpose is prohibited.

the 1990s, the number of people in the world who are illiterate has declined by 100 million. The number of people who are illiterate in the world is now 1.2 billion. The number of people who are illiterate in the world is now 1.2 billion.

1. *Journal of the American Medical Association*, 1997; 277: 1039-1043.

CROPS

Apply before or after emergence of weeds but before July 31.

the 1990s, the number of people in the world who are under 15 years of age is expected to increase from 1.1 billion to 1.5 billion. The number of people aged 65 and over is expected to increase from 250 million to 450 million. The number of people aged 15 and over is expected to increase from 3.5 billion to 4.5 billion. The number of people aged 15 and over is expected to increase from 3.5 billion to 4.5 billion. The number of people aged 15 and over is expected to increase from 3.5 billion to 4.5 billion.

1997, 1998, 1999, 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010, 2011, 2012, 2013, 2014, 2015, 2016, 2017, 2018, 2019, 2020, 2021, 2022, 2023, 2024, 2025, 2026, 2027, 2028, 2029, 2030, 2031, 2032, 2033, 2034, 2035, 2036, 2037, 2038, 2039, 2040, 2041, 2042, 2043, 2044, 2045, 2046, 2047, 2048, 2049, 2050, 2051, 2052, 2053, 2054, 2055, 2056, 2057, 2058, 2059, 2060, 2061, 2062, 2063, 2064, 2065, 2066, 2067, 2068, 2069, 2070, 2071, 2072, 2073, 2074, 2075, 2076, 2077, 2078, 2079, 2080, 2081, 2082, 2083, 2084, 2085, 2086, 2087, 2088, 2089, 2090, 2091, 2092, 2093, 2094, 2095, 2096, 2097, 2098, 2099, 2100, 2101, 2102, 2103, 2104, 2105, 2106, 2107, 2108, 2109, 2110, 2111, 2112, 2113, 2114, 2115, 2116, 2117, 2118, 2119, 2120, 2121, 2122, 2123, 2124, 2125, 2126, 2127, 2128, 2129, 2130, 2131, 2132, 2133, 2134, 2135, 2136, 2137, 2138, 2139, 2140, 2141, 2142, 2143, 2144, 2145, 2146, 2147, 2148, 2149, 2150, 2151, 2152, 2153, 2154, 2155, 2156, 2157, 2158, 2159, 2160, 2161, 2162, 2163, 2164, 2165, 2166, 2167, 2168, 2169, 2170, 2171, 2172, 2173, 2174, 2175, 2176, 2177, 2178, 2179, 2180, 2181, 2182, 2183, 2184, 2185, 2186, 2187, 2188, 2189, 2190, 2191, 2192, 2193, 2194, 2195, 2196, 2197, 2198, 2199, 2200, 2201, 2202, 2203, 2204, 2205, 2206, 2207, 2208, 2209, 2210, 2211, 2212, 2213, 2214, 2215, 2216, 2217, 2218, 2219, 2220, 2221, 2222, 2223, 2224, 2225, 2226, 2227, 2228, 2229, 2230, 2231, 2232, 2233, 2234, 2235, 2236, 2237, 2238, 2239, 2240, 2241, 2242, 2243, 2244, 2245, 2246, 2247, 2248, 2249, 2250, 2251, 2252, 2253, 2254, 2255, 2256, 2257, 2258, 2259, 2260, 2261, 2262, 2263, 2264, 2265, 2266, 2267, 2268, 2269, 2270, 2271, 2272, 2273, 2274, 2275, 2276, 2277, 2278, 2279, 2280, 2281, 2282, 2283, 2284, 2285, 2286, 2287, 2288, 2289, 2290, 2291, 2292, 2293, 2294, 2295, 2296, 2297, 2298, 2299, 2300, 2301, 2302, 2303, 2304, 2305, 2306, 2307, 2308, 2309, 2310, 2311, 2312, 2313, 2314, 2315, 2316, 2317, 2318, 2319, 2320, 2321, 2322, 2323, 2324, 2325, 2326, 2327, 2328, 2329, 2330, 2331, 2332, 2333, 2334, 2335, 2336, 2337, 2338, 2339, 2340, 2341, 2342, 2343, 2344, 2345, 2346, 2347, 2348, 2349, 2350, 2351, 2352, 2353, 2354, 2355, 2356, 2357, 2358, 2359, 2360, 2361, 2362, 2363, 2364, 2365, 2366, 2367, 2368, 2369, 2370, 2371, 2372, 2373, 2374, 2375, 2376, 2377, 2378, 2379, 2380, 2381, 2382, 2383, 2384, 2385, 2386, 2387, 2388, 2389, 2390, 2391, 2392, 2393, 2394, 2395, 2396, 2397, 2398, 2399, 2400, 2401, 2402, 2403, 2404, 2405, 2406, 2407, 2408, 2409, 2410, 2411, 2412, 2413, 2414, 2415, 2416, 2417, 2418, 2419, 2420, 2421, 2422, 2423, 2424, 2425, 2426, 2427, 2428, 2429, 2430, 2431, 2432, 2433, 2434, 2435, 2436, 2437, 2438, 2439, 2440, 2441, 2442, 2443, 2444, 2445, 2446, 2447, 2448, 2449, 2450, 2451, 2452, 2453, 2454, 2455, 2456, 2457, 2458, 2459, 2460, 2461, 2462, 2463, 2464, 2465, 2466, 2467, 2468, 2469, 2470, 2471, 2472, 2473, 2474, 2475, 2476, 2477, 2478, 2479, 2480, 2481, 2482, 2483, 2484, 2485, 2486, 2487, 2488, 2489, 2490, 2491, 2492, 2493, 2494, 2495, 2496, 2497, 2498, 2499, 2500, 2501, 2502, 2503, 2504, 2505, 2506, 2507, 2508, 2509, 2510, 2511, 2512, 2513, 2514, 2515, 2516, 2517, 2518, 2519, 2520, 2521, 2522, 2523, 2524, 2525, 2526, 2527, 2528, 2529, 2530, 2531, 2532, 2533, 2534, 2535, 2536, 2537, 2538, 2539, 2540, 2541, 2542, 2543, 2544, 2545, 2546, 2547, 2548, 2549, 2550, 2551, 2552, 2553, 2554, 2555, 2556, 2557, 2558, 2559, 2560, 2561, 2562, 2563, 2564, 2565, 2566, 2567, 2568, 2569, 2570, 2571, 2572, 2573, 2574, 2575, 2576, 2577, 2578, 2579, 2580, 2581, 2582, 2583, 2584, 2585, 2586, 2587, 2588, 2589, 2590, 2591, 2592, 2593, 2594, 2595, 2596, 2597, 2598, 2599, 2600, 2601, 2602, 2603, 2604, 2605, 2606, 2607, 2608, 2609, 2610, 2611, 2612, 2613, 2614, 2615, 2616, 2617, 2618, 2619, 2620, 2621, 2622, 2623, 2624, 2625, 2626, 2627, 2628, 2629, 2630, 2631, 2632, 2633, 2634, 2635, 2636, 2637, 2638, 2639, 2640, 2641, 2642, 2643, 2644, 2645, 2646, 2647, 2648, 2649, 2650, 2651, 2652, 2653, 2654, 2655, 2656, 2657, 2658, 2659, 2660, 2661, 2662, 2663, 2664, 2665, 2666, 2667, 2668, 2669, 2670, 2671, 2672, 2673, 2674, 2675, 2676, 2677, 2678, 26

the 1990s, the number of people in the world who are under 15 years of age is expected to increase from 1.1 billion to 1.5 billion. The number of people aged 65 and over is expected to increase from 200 million to 400 million. The number of people aged 15 and over is expected to increase from 3.5 billion to 4.5 billion. The number of people aged 15 and over is expected to increase from 3.5 billion to 4.5 billion. The number of people aged 15 and over is expected to increase from 3.5 billion to 4.5 billion.

... (Don't graze or feed)

Summary Along the coast of the Gulf of Mexico, the

Lib. Seab. Pac. Arch.

Soil Test on	1 to 2% Organic Matter	More Than 2% Organic Matter
1		
2		
3		
4		
5		
6		
7		
8		
9		
10		
11		
12		
13		
14		
15		
16		
17		
18		
19		
20		
21		
22		
23		
24		
25		
26		
27		
28		
29		
30		
31		
32		
33		
34		
35		
36		
37		
38		
39		
40		
41		
42		
43		
44		
45		
46		
47		
48		
49		
50		
51		
52		
53		
54		
55		
56		
57		
58		
59		
60		
61		
62		
63		
64		
65		
66		
67		
68		
69		
70		
71		
72		
73		
74		
75		
76		
77		
78		
79		
80		
81		
82		
83		
84		
85		
86		
87		
88		
89		
90		
91		
92		
93		
94		
95		
96		
97		
98		
99		
100		

Journal of Management Inquiry 18(6) 709–724

Submitted: 1997-09-10; Accepted: 1998-01-20

John R. Brinkley, D.D., President

10-25-2024 **Matter** **Plus Than 25 (Twenty) Matter**

5. Turn on	6. Start	7. Running

1000

ACCEPTED

1. ACTION PLAN

100-17834

1. *Chlorophyll a* (Chl *a*)

1. *Journal of the American Medical Association*, 1997; 277: 1039-1043.

ACCEPTED
AUG - 1984

Direct Seeded: Broadcast seed 1 to 2 inches deep in cool, well-drained soils and keep the soil moist until the seedlings emerge. Broadcast charcoal (such as Aqua NuChar[®] or Bro-Safe[®]) in a 1-inch band on soil surface directly over rows at a rate of 500 lbs. per acre (broadcast basis equivalent to 15 lbs. per acre where row spacing is 20 inches). Follow with "Sopar" as a single spray at 1 to 2 lbs. per acre. Use the lower rate on coarser soils and the higher rate on finer soils.

Established Beds. Apply 1 to 3 lbs. "Simbar" per acre prior to spear emergence. Application may be made immediately after clean cutting. Use the lower rate on coarser soils and the higher rate on finer soils. Do not apply more than 3 lbs. per acre.

Apply before weeds emerge or to small weeds 6 to 2 inches tall or across.

High organic soils absorb Simbar[®] so that it is substantially inactivated as a soil residual weed killer. On these soils weed control is provided by the herbicide's foliar uptake only. Apply up to 3 lbs. Simbar[®] per acre with a maximum of 2 applications per year.

NOTE: Do not allow on areas where tubers or roots are exposed. Do not use on plants that are diseased or ranking in vigor, as injury to the crop may result. Do not harvest within 5 days after application. Treated areas may be replanted at any time after application. Otherwise, do not replant any other crop within two years after last application.

4. The above information was obtained from the following sources:

4 lbs. Sinter in Min 25 Gals Water per Acre

Soil Texture	2 to 5% Organic Matter	More Than 3% Organic Matter
--------------	------------------------	-----------------------------

CANEberries
(Blackberries, Boysenberries, Dewberries, Loganberries, Raspberries, Youngberries)

and had made up their minds to leave the treated area to livestock.

Trees Established for One Year

Trees Established for Two Years or More

Arizona-California 100

References

Year	1954	1955	1956	1957	1958	1959	1960	1961	1962	1963	1964	1965	1966	1967	1968	1969	1970	1971	1972	1973	1974	1975	1976	1977	1978	1979	1980	1981	1982	1983	1984	1985	1986	1987	1988	1989	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2027	2028	2029	2030	2031	2032	2033	2034	2035	2036	2037	2038	2039	2040	2041	2042	2043	2044	2045	2046	2047	2048	2049	2050	2051	2052	2053	2054	2055	2056	2057	2058	2059	2060	2061	2062	2063	2064	2065	2066	2067	2068	2069	2070	2071	2072	2073	2074	2075	2076	2077	2078	2079	2080	2081	2082	2083	2084	2085	2086	2087	2088	2089	2090	2091	2092	2093	2094	2095	2096	2097	2098	2099	2100																										
Population	1,000,000	1,050,000	1,100,000	1,150,000	1,200,000	1,250,000	1,300,000	1,350,000	1,400,000	1,450,000	1,500,000	1,550,000	1,600,000	1,650,000	1,700,000	1,750,000	1,800,000	1,850,000	1,900,000	1,950,000	2,000,000	2,050,000	2,100,000	2,150,000	2,200,000	2,250,000	2,300,000	2,350,000	2,400,000	2,450,000	2,500,000	2,550,000	2,600,000	2,650,000	2,700,000	2,750,000	2,800,000	2,850,000	2,900,000	2,950,000	3,000,000	3,050,000	3,100,000	3,150,000	3,200,000	3,250,000	3,300,000	3,350,000	3,400,000	3,450,000	3,500,000	3,550,000	3,600,000	3,650,000	3,700,000	3,750,000	3,800,000	3,850,000	3,900,000	3,950,000	4,000,000	4,050,000	4,100,000	4,150,000	4,200,000	4,250,000	4,300,000	4,350,000	4,400,000	4,450,000	4,500,000	4,550,000	4,600,000	4,650,000	4,700,000	4,750,000	4,800,000	4,850,000	4,900,000	4,950,000	5,000,000	5,050,000	5,100,000	5,150,000	5,200,000	5,250,000	5,300,000	5,350,000	5,400,000	5,450,000	5,500,000	5,550,000	5,600,000	5,650,000	5,700,000	5,750,000	5,800,000	5,850,000	5,900,000	5,950,000	6,000,000	6,050,000	6,100,000	6,150,000	6,200,000	6,250,000	6,300,000	6,350,000	6,400,000	6,450,000	6,500,000	6,550,000	6,600,000	6,650,000	6,700,000	6,750,000	6,800,000	6,850,000	6,900,000	6,950,000	7,000,000	7,050,000	7,100,000	7,150,000	7,200,000	7,250,000	7,300,000	7,350,000	7,400,000	7,450,000	7,500,000	7,550,000	7,600,000	7,650,000	7,700,000	7,750,000	7,800,000	7,850,000	7,900,000	7,950,000	8,000,000	8,050,000	8,100,000	8,150,000	8,200,000	8,250,000	8,300,000	8,350,000	8,400,000	8,450,000	8,500,000	8,550,000	8,600,000	8,650,000	8,700,000	8,750,000	8,800,000	8,850,000	8,900,000	8,950,000	9,000,000	9,050,000	9,100,000	9,150,000	9,200,000	9,250,000	9,300,000	9,350,000	9,400,000	9,450,000	9,500,000	9,550,000	9,60

Northwest West of Cascade Mountains

East of Cascade Mountains

Postmergence Application (Midwest and Pacific Northwest)

Prämissen und Postulatsystem

Note

1. The χ^2 test is used to determine the statistical significance of the difference between the observed and expected frequencies. The expected frequencies are calculated based on the null hypothesis, which states that there is no difference between the observed and expected frequencies. The χ^2 test is a non-parametric test, meaning it does not require the data to be normally distributed. The degrees of freedom (df) for the χ^2 test are calculated as the number of categories minus one. In this case, there are two categories (A and B), so the df is 1. The χ^2 test is used to determine the probability of observing the difference between the observed and expected frequencies if the null hypothesis is true. If the probability is small (e.g., less than 0.05), then the null hypothesis is rejected, and it is concluded that there is a significant difference between the observed and expected frequencies.

