



Du Pont

352-342

04/14/1971
SUPPLEMENTAL LABELING
USDA REG. NO. 352-342

Y/1

LANNATE® METHOMYL INSECTICIDE
FOR USE ON TOBACCO (EXCEPT SHADE TOBACCO)

Du Pont "Lannate" Methomyl Insecticide is recommended for use on tobacco for the control of flea beetle, tobacco hornworm, cabbage looper, and tobacco budworm.

HOW TO USE

Apply "Lannate" at the following rates at 5- to 7-day intervals or as needed; use sufficient water to obtain thorough coverage (min. 20 gals. per acre):

Flea Beetle - 1/4 to 1/2 lb. per acre; begin applications when plants are set in field.


Hornworm - 1/4 to 1/2 lb. per acre; begin applications before the largest worms exceed 1 1/2 inches in length.

Cabbage Looper - 1/2 lb. per acre; begin applications when worms first appear.

Budworm - 1/2 lb. per acre; include 2 to 3 applications before flower buds open; direct spray into bud.

To prepare spray, fill tank 1/4 to 1/2 full of water and start agitation (use mechanical or hydraulic means; do not use air agitation). Add proper amount of "Lannate" to tank and continue filling with water. Continue agitation for several minutes prior to spraying; agitation is required to fully dissolve the insecticide.

Note: Do not apply within 7 days of harvest on tobacco to be flue cured. Do not apply within 14 days of harvest on tobacco to be air or fire cured.



Better things for better living...through chemistry