

PLEASE NOTE

This image contains more than one label approved for this product on this date.

352-342

07/16/1975

1/2



AGRICULTURAL BULLETIN



LANNATE® METHOMYL INSECTICIDE


Grapes

West of the Rocky Mountains

ACCEPTED
JUL 16 1975
Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, the pesticide registered under EPA Reg. No. 342-352

SUPPLEMENTAL LABELING
EPA REG. NO. 352-342

LANNATE® METHOMYL INSECTICIDE
FOR USE ON GRAPES
WEST OF THE ROCKY MOUNTAINS



Du Pont "Lannate" Methomyl Insecticide is recommended for use on grapes west of the Rocky Mountains for control of omnivorous leafroller, grape leaf folder, orange tortrix and salt marsh caterpillar.

HOW TO USE

Apply 1/2 to 1 lb. per acre by ground equipment in sufficient water to obtain thorough coverage. Good coverage is particularly important in the case of insects which directly attack the grape berries.

Omnivorous Leafroller - Make the first application when insects appear in damaging numbers or when leaf folding is observed. Repeat at 5- to 7-day intervals or as needed.

Grape Leaf Folder - Make the first application when insects appear in damaging numbers or when leaf rolling is observed. Repeat at 5- to 7-day intervals or as needed.

Orange Tortrix - Make the first application when insects appear in damaging numbers in spring growth. Repeat at 5- to 7-day intervals or as needed.

Salt Marsh Caterpillar - Make the first application when insects appear in damaging numbers. For aerial application use a minimum of 10 gals. of spray mixture per acre.

Note: Do not treat within 1 day of harvest; do not treat grapes for wine within 14 days of harvest.

IMPORTANT


BEFORE USING "LANNATE", READ AND CAREFULLY OBSERVE THE CAUTIONARY

2/2

STATEMENTS AND ALL OTHER INFORMATION APPEARING ON THE PRODUCT LABEL.

This bulletin contains new or supplemental instructions for use of this product which may not appear on package label. Follow the instructions carefully.

4/21/75




NEXT

LABEL

342-352

7-16-1975

AGRICULTURAL BULLETIN



LANNATE® METHOMYL INSECTICIDE

Grapes

West of the Rocky Mountains

ACCEPTED
JUL 16 1975
Under the Federal Insecticide,
Fungicide, and Rodenticide Act,
as amended, for the pesticide
registered under
EPA Reg. No. *342-352*

SUPPLEMENTAL LABELING
EPA REG. NO. 352-342

LANNATE® METHOMYL INSECTICIDE
FOR USE ON GRAPES
WEST OF THE ROCKY MOUNTAINS



Du Pont "Lannate" Methomyl Insecticide is recommended for use on grapes west of the Rocky Mountains for control of omnivorous leafroller, grape leaf folder, orange tortrix and salt marsh caterpillar.

HOW TO USE

Apply 1/2 to 1 lb. per acre by ground equipment in sufficient water to obtain thorough coverage. Good coverage is particularly important in the case of insects which directly attack the grape berries.

Omnivorous Leafroller - Make the first application when insects appear in damaging numbers or when leaf folding is observed. Repeat at 5- to 7-day intervals or as needed.

Grape Leaf folder - Make the first application when insects appear in damaging numbers or when leaf rolling is observed. Repeat at 5- to 7-day intervals or as needed.

Orange Tortrix - Make the first application when insects appear in damaging numbers in spring growth. Repeat at 5- to 7-day intervals or as needed.

Salt Marsh Caterpillar - Make the first application when insects appear in damaging numbers. For aerial application use a minimum of 10 gals. of spray mixture per acre.

Note: Do not treat within 1 day of harvest; do not treat grapes for wine within 14 days of harvest.

IMPORTANT.

BEFORE USING "LANNATE", READ AND CAREFULLY OBSERVE THE CAUTIONARY