

**DRUM CONTAINS LANNATE® IN A WATER SOLUBLE BAG —
ENTIRE CONTENTS DISSOLVE IN WATER.**

After opening drum, immediately dump entire contents into spray tank. Do not touch bag; handling may cause breakage.



IMPORTANT—When mixing spray, loading, applying or otherwise handling wear goggles and a mask or respirator of a type suitable for protection against insecticide dust or spray mist such as: Wilson Products "Agri-Tox" R533 Felt 11-P Cartridge or Mine Safety Appliances type H "Comfo." Wear clean clothes daily. Wash thoroughly after handling and before eating or smoking. **Pilot should not assist in the mixing and loading operation.** Do not contaminate or store near feed or foodstuffs.

Not for use or storage in or around the home. Keep in the original container and protect persons out of operational areas during treatment and when there is danger of drift. Do not re-use container; destroy when empty.

This product is toxic to fish, birds and other wildlife. Keep out of any body of water. Do not apply where runoff is likely to occur. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water, food, or feed with spray or equipment, or disposal of wastes.

This product is toxic to bees and should not be applied when bees are visiting the area. Apply late in evening or early morning where honey bees are present. In alfalfa frequented by alkali or leafcutting bees, do not apply during bloom or when these bees will be present in fields.

NOTICE OF WARRANTY

Du Pont warrants that this product conforms to the chemical description on the label thereof and is reasonably fit for the purposes stated on such label only when used in accordance with the directions under normal use conditions. It is impossible to eliminate all risks inherently associated with the use of this product. Crop injury, ineffectiveness, or other unintended consequences may result because of such factors as weather conditions, presence of other materials, or the manner of use or application, all of which are beyond the control of Du Pont. In no case shall Du Pont be liable for consequential, special or indirect damages resulting from the use or handling of this product. All such risks shall be assumed by the buyer. **DU PONT MAKES NO WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE NOR ANY OTHER EXPRESS OR IMPLIED WARRANTY EXCEPT AS STATED ABOVE.**



Water Soluble Powder

ACTIVE INGREDIENT: Methomyl
S-methyl N-[(methylcarbamoyl)oxy]thioacetimidate 90%
INERT INGREDIENTS 10%

Net Weight 3.57, 834 & 3,639,633
EPA Reg. No. 352-342-AA
EPA Est. 33967-NJ-1

Keep out of reach of children.

DANGER POISON

See Antidote in Right Panel ▶

MAY BE FATAL IF SWALLOWED. POISONOUS IF INHALED.

Do not breathe dust or spray mist.
Do not get in eyes, on skin, on clothing.

In case of contact, wash skin with plenty of soap and water; for eyes, flush with water for 15 minutes and get medical attention; remove and wash contaminated clothing before re-use.

NET 10 LBS.

HANDLE THIS PACKAGE CAREFULLY TO PREVENT BREAKAGE OF INNER BAG WHEN STORED AT LOW TEMPERATURES. ALLOW TO WARM ABOVE 50°F. FOR NORMAL HANDLING.

E. I. du Pont de Nemours & Co. (Inc.)
BIOCHEMICALS DEPARTMENT, WILMINGTON, DELAWARE



ATROPINE IS AN ANTIDOTE—CONSULT PHYSICIAN FOR EMERGENCY SUPPLY OF 1/100 GRAIN ATROPINE TABLETS. CALL A PHYSICIAN AT ONCE IN ALL CASES OF SUSPECTED POISONING.

If swallowed, drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger or blunt object. Do not induce vomiting or give anything by mouth to an unconscious person. Get medical attention.

If inhaled, remove from exposure. Have patient lie down and keep quiet. If patient is not breathing, start artificial respiration immediately. Never give anything by mouth to an unconscious person.

If warning symptoms appear (See warning symptoms below) before physician arrives, immediately swallow two atropine tablets (each 1/100 gr.); thereafter, every 10 to 15 minutes, take one atropine tablet (1/100 gr.) until throat becomes dry and skin becomes dry and flushed. Take additional tablets as necessary to maintain a moderately dry throat and dry, flushed skin until physician arrives.

NOTE TO PHYSICIAN

WARNING SYMPTOMS—Methomyl poisoning produces effects associated with anticholinesterase activity which may include weakness, blurred vision, headache, nausea, abdominal cramps, discomfort in the chest, constriction of pupils, sweating, slow pulse, muscle tremors.

TREATMENT—Atropine sulfate should be used for treatment. Administer repeated doses, 1.2 to 2.0 mg. intravenously every 10 to 30 minutes until full atropinization is achieved. Maintain atropinization until the patient recovers. Artificial respiration or oxygen may be necessary. Allow no further exposure to any cholinesterase inhibitor until recovery is assured.

Do not use morphine or 2-PAM. However, for exposure to "Lannate" and organophosphorous insecticides, 2-PAM may be used as required to supplement the atropine sulfate treatment as described above.

NOTICE TO BUYER—Purchase of this material does not confer any rights under patents of countries outside of the United States.

B-21562 Made in U.S.A. Printed in U.S.A.

ACCEPTED
AUG 24 1977
352-342

352-342

08/24/1977

1/2



POISON



DRUM CONTAINS LANNATE® IN A WATER SOLUBLE BAG— ENTIRE CONTENTS DISSOLVE IN WATER.

After opening drum, immediately dump entire contents into spray tank. Do not touch bag; handling may cause breakage.



POISON



DIRECTIONS

Du Pont "Lannate" insecticide should be used only in accordance with recommendations on this label, or in separate published Du Pont recommendations available through local dealers.

"Lannate" is a dry powder to be dissolved in water for application by ground or air equipment. Use air application only where recommended. Use only in commercial plantings; do not use in home plantings.

SPRAY PREPARATION—Fill spray tank 1/4 to 1/2 full of water. Add "Lannate" directly to spray tank.

Mix thoroughly to fully dissolve the insecticide; once dissolved continued agitation is not required. Use mechanical or hydraulic means; do not use air agitation.

APPLICATION—Apply at the recommended rates when insects first appear. Unless otherwise noted, continue applications at 5- to 7-day intervals or as needed. Use sufficient water to obtain thorough, uniform coverage. For aerial, use a minimum of 5 gals. per acre (gpa) except: 2 gpa for peanuts and soybeans; 3 gpa for cabbage, corn, cotton (east of Rocky Mts.), lettuce, onions and peas; 10 gpa for grapes, nectarines; 15 gpa for oranges and lemons. Apply the low rates on small plants, small insects and light infestations of insects. Use intermediate rates on large insects and heavier infestations of insects. Use 1 to 3 applications of the highest recommended rate for controlling severe infestations. Thereafter, use the lowest rate possible to maintain control.


Table with columns: CROPS, Method of application, INSECTS, LBS. PER ACRE, LAST APPLICATION—DAYS (TO HARVEST, TO LIVESTOCK GRAZING/FEEDING). Includes rows for Alfalfa, Apples, Asparagus, Beans, Brassicas, Cabbage, etc.

DIRECTIONS: Continued from left panel

Table with columns: CROPS, Method of application, INSECTS, LBS. PER ACRE, LAST APPLICATION—DAYS (TO HARVEST, TO LIVESTOCK GRAZING/FEEDING). Includes rows for Carrot, Celery, Chrysanthemum, Corn, etc.

DIRECTIONS: Continued from left panel

Table with columns: CROPS, Method of application, INSECTS, LBS. PER ACRE, LAST APPLICATION—DAYS (TO HARVEST, TO LIVESTOCK GRAZING/FEEDING). Includes rows for Onions, Oranges, Peanuts, Peas, Peppers, Potato, Soybean, Sorghum, Spinach, Sugar Beet, Summer Squash, Tangerines, Tobacco, Tomato, Turf, etc.



Handwritten number '2/2'

*Add wetting agent