



AGRICULTURAL BULLETIN

LANNATE® INSECTICIDE
GREEN PEA AND POTATO

352-342

03/01/1978

SUPPLEMENTAL LABELING
EPA REG. NO. 352-342

ACCEPTED
MAR 1 1978
352-342

1/1

LANNATE® INSECTICIDE
FOR USE ON GREEN PEA AND POTATO

Du Pont "Lannate" Insecticide is recommended for use on green pea and potato to control beet armyworm.

HOW TO USE

Apply 1/2 to 1 lb. "Lannate" per acre in sufficient water to obtain thorough coverage (aerial - minimum of 3 gals. per acre). Treat when worms first appear and repeat at 5- to 7-day intervals or as needed. Best results are obtained when spray schedules are initiated on small insects.

Note: Peas may be harvested 1 day after last application. Do not graze or feed treated pea vines to livestock within 5 days of last application nor pea vine hay within 14 days of last application.

Do not apply within 6 days of harvest of potatoes.

IMPORTANT

BEFORE USING "LANNATE", READ AND CAREFULLY OBSERVE THE CAUTIONARY STATEMENTS AND ALL OTHER INFORMATION APPEARING ON THE PRODUCT LABEL.

This bulletin contains new or supplemental instructions for use of this product which may not appear on package label. Follow the instructions carefully.

11/10/77-A

.....
.....
.....
.....
.....
.....
.....
.....
.....
.....