

PLEASE NOTE

This image contains more than one label approved for this product on this date.



AGRICULTURAL BULLETIN

DUPONT
LANNATE® INSECTICIDE
PEAS (SUCCULENT)

1/1

ACCEPTED
MAY 30 1978
Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 352-342

352-342

5-30-1978

SUPPLEMENTAL LABELING
EPA REG. NO. 352-342

LANNATE® INSECTICIDE
FOR USE ON PEAS (SUCCULENT)

Du Pont "Lannate" Insecticide is recommended for use on green peas for the control of pea aphid.

HOW TO USE

Apply 1/2 to 1 lb. "Lannate" per acre using sufficient water (3 gals. by air) to obtain thorough coverage. Make the first application when insects appear in damaging numbers. Make one or two repeat applications as required.

Note: Peas may be harvested 1 day after last application. Do not graze or feed treated pea vines to livestock within 5 days of last application nor pea vine hay within 14 days of last application.

IMPORTANT

BEFORE USING "LANNATE", READ AND CAREFULLY OBSERVE THE CAUTIONARY STATEMENTS AND ALL OTHER INFORMATION APPEARING ON THE PRODUCT LABEL.

This bulletin contains new or supplemental instructions for use of this product which may not appear on package label. Follow the instructions carefully.

10/10/77-A



NEXT

LABEL



AGRICULTURAL BULLETIN



LANNATE® INSECTICIDE
PEAS (SUCCULENT)

ACCEPTED
MAY 30 1978
Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 352-342

352-342

5-30-1978

SUPPLEMENTAL LABELING
EPA REG. NO. 352-342

LANNATE® INSECTICIDE
FOR CONTROL OF ARMYWORM AND GREEN CLOVERWORM
ON PEAS (SUCCULENT)

Du Pont "Lannate" Insecticide is recommended for use on green peas for the control of armyworm and green cloverworm.

HOW TO USE

Apply 1/4 to 1/2 lb. "Lannate" per acre using sufficient water (3 gals. by air) to obtain thorough coverage. Make the first application when insects appear in damaging numbers. Make one or two repeat applications as required.

Note: Peas may be harvested 1 day after last application. Do not graze or feed treated pea vines to livestock within 5 days of last application nor pea vine hay within 14 days of last application.

IMPORTANT

BEFORE USING "LANNATE", READ AND CAREFULLY OBSERVE THE CAUTIONARY STATEMENTS AND ALL OTHER INFORMATION APPEARING ON THE PRODUCT LABEL.

This bulletin contains new or supplemental instructions for use of this product which may not appear on package label. Follow the instructions carefully.

10/10/77-A