

PLEASE NOTE

This image contains more than one label approved for this product on this date.



AGRICULTURAL BULLETIN

LANNATE® INSECTICIDE
SOYBEANS

352-342

07/14/1978

SUPPLEMENTAL LABELING
EPA REG. NO. 352-342

LANNATE® INSECTICIDE
FOR USE ON SOYBEANS

ACCEPTED
JUL 14 1978
Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 352-342

Du Pont "Lannate" Insecticide is recommended for insect control on soybeans. Low use rates will control light to moderate infestations of Mexican bean beetle, green cloverworm and corn earworm and help conserve beneficial predators.

HOW TO USE

Apply 1/8 to 1/4 lb. per acre when insect populations build to economic levels. Use the lower rate on light infestations. Make additional applications as needed to retain control. Use sufficient water to obtain thorough coverage (min. of 2 gals. per acre aerial).

Periodic scouting of fields is required to insure proper timing of spray.

Note: Do not apply within 14 days of bean harvest. Do not graze or feed treated soybean forage to livestock within 3 days of last application nor soybean hay within 7 days of last application.

IMPORTANT

BEFORE USING "LANNATE", READ AND CAREFULLY OBSERVE THE CAUTIONARY STATEMENTS AND ALL OTHER INFORMATION APPEARING ON THE PRODUCT LABEL.

This bulletin contains new or supplemental instructions for use of this product which may not appear on package label. Follow the instructions carefully.

1/25/78

NEXT

LABEL

