

PLEASE NOTE

This image contains more than one label approved for this product on this date.

352-342

9-13-1978



AGRICULTURAL BULLETIN



LANNATE® INSECTICIDE
ALFALFA

SUPPLEMENTAL LABELING
EPA REG. NO. 352-342

ACCEPTED
SEP 13 1978
Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 352-342

LANNATE® INSECTICIDE
FOR USE ON ALFALFA

Du Pont "Lannate" Insecticide is recommended for use on alfalfa for the suppression of pea aphid. "Lannate" aids in the control of pea aphid when used in a regular program to control Egyptian alfalfa weevil in California and Arizona or for control of beet armyworm and lygus bugs in other areas of the U.S.

HOW TO USE

Apply 1/2 to 1 lb. "Lannate" per acre in sufficient water (minimum 5 gals. per acre by air) to obtain thorough coverage of plants. Apply when insects appear in damaging numbers. Repeat application to maintain control.

- Note:
- 1) Do not apply to dormant or semi-dormant alfalfa when minimum daily temperature is 50° F. or lower.
 - 2) Do not graze or feed treated alfalfa to livestock within 7 days of last application.
 - 3) This product is toxic to bees and should not be applied when bees are actively visiting the area. In fields visited by honeybees, make application late in the evening or early morning. In areas frequented by alkali or leafcutting bees, do not apply during bloom or when the bees will be present in fields.

IMPORTANT

BEFORE USING "LANNATE", READ AND CAREFULLY OBSERVE THE CAUTIONARY STATEMENTS AND ALL OTHER INFORMATION APPEARING ON THE PRODUCT LABEL.

This bulletin contains new or supplemental instructions for use of this product which may not appear on package label. Follow the instructions carefully.

1/4/78-A

PLEASE NOTE

This image contains more than one label approved for this product on this date.

352-342

9-13-1978



AGRICULTURAL BULLETIN



LANNATE® INSECTICIDE
SOYBEANS

SUPPLEMENTAL LABELING
EPA REG. NO. 352-342

LANNATE® INSECTICIDE
FOR USE ON SOYBEANS

ACCEPTED

SEP 13 1978

Under the Federal Insecticide,
Fungicide, and Rodenticide Act,
as amended, for the pesticide
registered under
EPA Reg. No. 352-342

Du Pont "Lannate" Insecticide is recommended for insect control on soybeans. Low use rate will control light to moderate infestations of Mexican bean beetle, green cloverworm and corn earworm and help conserve beneficial predators.

HOW TO USE

Apply 1/8 to 1/4 lb. per acre before insect populations build to economic levels. Use the lower rate on light infestations. Make additional applications as needed to retain control. Use sufficient water to obtain thorough coverage (min. of 2 gals. per acre aerial).

Periodic scouting of fields is required to insure proper timing of spray.

Note: Do not apply within 14 days of bean harvest. Do not graze or feed treated soybean forage to livestock within 3 days of last application nor soybean hay within 7 days of last application.

IMPORTANT

BEFORE USING "LANNATE", READ AND CAREFULLY OBSERVE THE CAUTIONARY STATEMENTS AND ALL OTHER INFORMATION APPEARING ON THE PRODUCT LABEL.

This bulletin contains new or supplemental instructions for use of this product which may not appear on package label. Follow the instructions carefully.

8/14/78