

PLEASE NOTE

This image contains more than one label approved for this product on this date.



352-342 2-28-1979
**AGRICULTURAL
BULLETIN**



LANNATE® INSECTICIDE
ALFALFA

4/1

ACCEPTED

FEB 28 1979

Under the Federal Insecticide,
Fungicide, and Rodenticide Act,
as amended, for the pesticide
registered under
EPA Reg. No. 352-342

SUPPLEMENTAL LABELING
EPA REG. NO. 352-342

LANNATE® INSECTICIDE
FOR USE ON ALFALFA

Du Pont "Lannate" Insecticide is recommended for use on alfalfa for the control of variegated cutworm in the Midwest and states in the Rocky Mountains.

HOW TO USE

Apply 1/4 to 1 lb. "Lannate" per acre when insects appear in damaging numbers; make repeat applications as needed. Use the higher rate for severe infestations.

Spray in sufficient water (min. 5 gals/per acre by air) to obtain thorough coverage.

- Note:
- 1) Do not apply to dormant or semi-dormant alfalfa when minimum daily temperature is 50° F. or lower.
 - 2) Do not graze or feed treated alfalfa to livestock within 7 days of last application.
 - 3) This product is toxic to bees and should not be applied when bees are actively visiting the area. In fields visited by honeybees, make application late in the evening or early morning. In areas frequented by alkali or leafcutting bees, do not apply during bloom or when the bees will be present in fields.

IMPORTANT

BEFORE USING "LANNATE", READ AND CAREFULLY OBSERVE THE CAUTIONARY STATEMENTS AND ALL OTHER INFORMATION APPEARING ON THE PRODUCT LABEL.

This bulletin contains new or supplemental instructions for use of this product which may not appear on package label. Follow the instructions carefully.

8/21/78

NEXT

LABEL



AGRICULTURAL BULLETIN

LANNATE® METHOMYL INSECTICIDE
TURF
EAST OF ROCKY MOUNTAINS

352-342

2-28-1979

ACCEPTED

FEB 28 1979

Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 352-342

SUPPLEMENTAL LABELING
EPA REG. NO. 352-342

LANNATE® METHOMYL INSECTICIDE
FOR USE ON TURF
EAST OF THE ROCKY MOUNTAINS

Du Pont "Lannate" Methomyl Insecticide is recommended for use on turf for control of sod webworm east of the Rocky Mountains.

HOW TO USE

Apply 1 to 2 lbs. per acre (2/5 to 4/5 ounce per 1,000 square feet). After application, sprinkler irrigate for 15 minutes to wash the "Lannate" into the turf. Apply when worms first appear and repeat as needed.


Note: Not for use in or around the home. Do not graze or feed clippings from treated areas to livestock.

IMPORTANT

BEFORE USING "LANNATE", READ AND CAREFULLY OBSERVE THE CAUTIONARY STATEMENTS AND ALL OTHER INFORMATION APPEARING ON THE PRODUCT LABEL.

This bulletin contains new or supplemental instructions for use of this product which may not appear on package label. Follow the instructions carefully.

3/7/77



NEXT

LABEL



352-342

2-28-1979

AGRICULTURAL BULLETIN



1/1

LANNATE® METHOMYL INSECTICIDE
PEANUTS

ACCEPTED
FEB 28 1979
Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 352-342

SUPPLEMENTAL LABELING
EPA REG. NO. 352-342

LANNATE® METHOMYL INSECTICIDE
FOR USE ON PEANUTS

Du Pont "Lannate" Methomyl Insecticide is recommended for use on peanuts for control of cabbage looper, soybean looper, green cloverworm, velvetbean caterpillar and potato leafhopper.

HOW TO USE

Apply "Lannate" at 1/2 to 1 lb. per acre as a spray in sufficient water to obtain thorough coverage (use a minimum of 3 gals. per acre for aerial application). Make up to 3 applications as needed to maintain control. Do not apply within 21 days of harvest.


Note: Do not feed treated vines to livestock.

IMPORTANT

BEFORE USING "LANNATE", READ AND CAREFULLY OBSERVE THE CAUTIONARY STATEMENTS AND ALL OTHER INFORMATION APPEARING ON THE PRODUCT LABEL.

This bulletin contains new or supplemental instructions for use of this product which may not appear on package label. Follow the instructions carefully.

6/24/76




NEXT

LABEL

352-342

2-28-1979



AGRICULTURAL BULLETIN



LANNATE® INSECTICIDE
POTATO

ACCEPTED
FEB 28 1979
Under the Federal Insecticide,
Fungicide, and Rodenticide Act,
as amended, for the pesticide
registered under
EPA Reg. No. 352-342

SUPPLEMENTAL LABELING
EPA REG. NO. 352-342

LANNATE® INSECTICIDE
FOR USE ON POTATO

Du Pont "Lannate" Insecticide is recommended for use on potato for control of leafhoppers west of the Mississippi River.

HOW TO USE

Apply 1/2 to 1 lb. "Lannate" per acre in sufficient water (5 to 15 gals. per acre by air) to obtain thorough coverage. Apply at 5- to 7-day intervals or as needed. Do not apply within 6 days of harvest.

IMPORTANT

BEFORE USING "LANNATE", READ AND CAREFULLY OBSERVE THE CAUTIONARY STATEMENT AND ALL OTHER INFORMATION APPEARING ON THE PRODUCT LABEL.

This bulletin contains new or supplemental instructions for use of this product which may not appear on package label. Follow the instructions carefully.

9/2/77

