

A nonphytotoxic, superior-type spray oil (60 to 70 second viscosity) at the rate of 1 quart per acre, or a "spreader-sticker" spray adjuvant may be added to improve spray coverage; add oil or adjuvant as last ingredient to spray tank.

Note: Do not apply within 26 days of harvest. Do not allow livestock to forage in treated fields. Do not tank mix "Benlate" with lime or alkaline pesticides such as Bordeaux mixture or lime sulfur.

IMPORTANT

BEFORE USING "BENLATE" PLUS "MANZATE" 200 FLOWABLE, READ AND CAREFULLY OBSERVE THE CAUTIONARY STATEMENTS AND ALL OTHER INFORMATION APPEARING ON THE PRODUCT LABELS.

This bulletin contains new or supplemental instructions for use of this product which may not appear on the package label. Follow the instructions carefully.


This labeling must be in the possession of the user at the time of pesticide application.

010885

**BEST AVAILABLE COPY**

SUPPLEMENTAL LABELING  
EPA REG. NO. 352-354

BENLATE® FUNGICIDE  
FOR SUPPRESSION OF AERIAL BLIGHT OF SOYBEANS



DIRECTIONS FOR USE

It is a violation of federal law to use this product  
in a manner inconsistent with its labeling

Du Pont Benlate® Fungicide is recommended for use as a foliar spray on  
soybeans for suppression of aerial blight (Rhizoctonia solani).

HOW TO USE

Apply 1 lb. of Benlate® per acre at the first sign of significant  
disease, using sufficient water to provide thorough and uniform coverage.  
If disease persists, follow with a second application of 1 lb. Benlate®  
per acre. Do not apply more than 2 lbs. of Benlate® per acre.

NOTE: Do not apply within 35 days of harvest. Do not graze or feed  
treated soybean vines or hay to livestock.

IMPORTANT

BEFORE USING BENLATE®, READ AND CAREFULLY OBSERVE THE CAUTIONARY STATEMENTS  
AND ALL OTHER INFORMATION APPEARING ON THE PRODUCT LABEL.

This bulletin contains new or supplemental instructions for use of this  
product which may not appear on the package label. Follow the instructions  
carefully.

This labeling must be in the possession of the user at the time of pesticide  
application.

090484

BEST AVAILABLE COPY