

41121

352-354

10/5

MAR 30 1994

Dr. Richard A. Carver
E.I. Du Pont de Nemours & Co.
P.O. Box 80038
Wilmington, DE 19880-0038

Dear Dr. Carver:

Subject: Benlate Fungicide
EPA Reg. No. 352-354
Your Submission of January 26, 1994

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act (FIFRA), as amended, is acceptable provided you:

1. Revise the supplemental labels as indicated below:

The supplemental label for treatment of avocado seed and grafting wood should indicate the length of time these items should remain in the dip solution.

Supplemental labeling for sweet potato and yams must be revised to clarify the dilution rate used for transplant dip treatments. A specific dosage rate must be stated or if a range of dilution rates is intended an upper and lower rate must be stated. Additionally, dosage rates must be stated in terms of amount of product. Rates as active ingredient may also be included but rates must not be stated only in terms of active ingredient (actual benomyl). Change the statement following "Dilution Rate" to "2 pounds Benlate/100 gallons of water". Add a statement indicating the length of time transplants should remain in the dip solution.

The supplemental label for use on turnip greens must be clarified as to the method of application. As written, the labeling implies that only aerial application may be used. Change the first sentence under "How to Use" to "---using sufficient water to obtain thorough coverage by ground application equipment or 3-10 gallons of water per acre for aerial application".

2. Submit five copies of final printed supplemental labels before release of these labels.

2015

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release of the supplemental labeling for use with this product constitutes acceptance of these conditions.

Copies of the stamped supplemental labels are enclosed for your records.

Sincerely yours,



Sidney C. Jackson
Acting Product Manager (21)
Fungicide-Herbicide Branch
Registration Division (7505C)


enclosure

7505C:C.Grable:cg:3/30/94



**DuPont Agricultural
Products**

..... A Growing Partnership With Nature



SUPPLEMENTAL LABELING *3075*

**BENLATE® FUNGICIDE
TURNIP GREENS
STATES OF
OKLAHOMA AND TEXAS**

BENLATE® FUNGICIDE

EPA REG. NO. 352-354

FOR CONTROL OF CERTAIN DISEASES ON TURNIP GREENS

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

DuPont "Benlate" Fungicide is recommended for use on turnip greens as a foliar spray in the state of Oklahoma and Texas for the control of Cercospora and Cercospora leaf spots, anthracnose and powdery mildew.

HOW TO USE

Apply 1/2 lb of "Benlate" per acre using sufficient water to obtain thorough coverage (3 to 10 gallons per acre for aerial application). Begin applications when disease first appears and repeat at 14-day intervals. Do not make more than 3 applications per growing season. Do not apply within 14 days of harvest.

Note: Do not tank mix "Benlate" with lime or alkaline pesticides such as Bordeaux mixture or lime sulfur.

IMPORTANT

BEFORE USING "BENLATE", READ AND FOLLOW ALL APPLICABLE DIRECTIONS, RESTRICTIONS AND PRECAUTIONS ON THE EPA-REGISTERED LABEL.

This bulletin contains new or supplemental instructions for use of this product which do not appear on the EPA-registered package label. Follow the instructions carefully.

This labeling must be in the possession of the user at the time of pesticide application.

D-011294

ACCEPTED
with COMMENTS
In EPA Letter Dated

MAR 30 1994

Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, for the pesticide,
registered under EPA Reg. No.
352-354



**DuPont Agricultural
Products**

..... A Growing Partnership With Nature



SUPPLEMENTAL LABELING ⁴⁰²⁵

**BENLATE® FUNGICIDE
SWEET POTATOES AND YAMS
STATE OF CALIFORNIA**

BENLATE® FUNGICIDE

EPA Reg. No. 352-354

**FOR USE ON SWEET POTATOES AND YAMS
IN THE STATE OF CALIFORNIA**

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

Do not apply this material through any type of irrigation system.

Do not contaminate water when disposing of equipment washwaters.

Location: California only
) Crop/Site/Commodity: Sweet potatoes and yams
 Target Pest/Problem: Fusarium wilt

IMPORTANT
BEFORE USING "BENLATE", READ AND FOLLOW ALL APPLICABLE DIRECTIONS, RESTRICTIONS AND PRECAUTIONS ON THE EPA-REGISTERED LABEL.

HOW TO USE

This bulletin contains new or supplemental instructions for use of this product which do not appear on the EPA-registered package label. Follow the instructions carefully.

Dosage: Not applicable
 Dilution Rate: Not to exceed one pound of actual benomyl per 100 gallons of water.

This label must be in the possession of the user at the time of pesticide application.

Method of Application: Transplants dipped in solution

Frequency/Timing of Application: Once per season

D-011294

Field Reentry After Application: Not applicable

Preharvest Interval: Not applicable

) Other Requirements: Benomyl solution to be used only for dipping of transplants.


ACCEPTED
 with COMMENTS
 in EPA Letter Dated

MAR 30 1994
 Under the Federal Insecticide,
 Fungicide, and Rodenticide Act
 as amended, for the pesticide
 registered under EPA Reg. No
 352-354



DuPont Agricultural Products

..... A Growing Partnership With Nature



BENLATE® FUNGICIDE
AVOCADO SEED AND
AVOCADO GRAFTING WOOD
STATE OF CALIFORNIA

BENLATE® FUNGICIDE

(EPA Reg. No. 352 - 354)
SUPPLEMENTAL LABELING
FOR DISTRIBUTION AND USE ONLY WITHIN THE STATE OF CALIFORNIA
FOR USE ON AVOCADO SEED AND AVOCADO GRAFTING WOOD
IN THE STATE OF CALIFORNIA

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling

) Location:	Ventura County
Crop/Site/Commodity:	Avocado seed and avocado grafting wood
Target Pest/Problem:	Rhizoctonia and Phytophthora seed root

IMPORTANT

BEFORE USING "BENLATE", READ AND FOLLOW ALL APPLICABLE DIRECTIONS, RESTRICTIONS AND PRECAUTIONS ON THE EPA-REGISTERED LABEL.

This bulletin contains new or supplemental instructions for use of this product which do not appear on the EPA-registered package label. Follow the instructions carefully.

This labeling must be in the possession of the user at the time of pesticide application.

HOW TO USE

D-011294/011794

Dosage:	1 oz formulation per 10 gallons of water
Dilution Rate:	Not applicable
Method of Application:	Dip
Frequency/Timing of Application:	As needed
) Field Reentry after Application:	Not applicable
Preharvest Interval:	Not applicable
Other Requirements:	Do not use or dispose of waste dip solution where runoff or contamination can occur in waters that contain fish life.

Note: Do not contaminate water when disposing of equipment washwaters.

ACCEPTED
with COMMENTS
in EPA Letter Dated

MAR 30 1994

Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide registered under EPA Reg. No. 352-354