




**DuPont Agricultural  
Products**

*"..... A Growing Partnership With Nature"*



**SUPPLEMENTAL LABELING** 1/3

**"BENLATE" FUNGICIDE  
SUPPRESSION OF PHOMOPSIS  
ON PEACHES IN THE STATE  
OF ARKANSAS**

**BENLATE FUNGICIDE**

(EPA REG. NO. 353-354)

**SUPPRESSION OF PHOMOPSIS ON PEACHES IN THE STATE OF ARKANSAS**

**DIRECTIONS FOR USE**

It is a violation of federal law to use these products in a manner inconsistent with its labeling.- DuPont "Benlate" Fungicide is recommended for the control of Phomopsis on peaches in the State of Arkansas.

**HOW TO USE**

Apply 3/4 lbs of "Benlate" per acre.  
Apply "Benlate" 3 weeks after shuck split; repeat 5 weeks later.  
Do not use more than 4 pounds of "Benlate" per acre per crop.


**IMPORTANT**

**BEFORE USING "BENLATE", READ AND FOLLOW ALL APPLICABLE DIRECTIONS, RESTRICTIONS AND PRECAUTIONS ON THE EPA-REGISTERED LABEL.**

This bulletin contains new or supplemental instructions for use of this product which do not appear on the EPA-registered package label. Follow the instructions carefully.

This bulletin must be in the possession of the user at the time of pesticide application.

D012996




2/3



**DuPont Agricultural Products**

"..... A Growing Partnership With Nature"



**BENLATE® FUNGICIDE  
CONTROL OF ANTHRACNOSE  
ON BEANS**

**BENLATE FUNGICIDE**

(EPA REG. NO. 352-354)

**CONTROL OF ANTHRACNOSE ON BEANS**

**DIRECTIONS FOR USE**

It is a violation of federal law to use these products in a manner inconsistent with its labeling.

DuPont "Benlate" Fungicide is recommended for the control of anthracnose on beans (snap, lima, dry) grown as fresh vegetables, for processing, or for the dry bean market.

**HOW TO USE**

Apply 1/2 to 2 lbs of "Benlate" per acre at 10% to 50% bloom; repeat at peak bloom.

Do not apply within 14 days of harvest (28 days for lima beans).

Do not use where crop is grown only for forage purposes.

Do not use more than 4 pounds of "Benlate" per acre per crop.

**IMPORTANT**

**BEFORE USING "BENLATE", READ AND FOLLOW ALL APPLICABLE DIRECTIONS, RESTRICTIONS AND PRECAUTIONS ON THE EPA-REGISTERED LABEL.**


This bulletin contains new or supplemental instructions for use of this product which do not appear on the EPA-registered package label. Follow the instructions carefully.

This labeling must be in the possession of the user at the time of pesticide application.

061893

02/15/94


D012996 (Replaces H-43020)





**DuPont Agricultural  
Products**

"..... A Growing Partnership With Nature"



**BENLATE® FUNGICIDE  
CONTROL OF  
CERCOSPORA LEAFSPOT  
ON SUGARBEETS**

**BENLATE® FUNGICIDE**

(EPA REG. NO. 352-354)

**CONTROL OF CERCOSPORA LEAFSPOT ON SUGARBEETS**

**DIRECTIONS FOR USE**

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

DuPont BENLATE Fungicide is recommended for the control of Cercospora Leafspot on sugarbeets.

**HOW TO USE**

Apply 3/8 to 1/2 lb. per acre. Begin application when disease first appears and repeat at 14- to 21-day intervals as needed.

Apply in sufficient water to give thorough coverage (minimum 15 gals per acre by ground and 5 gals per acre by air).

Do not apply within 21 days of harvest.

BENLATE may be applied through chemigation systems for this use. Apply only as directed on the package label. Apply only through sprinkler irrigation, including center pivot, lateral move, end tow, side (wheel) roll, traveler, big gun, solid set or hand move irrigation systems.

Do not use BENLATE alone. Use only in combination with a labeled non-benzimidazole fungicide.

**Note:** Do not use alkaline pesticides, such as Bordeaux mixture or lime sulfur, as a tank mixture with BENLATE.

Do not contaminate water when disposing of equipment washwaters.

**IMPORTANT**

**BEFORE USING "BENLATE", READ AND FOLLOW ALL APPLICABLE DIRECTIONS, RESTRICTIONS AND PRECAUTIONS ON THE EPA-REGISTERED LABEL.**

This bulletin contains new or supplemental instructions for use of this product which do not appear on the EPA-registered package label. Follow the instructions carefully.

This labeling must be in the possession of the user at the time of pesticide application.

080495  
122295 (Replaces H-62773)

