

FRONT PANEL



# TERSAN<sup>®</sup> 1991 TURF FUNGICIDE

Dollar Spot  
Brown Patch  
Fusarium Patch  
Fusarium Blight  
Stripe Smut

**ACTIVE INGREDIENT**  
Benomyl [Methyl 1-(butylcarbamoyl)-2-benzimidazolecarbamate] ..... 50%  
**INERT INGREDIENTS** ..... 50%  
U.S. Pats. 3,541,213      EPA Est. 352-WV-1      EPA Reg. No. 352-357-AA  
& 3,631,176

Keep out of reach of children.

## CAUTION! MAY IRRITATE EYES, NOSE, THROAT, AND SKIN.

Avoid breathing dust or spray mist. Avoid contact with skin, eyes, and clothing.  
Wash thoroughly after using. Keep away from fire or sparks.


In case of contact, flush skin or eyes with plenty of water;  
for eyes, get medical attention.

**IMPORTANT**—Never allow "Tersan" 1991 to become wet during storage. This may lead to certain chemical changes which will reduce the effectiveness of "Tersan" 1991 as a fungicide. Keep bag closed when not in use. Do not re-use bag; bury when empty.  
This product is toxic to fish. Keep out of lakes, streams, or ponds. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water by cleaning of equipment or disposal of wastes.

### NET 2 LBS.

**E. I. du Pont de Nemours & Company (Inc.)**  
Biochemicals Department, Wilmington, Delaware U.S.A.

BACK PANEL



**For Use On**  
**GOLF COURSES • PARKS • ATHLETIC FIELDS • COMMERCIAL TURF AREAS**

### DIRECTIONS

Du Pont "Tersan" 1991 Turf Fungicide should be used only in accordance with recommendations on this label, or in separate published Du Pont recommendations available through local dealers.

"Tersan" 1991 Turf Fungicide is recommended for use as a spray for the control of dollar spot, large brown patch, Fusarium patch (pink snow mold), Fusarium blight and stripe smut on golf courses, parks, athletic fields, and commercial turf areas. "Tersan" 1991 provides both curative (eradicator) and protective action. If treatment is not effective following use of "Tersan" 1991 as recommended, a tolerant strain of fungi may be present (contact your Du Pont representative); consideration should be given to prompt use of other suitable fungicides.

Apply recommended amounts in sufficient water to obtain thorough coverage, usually 2 to 5 gals. per 1000 sq. ft. When treating golf greens, always treat aprons and approaches.

### Turf Diseases

**Dollar Spot (*Sclerotinia homoeocarpa*)**—Apply "Tersan" 1991 at rate of 1 oz. per 1000 sq. ft. at earliest appearance of disease and continue at 10- to 14-day intervals as long as needed.

**Large Brown Patch (*Rhizoctonia solani*)**—Apply "Tersan" 1991 at rate of 2 oz. per 1000 sq. ft. at earliest appearance of disease and continue at 10- to 14-day intervals as long as needed. When conditions are unusually favorable for development of disease, reduce interval to 5 to 7 days.

**Fusarium Patch (*Fusarium nivale*)**—A cool season disease—Apply "Tersan" 1991 at rate of 2 oz. per 1000 sq. ft. at earliest appearance of disease and continue at 10- to 14-day intervals as long as needed.

**Fusarium Blight (*Fusarium roseum* and *F. tricinctum*)**—A warm season disease—Apply "Tersan" 1991 at rate of 5 to 8 oz. per 1000 sq. ft. at earliest appearance of disease and repeat 10 to 14 days later. Immediately after application, water sufficiently to thoroughly wet soil to a depth of 1 inch below any mat or thatch present.

**Stripe Smut (*Ustilago striiformis*)**—Make a single application of "Tersan" 1991 at rate of 6 oz. per 1000 sq. ft. in October or in early spring before grass begins growth. After application, water turf sufficiently to carry product to base of plants.

**Note:** Where Helminthosporium diseases are a problem, apply "Tersan" LSR Turf Fungicide two or three times in the early spring at rate of 3 to 4 oz. per 1000 sq. ft. at 7- to 10-day intervals.

Do not graze or feed clippings from treated areas to livestock.

**NOTICE TO BUYER:** Seller warrants that this product conforms to the chemical description on the label thereof and is reasonably fit for purposes stated on such label only when used in accordance with directions under normal use conditions. This warranty does not extend to use of this product contrary to label use directions, or under abnormal use conditions, or under conditions not reasonably foreseeable to seller; buyer assumes all risk of any such use. Seller makes no other warranties, express or implied.

Purchase of this material does not confer any rights under patents of countries outside of the United States.

SPECIMEN LABEL  
Actual Size