

DIRECTIONS



Apply "Demosan" T as a slurry at the rate of 10 ozs. per 100 lbs. of acid delinted, reginned, or fuzzy cottonseed. For standard slurry treaters, mix "Demosan" T in water and apply at the slurry concentrations, slurry cup sizes and dump weights shown below. For the "Panogen"* and "Mist-O-Matic"* treaters equipped to apply slurries, adjust slurry cups and dump weights to apply the amount of slurry (cc per 100 lbs. of seed) shown. One fluid ounce is equivalent to 29.5 cc.

Crop Seed	Treating Rate Oz./Cwt.	Type of Slurry Treater	Concentration Lbs./Gal. Water	Slurry cc/Cwt. Seed	Slurry Cup cc	Lbs. Dump Weight
Cotton (all types)	10	Standard	4	766	46	6
		Standard	3.1	920	92	10
		Other	3	950	—	—

Label Treated Seed: "This seed treated with chloroneb and thiram fungicides ('Demosan' T). Do not use for food, feed, or oil purposes." Add appropriate information for any other chemical treatments.

*"Panogen" trademark of Nor-Am Agricultural Products, Inc.
**"Mist-O-Matic" trademark of Gustafson Manufacturing Co.

CONTINUED ON RIGHT PANEL



DEMOSAN[®]

SEED FUNGICIDE

For Treatment of Cottonseed

ACTIVE INGREDIENTS:

- *Chloroneb (1, 4-dichloro-2, 5-dimethoxybenzene) . 40.0%
- Thiram (tetramethylthiuram disulfide) 22.5%

INERT INGREDIENTS 37.5%

*U. S. Pat. 3,265,564

EPA Reg. No. 352-360 AA

Keep out of reach of children.

CAUTION! MAY IRRITATE EYES, NOSE, THROAT, AND SKIN.

HARMFUL IF INHALED OR SWALLOWED.

Do not get in eyes, on skin, on clothing. Do not inhale dust. Wash thoroughly after handling.

In case of contact, flush skin or eyes with plenty of water, for eyes, get medical attention.

GENERAL INFORMATION — Du Pont "Demosan" fungicide is recommended for use as a seed treatment for control of seed decay and seedling diseases of

When used as directed, "Demosan" T can be expected to improve stands and plant vigor through the control of seed decay and the suppression of seedling blights, sores and post-emergence damping-off caused by such as *Rhizoctonia* and *Pythium* species and *Sclerotinia*. It is highly effective in preventing post-emergence

"Demosan" T, when used as directed, colors seed

NET 50 LBS.

**E. I. DU PONT DE NEMOURS & COMPANY (INCORPORATED)
BIOCHEMICALS DEPARTMENT, WILMINGTON, DELAWARE**

IMPORTANT

Avoid handling this product or treated seeds with bare hands. Do not use treated seed for food, feed, or oil purposes. This product is toxic to fish. Do not dispose of any of this product or container in or near any body of water. Do not re-use container; crush and bury when empty.

NOTICE TO BUYER

Seller warrants that this product conforms to the chemical description on the label thereof and is reasonably fit for purposes stated on such label only when used in accordance with directions under normal use conditions. This warranty does not extend to use of this product contrary to label use directions, or under abnormal use conditions, or under conditions not reasonably foreseeable to seller; buyer assumes all risk of any such use. Seller makes no other warranties, express or implied.

- Du Pont "Demosan" T Seed Fungicide
use as a seed treatment for the
seedling diseases of cotton.

"Demosan" T can be expected to improve
through the control of seed decay
seedling blights, soreshin, and pre-
emerging damping-off caused by such organisms
as *Fusarium* species and *Sclerotium rosfii*. It
prevents post-emergence damping-off.

Use as directed, colors seed red.

COMPANY (INC.)
CORPORATION, DELAWARE