



NET 50 kg (110.23 LBS.)

# METHOMYL COMPOSITION

## FOR USE BY INSECTICIDE FORMULATORS ONLY

ACTIVE INGREDIENT: Methomyl  
S-methyl N-[(methylcarbamoyl)oxy]thioacetimidate ..... 90%

INERT INGREDIENTS ..... 10%

REG. NOS. 357-834 & 3639-633

EPA Reg. No. 352-361

Keep out of reach of children

**DANGER** **POISON**

### STATEMENT OF PRACTICAL TREATMENT

**If swallowed:** Call a physician or Poison Control Center. Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person.

**If inhaled:** Remove from exposure and have patient lie down and keep quiet. If patient is not breathing, start artificial respiration immediately. Never give anything by mouth to an unconscious person.

**In case of contact,** wash skin with plenty of soap and water; for eyes, flush with water for 15 minutes and get medical attention; remove and wash contaminated clothing before re use.

**ATROPINE IS AN ANTIDOTE — SEEK MEDICAL ATTENTION AT ONCE IN ALL CASES OF SUSPECTED POISONING**

If warning symptoms appear (see **WARNING SYMPTOMS** in opposite column), get medical attention.

**NOTICE TO BUYER** — Purchase of this material does not confer any rights under patents of countries outside of the country in which it was purchased from Du Pont, except where rights are conferred by operation of law.

### STORAGE AND DISPOSAL

**PROHIBITIONS** — Do not contaminate water, food, or feed by storage, disposal, or cleaning of equipment. Open dumping is prohibited. Avoid contamination of feed and food stuff.

**PESTICIDE DISPOSAL** — Pesticide or rinse solution that cannot be used must be disposed of according to Federal or approved state procedures under Subtitle C of the Resource Conservation and Recovery Act.

**CONTAINER DISPOSAL** — Completely empty liner by striking and tapping sides and bottom to loosen clinging particles. Empty residue into formulation equipment. Then dispose of liner and drum in a sanitary landfill or by incineration if allowed by state and local authorities.

### PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

**MAY BE FATAL IF SWALLOWED. POISONOUS IF INHALED.**

Do not breathe vapors. Do not get in eyes, on skin, or on clothing.

### NOTE TO PHYSICIAN

**WARNING SYMPTOMS** — Methomyl poisoning produces effects associated with anticholinesterase activity which may include weakness, blurred vision, headache, nausea, abdominal cramps, discomfort in the chest, constriction of pupils, sweating, slow pulse, muscle tremors.

**TREATMENT** — Atropine sulfate should be used for treatment. Administer repeated doses, 1.2 to 2.0 mg intravenously every 10 to 30 minutes until full atropinization is achieved. Maintain atropinization until the patient recovers. Artificial respiration or oxygen may be necessary. Allow no further exposure to any cholinesterase inhibitor until recovery is assured.

Do not use morphine or 2-PAM. However, for exposure to Methomyl and organophosphorous insecticides, 2-PAM may be used as required to supplement the atropine sulfate treatment as described above.

### ENVIRONMENTAL HAZARDS

This product is toxic to fish, birds, and other wildlife. Keep out of any body of water. Do not contaminate water by cleaning of equipment or disposal of wastes.

### PHYSICAL AND CHEMICAL HAZARDS

Keep container closed. Use with adequate ventilation.

### IMPORTANT — NOTICE TO HANDLERS

**BEFORE OPENING DRUM PUT ON GOGGLES AND WEAR A MASK OR RESPIRATOR SUITABLE FOR PROTECTION AGAINST INSECTICIDE DUST. WEAR CLEAN CLOTHING DAILY. WASH THOROUGHLY AFTER HANDLING AND BEFORE EATING OR SMOKING.**

Technical information for this product is available from the manufacturer on request. Formulators using this product are responsible for obtaining EPA registration for their formulated product.

E. I. DU PONT DE NEMOURS & CO. (INC.), BIOCHEMICALS DEPARTMENT, WILMINGTON, DELAWARE

**CARBAMATE PESTICIDE, SOLID, N.O.S.**  
**(METHOMYL) UN2757**



352-361  
EPA Est 352-TX-1