



METHOMYL COMPOSITION

An Insecticide for Formulating Use Only

ACCEPTED

MAY 28 1998

Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under BPA Reg. No. 352-361

FRONT

INGREDIENT STATEMENT

ACTIVE INGREDIENTS: Methomyl

(S-Methyl N-[(methylcarbamoyl)oxy] thioacetimidate

92%

INERT INGREDIENTS

8%

TOTAL 100%

EPA Reg. No. 352-361

EPA Est. 352-TX-1

Keep out of reach of children
DANGER **POISON**

STATEMENT OF PRACTICAL TREATMENT

If swallowed: Call a physician or Poison Control Center. Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person.

If inhaled: Call a physician or Poison Control Center immediately. Remove from exposure and have patient lie down and keep quiet. If patient is not breathing, start artificial respiration immediately. Never give anything by mouth to an unconscious person.

In case of contact, wash skin with plenty of soap and water; for eyes, flush with water for 15 minutes and call a physician or Poison Control Center immediately; remove and wash contaminated clothing before reuse.

ATROPINE IS AN ANTIDOTE — SEEK MEDICAL ATTENTION AT ONCE IN ALL CASES OF SUSPECTED POISONING

If warning symptoms appear (see WARNING SYMPTOMS in opposite column), get medical attention.

For medical emergencies involving this product, call toll free 1-800-441-3637.

STORAGE AND DISPOSAL

STORAGE: Store product in original container only. Do not contaminate water, other pesticides, fertilizer, food or feed in storage. Not for use or storage in or around the home.

DISPOSAL: Do not contaminate water, food or feed by storage or disposal. Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

Completely empty liner by shaking and tapping sides and bottom to loosen clinging particles. Empty residue into formulation equipment. Then dispose of liner in a sanitary landfill or by incineration if allowed by state and local authorities, if drum is contaminated and cannot be reused, dispose of in the same manner.

IMPORTANT — NOTICE TO HANDLERS

DO NOT GET IN EYES, ON SKIN, OR ON CLOTHING. BEFORE OPENING DRUM PUT ON PROTECTIVE CLOTHING, GOGGLES OR FACE SHIELD, AND A MASK OR RESPIRATOR JOINTLY APPROVED BY THE MINE SAFETY AND HEALTH ADMINISTRATION (FORMERLY THE U.S. BUREAU OF MINES) AND BY THE NATIONAL INSTITUTE FOR OCCUPATIONAL SAFETY AND HEALTH. WEAR CLEAN CLOTHING DAILY. WASH THOROUGHLY AFTER HANDLING AND BEFORE EATING, DRINKING OR USING TOBACCO. REMOVE OR WASH CONTAMINATED CLOTHING BEFORE REUSE.

Technical information for this product is available from the manufacturer on request.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER **POISON**

FATAL IF SWALLOWED. MAY BE FATAL IF INHALED OR ABSORBED THROUGH THE EYES.
HARMFUL IF ABSORBED THROUGH THE SKIN.

Wear goggles or face shield. Wash thoroughly with soap and water after handling and before eating, drinking or using tobacco. Remove and wash contaminated clothing before reuse.

Do not breathe vapors. Do not get in eyes, on skin, or on clothing.

NOTE TO PHYSICIAN

WARNING SYMPTOMS—Methomyl poisoning produces effects associated with anticholinesterase activity which may include weakness, blurred vision, headache, nausea, abdominal cramps, discomfort in the chest, constriction of pupils, sweating, slow pulse, muscle tremors.

TREATMENT—Atropine sulfate should be used for treatment. Administer repeated doses, 1.2 to 2.0 mg. intravenously every 10 to 30 minutes until full atropinization is achieved. Maintain atropinization until the patient recovers. Artificial respiration or oxygen may be necessary. Allow no further exposure to any cholinesterase inhibitor until recovery is assured.

Do not use morphine or 2-PAM. However, for exposure to methomyl and organophosphorous insecticides, 2-PAM may be used as required to supplement the atropine sulfate treatment as described above.

ENVIRONMENTAL HAZARD STATEMENT

This product is toxic to fish, birds and other wildlife. Keep out of any body of water. Do not contaminate water by cleaning of equipment or disposal of wastes. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance, contact your State Water Board or Regional Office of the EPA.

PHYSICAL AND CHEMICAL HAZARDS

Keep container closed. Use with adequate ventilation.

DIRECTIONS FOR USE

Formulators using this product are responsible for obtaining EPA registration of their formulated product. Only for formulation into end use insecticide products intended for the following:

Terrestrial Food Crops: alfalfa, apple, asparagus, avocado, barley, beans (dried and succulent), beets (roots and tops), Bermudagrass, blueberry, broccoli, broccoli raab, Brussels sprouts, cabbage, carrot, cauliflower, celery, chickory, Chinese broccoli, Chinese cabbage, collards, corn (field, sweet and pop), cotton, cucumber (cucurbits), dandelions, eggplant, endive (escarole), fennel, garlic, grapefruit, grapes, horseradish, Jerusalem artichoke, kale, lemon, lentils, lettuce (including leaf lettuce), melons, mint, mustard greens, nectarine, oats, onion (bulb and green), orange, parsley, peach, peanuts, pear, peas, pecan, peppermint, peppers, pomegranate, potato, radish, rye, sorghum, soybeans, spinach, strawberry, sugar beet, summer squash, sweet potato, Swiss chard, tangelo, tangerine, tomato, tomatillo, turnip greens, wheat.

Terrestrial Nonfood Crops: tobacco (excluding shade grown), turf.

NET 50 kg (110.23 lb)

E. I. DU PONT DE NEMOURS AND COMPANY, AGRICULTURAL PRODUCTS, WILMINGTON, DE — U. S. A.

PM 4

352-361


5/28/98

1/2

CARBAMATE PESTICIDES, SOLID, TOXIC, N.O.S.
(METHOMYL) UN 2757
RQ

EPA

5290



NOTICE OF WARRANTY

Du Pont warrants that this product conforms to the chemical description on the label thereof and is reasonably fit for the purposes stated on such label only when used in accordance with the directions under normal use conditions. It is impossible to eliminate all risks inherently associated with the use of this product. Crop injury, ineffectiveness or other unintended consequences may result because of such factors as weather conditions, presence of other materials or the manner of use or application, all of which are beyond the control of Du Pont. In no case shall Du Pont be liable for consequential, special or indirect damages resulting from the use or handling of this product. All such risks shall be assumed by the buyer. With regard to any formulator's product prepared from this manufacturing use product, Du Pont disclaims any liability related to unsupported and unlisted uses not appearing on this label. DU PONT MAKES NO WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE NOR ANY OTHER EXPRESS OR IMPLIED WARRANTY EXCEPT AS STATED ABOVE.

7/2