HM 10 357-701

RESTRICTED USE PESTICIDE

Due to High Acute Toxicity to Humans. For retail sale to and use only by certified applicator or persons under their direct supervision and only for those uses covered by the certified applicator's certification. Direct supervision for this product is defined as the certified applicator being physically present during application, mixing, loading, repair and cleaning of application equipment. Commercial certified applicators must also ensure that all persons involved in these activities are informed of the precautionary statements.

ACCEPTED

NOV 2 9 1990

Under the Federal Insecticide, Fungicide, and Redenticide Act, as amended, for the posticide registered under EPA Reg. No. 352 - 362



INSECTICIDE

WETTABLE POWDER

INGREDIENT STATEMENT:

ACTIVE INGREDIENTS

Methomy (S-methyl-N-[(methylcarbamoyl) oxy | thioacetimidate).....

BY WEIGHT25%75%

INERT INGREDIENTS.....

EPA Reg. No. 352-362-AA

U. S. Pats, 3,576,834 & 3,639,633

KEEP OUT OF REACH OF CHILDREN

DANGER



POISON

PELIGRO PRECAUCION AL USUARIO: Si usted no lee ingles, no use este producto hasta que la etiqueta haya sido explicada ampliamente

STATEMENT OF PRACTICAL TREATMENT

If swallowed: Call a physician or Poison Control Center. Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person.

If Inhaled: Remove from exposure and have patient lie down and keep quiet. If patient is not breathing, start artificial respiration immediately. Never give anything by mouth to an unconscious person. Call a physician in necessary.

In case of contact, wash skin with plenty of soap and water; for eyes, flush with water for 15 minutes and get medical attention; remove and wash contaminated clothing before re-use.

ATROPINE IS AN ANTIDOTE -SEEK MEDICAL ATTENTION AT ONCE IN ALL CASES OF SUSPECTED POISONING

If warning symptoms appear (see WARNING SYMPTOMS), get medical attention.

For medical emergencies involving this product, call toil free 1-800-441-3637.

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER



POISON

DANGER - MAY BE FATAL IF SWALLGWED. POISONOUS IF INHALED.

Do not breathe vapors or spray mist. Do not get in eyes, on skin, or on clothing. When mixing spray, loading, applying, or otherwise handling, wear protective clothing, goggles, and a mask or respirator jointly approved by the Mine Safety and Health Administration (formerly the U.S. Bureau of Mines) and by the National Institute for Occupational Safety and Health. Wear clean clothes daily. Wash thoroughly after bandling and before eating or smoking. Pilot should not assist in the mixing and loading operation.

Do not apply this product in such a mann it as to directly or through drift expose workers, other persons or animals. The area being treated must be vacated by unprotected persons.

(continued on next page)

PRECAUTIONARY STATEMENTS (continued)

WARNING SYMPTOMS — Methomyl poisoning produces effects associated with anticholinesterase activity which may include weakness, blurred vision, headache, nausea, abdominal cramps, discomfort in the chest, constriction of pupils, sweating, slow pulse, muscle tremors.

NOTE TO PHYSICIAN

TREATMENT — Atropine sulfate should be used for treatment. Administer repeated doses, 1.2 to 2.0 mg. intravenously every 10 to 30 minutes until full atropinization is achieved. Maintain atropinization until the patient recovers. Artificial respiration or oxygen may be necessary. Allow no further exposure to any cholinesterase inhibitor until recovery is assured.

Do not use 2-PAM for exposure to "Lannate" WP alone. However, for exposure to combinations of "Lannate" WP and organophosphorous insecticides, 2-PAM may be used as required to supplement the atropine sulfate treatment. Do not use morphine.

For medical emergencies involving this product, call toll free 1-800-441-3637.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish and wildlife. Drift and runoff from treated areas may be hazardous to aquatic organisms in neighboring areas. Do not contaminate water when disposing of equipment washwaters.

This product is highly toxic to bees exposed to direct treatment on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds while bees are actively visiting the treatment area.

PHYSICAL AND CHEMICAL HAZARDS

Keep container closed. Use with adequate ventila ion.

DIRECTIONS FOR USE

It is a violation of lederal law to use this product in a manner inconsistent with its labeling.

Du Pont "Lannate" WP Insecticide should be used only in accordance with recommendations on this label, or in separate published Du Pont recommendations available through local dealers.

Du Pont will not be responsible for losses or damages resulting from use of this product in any manner not specifically recommended by Du Pont. User assumes all risks associated with such non-recommended use. "Lannate" WP is a dry powder to be dissolved in water for application by ground or air equipment. Use only in commercial and farm plantings; do not use in home plantings.

Reentry into treated areas is prohibited for the following time periods after the end of application, unless personal protective clothing and equipment specified on this label for early reentry are worn. Because certain states may require more restrictive reentry intervals for various crops treated with this product, consult your State Department of Agriculture for further information.

Three days for apples. For early reentry before sprays have dried or dusts have settled, wear a long-sleeved shirt, long-legged pants, shoes and socks, chemical resistant gloves, face shield or goggles, and NIOSH or MSHA approved respirator. For early reentry after sprays have dried or dusts have settled, all the above except the respirator must be worn.

Written or oral warnings must be given to workers who are expected to be in a treated area or in an area about to be treated with this product. When oral warnings are given, warnings shall be given in a language customarily understood by workers. Oral warnings must be given if there is reason to believe that written warnings cannot be understood by workers. Written (or oral) warnings must include the following information: "DANGER — POISON. Area treated with 'Lannate' WP on (date of application). Do not

enter treated areas without appropriate protective clothing until sprays have dried. If warnings symptoms appear, refer to Statement of Practical Treatment on front of 'Lannate' WP label and seek medical attention at once."

PERSONAL PROTECTIVE EQUIPMENT

USE ONLY WHEN WEARING THE FOLLOWING PERSONAL PROTECTIVE EQUIPMENT DURING MIXING/LOADING, APPLICATION, REPAIRING AND CLEANING OF MIX!NG, LOADING, AND APPLICATION EQUIPMENT, AND DISPOSAL OF THE PESTICIDE: long-sleeve shirt; long-legged pants; shoes and socks, chemical resistant gloves; face shield or goggles; NIOSH or MSHA approved respirator. During equipment repair and cleaning, the respirator need not be worn.

IF APPLICATION IS PERFORMED USING AN ENCLOSED CAB OR COCKPIT, THE FOLLOWING PROTECTIVE CLOTHING AND EQUIPMENT MAY BE WORN AS AN ALTERNATIVE; long-sleeve shirt and long-legged pants; shoes and socks. All other protective clothing and equipment required for use during application must be available in the cab and must be worn when exiting the cab into treated area. When used for this purpose, contaminated clothing may not be brought back into the cab unless in an enclosure such as a plastic bag.

IMPORTANT! If pesticide comes in contact with skin, wash off with soap and water and contact a physician immediately. ALWAYS WASH HANDS, FACE, AND ARMS WITH SOAP AND WATER BEFORE USING TOBACCO PRODUCTS, EATING, DRINKING, OR TOIL FING.

AFTER WORK: Before removing gloves, wash them with soap and water Take off all work clothes and shoes. Shower using soap and water. Wear only clear clothes when leaving job—do not wear contaminated clothing. Personal clothing work must be stored and laundered separately from protective clothing and household articles. Store protective clothing separately from personal clothing. Clean or launder protective clothing after each use. Respirators must be cleaned and filters replaced.

according to instructions included with the respirators. Protective clothing and protective equipment heavily contaminated or drenched with methomyl must be destroyed according to state and local regulations. HEAVILY CONTAMINATED OR DRENCHED CLOTHING CANNOT BE ADEQUATELY DECONTAMINATED.

SPRAY PREPARATION

"Lannate" WP is a wettable powder to be suspended in water for ground application only by conventional tractor mounted spray equipment. Use only in commercial plantings; do not use in home plantings.

Fill spray tank 1/4 to 1/2 full of water. Mix proper amount of "Lannate" WP into water and fill tank to required volume. Continuous agitation in the spray tank is required to keep the material in suspension. Agitate by mechanical or hydraulic means in the spray tank. If bypass or return line agitation is used, it should terminate at bottom of tank to minimize foaming. Do not use air agitation.

Do not apply this product through any type of irrigation system.

APPLICATION

Apples - East of the Rock Mountains

Make application to apples in areas east of the Rocky Mountains only at recommended rates when insects first appear unless otherwise noted. Use sufficient water to obtain thorough coverage but in no case exceed 400 gals, per acre. Apply low rates on small insects and light infestations. Use high rates on large insects and heavy infestations. Use 1 to 3 applications of the highest recommended rate for controlling severe infestation; thereafter, use the lowest rate possible to maintain control. The reentry interval is 3 days for apples. Do not apply within 28 days of harvest. Do not graze livestock in treated orchards for 10 days after treatment.

Apple Aphid, Rosy Apple Aphid - Apply 1 to 2 lbs per 100 gals. to established infestations.

Codling Moth - Make 4 to 7 applications of 1 to 2 lbs. per 100 gals. at 10 to 12 day intervals beginning at the second cover spray

Red-banded Leafroliur (Northeast and Central U.S. only) - Apply 2 lbs. per 100 gals, at green tip to 1/2 inch green, petal fall and at first cover.

STORAGE AND DISPOSAL

STORAGE: Handle this package carefully to prevent breakage. Allow to warm above 50 degrees F for normal handling. Store product in original container only, away from other pesticides, fertilizer, food or feed. Not for use or storage in or around the home.

PRODUCT DISPOSAL: Do not contaminate water, food or feed by storage or disposal. Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional office for guidance.


CONTAINER DISPOSAL: Completely empty bag into application equipment. Then dispose of empty package in a sacitary landfill or incinerator, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

NOTICE TO BUYER — Purchase of this material does not confer any rights under patents of countries outside of the United States.

NOTICE OF WARRANTY

Du Port warrants that this product conforms to the chemical description on the label thereof and is reasonably fit for the purposes stated on such tabel only when used in accordance with the directions under normal use conditions. It is impossible to eliminate all risks inherently associated with the use of the product. Crop injury, ineffectiveness, or other unintended consequences may result because of such factors as weather conditions, presence of other materials, or the manner of use of application, all of which are beyond the control of Du Port. In no case shall Du Port be liable for consequential, special or indirect damages resulting from the use or handling of this product. All such risks shall be assumed by the buyer. Du Pont MAKES NO WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE NOR ANY OTHER EXPRESSED OR IMPLIED WARRANTY EXCEPT AS STATED ABOVE.

D-120589



© 1989 E.I. DU PONT DE NEMOURS & COMPANY, AGRICULTURAL PRODUCTS, WILMINGTON, DELAWARE 19898 . . .