

CROPS	INSECTS	QUARTS PER ACRE	LAST APPLICATION TO HARVEST—DAYS
Broccoli Cauliflower	Cabbage Looper, Imp. Cabbageworm, Diamondback Moth	1/2-1	7
		1-2	14
Cabbage	Cabbage Looper, Imp. Cabbageworm, Diamondback Moth	1/2-2	1
Brussels Sprouts	Cabbage Looper, Imp. Cabbageworm	1-2	14
Celery	Cabbage Looper	2	14
Lettuce (Head)	Cabbage & Alfalfa Loopers, Beet Armyworm	1/2-1	7
		1-2	10
Peanuts <sup>®</sup> — East of Miss. River	Corn Earworm (up to 3 applns. or as needed)	1/2-2	21
Pepper	Green Peach Aphids	1	10
Potato	Tuberworm, Cabbage Looper	1	14
	Aphids	1-2	
	Leafhoppers, East of Flea Beetles Miss. River	1	
Sweet Corn	Earworm—Whorl as needed	1/2-1	0 (ears) 3 (forage)
	Earworm—Ears 1-3 days or as needed	1/2-1	
	Fall Armyworm, European Corn Borer—Ears 1-3 days or as needed	1	
Tomato	Tomato Fruitworm, Aphids, Cabbage Looper, Beet Armyworm	1 over 1-2	1 2
	Flea Beetle, Hornworm	1/2-1	7 (flue cured) 14 (air or fire cured)
Tobacco (Except Shade)	Budworm (2-3 applns. before flower buds open), Cabbage Looper, Aphids	1	
Chrysanthemums	Cabbage Looper, Corn Earworm, Beet Armyworm, Thrips (weekly)	1/2-1 qt. per 100 gals.	—

Add wetting agent.

1 22 73

Do not feed treated vines to livestock.

Made in U.S.A.

Printed in U.S.A.



REG. U.S. PAT. OFF.

# Lannate<sup>®</sup> L

## METHOMYL INSECTICIDE



Water Soluble Liquid

1 GALLON CONTAINS 1.8 LBS. METHOMYL

ACTIVE INGREDIENT: Methomyl

S-methyl-N-[(methylcarbamoyl)oxy]thioacetimidate . . . . .24%

INERT INGREDIENTS . . . . .76%

U.S. Pat. 3,576,834

EPA Reg. No. 352-370-AA

Keep out of reach of children

**DANGER**  **POISON**

See Antidote and Precautions in Right Panel ▶

**1 U.S. GALLON**

**E. I. du Pont de Nemours & Co. (Inc.)**

BIOCHEMICALS DEPARTMENT, WILMINGTON, DELAWARE 19898

352-370

2-15-1973

1/3

**DANGER! FLAMMABLE. CONTAINS METHANOL.  
MAY BE FATAL OR CAUSE BLINDNESS IF SWALLOWED.  
POISONOUS IF INHALED. CAUSES EYE DAMAGE.**

Do not breathe vapors or spray mist. Keep away from heat, sparks,  
Do not get in eyes, on skin, on clothing. and open flame.  
Use with adequate ventilation. Keep container closed.  
In case of contact, wash skin with plenty of soap and water; for eyes,  
flush with water for 15 minutes and get medical attention; remove and  
wash contaminated clothing before re-use.



**P O I S O N**



**ANTIDOTE AND FIRST AID**

**ATROPINE IS AN ANTIDOTE—CONSULT PHYSICIAN FOR EMERGENCY SUPPLY OF 1/100 GRAIN ATROPINE TABLETS. CALL A PHYSICIAN AT ONCE IN ALL CASES OF SUSPECTED POISONING.**

If swallowed, give a tablespoonful of salt in a glass of warm water and repeat until vomit fluid is clear. If inhaled, remove from exposure. Have patient lie down and keep quiet. If patient is not breathing, start artificial respiration immediately. Never give anything by mouth to an unconscious person.

If warning symptoms appear (See warning symptoms below), before physician arrives, immediately swallow two atropine tablets (each 1/100 gr.); thereafter, every 10 to 15 minutes, take one atropine tablet (1/100 gr.) until throat becomes dry and skin becomes dry and flushed. Take additional tablets as necessary to maintain a moderately dry throat and dry, flushed skin until physician arrives.

**NOTE TO PHYSICIAN**

**WARNING SYMPTOMS**—Methomyl poisoning produces effects associated with anticholinesterase activity which may include weakness, blurred vision, headache, nausea, abdominal cramps, discomfort in the chest, constriction of pupils, sweating, slow pulse, muscle tremors.

**TREATMENT**—Atropine sulfate should be used for treatment. Administer repeated doses, 1.2 to 2.0 mg. intravenously every 10 to 30 minutes until full atropinization is achieved. Maintain atropinization until the patient recovers. Artificial respiration or oxygen may be necessary. Allow no further exposure to any cholinesterase inhibitor until recovery is assured. Do not use morphine or 2-PAM.

CONTINUED ON RIGHT PANEL ►

**IMPORTANT**—When mixing spray, loading, applying or otherwise handling, wear protective clothing, goggles, and a mask or respirator suitable for protection against methomyl vapors or spray mist such as: Willson Products "Agri-Tox" R-533 Felt 11-P Cartridge or Mine Safety Appliances type H "Comfo". Wear clean clothes daily. Wash thoroughly after handling and before eating or smoking. Do not contaminate or store near feed or foodstuffs.

Not for use or storage in or around the home. Keep animals and unprotected persons out of operational areas during treatment and while there is danger of drift. Do not re-use container; bury when empty. This product is toxic to fish, birds and other wildlife. Keep out of any body of water. Do not apply where runoff is likely to occur. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water by cleaning of equipment, or disposal of wastes. This product is toxic to bees and should not be applied when bees are actively visiting the area.

**DIRECTIONS**

Du Pont "Lannate" L Methomyl Insecticide should be used only in accordance with recommendations on this label, or in separate published Du Pont recommendations available through local dealers.

"Lannate" L is a water soluble liquid to be diluted with water for application by conventional tractor-mounted spray equipment. Use only in commercial plantings; do not use in home plantings.

**SPRAY PREPARATION**—Fill spray tank  $\frac{3}{4}$  to  $\frac{1}{2}$  full of water. Add "Lannate" L directly to spray tank and mix thoroughly, using mechanical or hydraulic means; do not use air agitation.

**APPLICATION**—Apply at the recommended rates when insects first appear. Unless otherwise noted, continue applications at 5- to 7-day intervals or as needed. Use sufficient water to obtain thorough, uniform coverage. Apply the low rates on small plants, small worms and light infestations of insects. Use intermediate rates on larger worms and heavier infestations of insects. Use 1 to 3 applications of the highest recommended rate for controlling severe infestations. Thereafter, use the lowest rate possible to maintain control.

**NOTICE TO BUYER**—Seller warrants that this product conforms to the chemical description on the label thereof and is reasonably fit for purposes stated on such label only when used in accordance with directions under normal use conditions. This warranty does not extend to use of this product contrary to label use directions, or under abnormal use conditions, or under conditions not reasonably foreseeable to seller; buyer assumes all risk of any such use. Seller makes no other warranties, express or implied.

CONTINUED ON RIGHT PANEL ►

2/3

ACCEPTED

FEB 15 1973

UNDER THE FEDERAL INSECTICIDE  
FUNGICIDE AND RODENTICIDE ACT  
FOR ECONOMIC POISON REGISTER-  
ED UNDER NO. 32-270 SUBJECT  
TO ANY COMMENTS.