

LANNATE® L METHOMYL INSECTICIDE (EPA Reg. No. 352-370)

meeting w/ Mitch Baker on 7/12/73
JAH & VLM

CROPS	INSECTS	PINTS PER ACRE	LAST APPLICATION - DAYS	
			To Harvest	Grazing/Feeding
Alfalfa +	Beet armyworm, Lygus bugs	2 - 4		7
	Alfalfa weevil larvae	4		
Beans (snap)	Leafhoppers	1 - 2	1	3 (vines)
	Mexican bean beetle	2		7 (hay)
Broccoli, + Cauliflower	Cabbage looper, Imp. cabbageworm	1 - 2*	7	
	Diamondback moth	2 - 4*	14	
Brussels sprouts +	Cabbage looper, Imp. cabbageworm	2 - 4*	14	
Cabbage +	Cabbage looper, Imp. cabbageworm, Diamondback moth	1 - 4*	1	
Celery +	Cabbage looper	4	14	
	Earworm - Whorl as needed	1 1/3 - 2		
Corn (Sweet) +	Earworm - Ears 1-3 days or as needed	1 - 2		0 (ears) 3 (forage)
	Fall armyworm, European corn borer - Ears 1-3 days or as needed	2		
Cotton - West of Rocky Mts. +	Bollworm	2 - 3	40	Do not feed
Cucumber	Cabbage looper	2 - 4	3	
Lettuce + (Head)	Cabbage & Alfalfa loopers,	1 - 2	7	
	Beet armyworm	2 - 4	10	
Melons	Cabbage looper	2 - 4	3	

352-370

12-14-1973

1/8

CROPS	INSECTS	PINTS PER ACRE	LAST APPLICATION - DAYS	
			To Harvest	To Livestock Grazing/Feeding
Peanuts - East of Miss. River	Corn Earworm (up to 3 applications or as needed)	1 - 4	21	Do not feed treated vines.
Peppers +	Green peach aphid	2	10	
	Tuberworm, Cabbage looper	2		
Potato +	Aphids	2 - 4		
	Leafhoppers East of Flea beetles Miss. River	2	14	
Soybeans - (Southeastern United States)	Soybean looper, Green cloverworm, Mexican bean beetle, Corn earworm 1-2 applications as needed	2	14	3 (forage) 7 (hay)
Squash (Summer)	Cabbage looper, Melonworm) Southeast Pickleworm) only	2 - 4	3	
Sugar Beets (Calif. & Arizona)	Beet armyworm, Beet webworm, Flea beetle, Aphids 1-4 applications as needed	1 - 4	7	Do not feed tops
Tomato +	Tomato fruitworm, Aphids	2	1	
	Cabbage looper			
	Beet armyworm	over 2-4	2	
	Flea beetle, Hornworm	1 - 2		
Tobacco + (Except Shade)	Budworm (2-3 applications before flower buds open), Cabbage looper, Aphids	2	7 (flue cured) 14 (air or fire cured)	
Chrysanthemums	Cabbage looper, Corn earworm, Beet armyworm, Thrips (weekly)	1-2 pints per 100 gals.		

* Add wetting agent.

+ Air or ground applications recommended.

2/4

ACCEPTED

DEC 14, 1973

UNDER THE FEDERAL INSECTICIDE
FUNGICIDE AND RODENT CIDE ACT
FOR ECONOMIC POISON REGISTERED
ED UNDER NO. 351370 SUBJECT
TO ATTACHED COMMENTS.