

352-370

08/21/1975

1/1



# AGRICULTURAL BULLETIN



LANNATE® L METHOMYL INSECTICIDE  
BEANS

**ACCEPTED**  
AUG 21 1975  
Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, and the pesticide registered under the pesticide EPA Reg. No. 352-370

SUPPLEMENTAL LABELING  
EPA REG. NO. 352-370

LANNATE® L METHOMYL INSECTICIDE  
FOR USE ON BEANS

Du Pont "Lannate" L Methomyl Insecticide is recommended for use on beans for control of leafhoppers, Mexican bean beetle, beet armyworm, cabbage looper, and corn earworm.

### HOW TO USE

Apply "Lannate" L in sufficient water (5 to 15 gals. per acre by air) to obtain thorough, uniform coverage. Make application when insect first appears and repeat at 5- to 7-day intervals or as needed.

Leafhoppers, Mexican bean beetle - apply 1 to 4 pints per acre. Beet armyworm, cabbage looper, and corn earworm - apply 2 to 4 pints per acre.

NOTE: Pilot should not assist in the mixing and loading operation. Vines may not be foraged within 3 days of application or cut for hay within 7 days of application. Succulent beans may be harvested 1 day after last application of 1 to 2 pints per acre and 3 days after last application of rates over 2 pints to 4 pints per acre. Do not harvest dry beans within 25 days of last application.

### IMPORTANT

BEFORE USING "LANNATE" L, READ AND CAREFULLY OBSERVE THE CAUTIONARY STATEMENTS AND ALL OTHER INFORMATION APPEARING ON THE PRODUCT LABEL.

This bulletin contains new or supplemental instructions for use of this product which may not appear on package label. Follow the instructions carefully.

6/23/75