05/27/1976



LANNATE® L METHOMYL INSECTICIDE

California and Arizona

Sugar Beets

SUPPLEMENTAL LABELING EPA REG. NO. 352-370

LANNATE® L METHOMYL INSECTICIDE FOR USE ON SUGAR BEETS IN CALIFORNIA AND ARIZONA

Du Pont "Lannate" L Methomyl Insecticide is recommended for use on sugar beets for the control of beet armyworm, beet webworm, flea beetle and aphids in California and Arizona.

HOW TO USE

Apply 1 to 4 pts. "Lammate" I, per acre in sufficient water to obtain thorough coverage. Make the first application when insects appear and plant damage occurs. Make 2 or 3 additional applications if needed to maintain control.

For effective insect control, proper spray timing and coverage are essential. Best control is obtained when spray schedules are initiated on small insects. In general, use the low rate on light insect infestations. In beet armyworm control, use the dosage rates below 2 pints "Lannate" L per acre only when treating small plants.

Note: Do not apply within 7 days of harvest. Do not feed treated tops to livestock within 30 days of last application.

IMPORTANT

BEFORE USING "LANNATE" L. READ AND CAREFULLY OBSERVE THE CAUTIONARY STATEMENTS AND ALL OTHER INFORMATION APPEARING ON THE PRODUCT LABEL.

This bulletin contains new or supplemental instructions for use of this product which may not appear on package label. Follow the instructions carefully.