

PLEASE NOTE

This image contains more than one label approved for this product on this date.

352-370

06/03/1976



AGRICULTURAL BULLETIN

DU PONT

LANNATE® L METHOMYL INSECTICIDE
ASPARAGUS

SUPPLEMENTAL LABELING
EPA REG. NO. 352-370

LANNATE® L METHOMYL INSECTICIDE FOR USE ON ASPARAGUS

Du Pont "Lannate" L Methomyl Insecticide is recommended for use on asparagus for control of the beet armyworm and western yellow striped armyworm.

HOW TO USE

Apply 2 to 4 pints "Lannate" L per acre in sufficient water (10-15 gals. per acre by air) to obtain thorough coverage. Apply when insects first appear in damaging numbers and repeat at 5- to 7-day intervals or as needed. Use the highest recommended rate for controlling severe infestation.


Note: Do not apply within 1 day of harvest.

IMPORTANT

BEFORE USING "LANNATE" L, READ AND CAREFULLY OBSERVE THE CAUTIONARY STATEMENTS AND ALL OTHER INFORMATION APPEARING ON THE PRODUCT LABEL.

This bulletin contains new or supplemental instructions for use of this product which may not appear on package label. Follow the instructions carefully.

6/25/75-A



NEXT

LABEL

352-370

06/03/1976

1/1



AGRICULTURAL BULLETIN



LANNATE® L METHOMYL INSECTICIDE
Green Peas

SUPPLEMENTAL LABELING
EPA REG. NO. 352-370

LANNATE® L METHOMYL INSECTICIDE FOR USE ON GREEN PEAS

Du Pont-"Lannate" L Methomyl Insecticide is recommended for use on green peas for the control of alfalfa looper.

HOW TO USE

Apply 2 to 4 pints "Lannate" L per acre using sufficient water (5 to 15 gals. by air) to obtain thorough coverage. Make the first application when insects appear in damaging numbers. Make one or two repeat applications as required.


Note: Peas may be harvested 1 day after last application. Do not graze or feed treated pea vines to livestock within 5 days of last application nor pea vine hay within 14 days of last application.

IMPORTANT

BEFORE USING "LANNATE" L, READ AND CAREFULLY OBSERVE THE CAUTIONARY STATEMENTS AND ALL OTHER INFORMATION APPEARING ON THE PRODUCT LABEL.

This bulletin contains new or supplemental directions for use of this product which may not appear on package label. Follow the instructions carefully.

6/2/76



NEXT

LABEL

352-370

6-3-1976

1/12



AGRICULTURAL BULLETIN



LANNATE® L METHOMYL INSECTICIDE

Field Corn and Popcorn

SUPPLEMENTAL LABELING
EPA REG. NO. 352-370

LANNATE® L METHOMYL INSECTICIDE
FOR USE ON FIELD CORN AND POPCORN

Du Pont "Lannate" L Methomyl Insecticide is recommended for use on field corn and popcorn for control of corn earworm.

HOW TO USE

Apply 1 to 2 pints "Lannate" L per acre using sufficient water to obtain uniform coverage (minimum of 3 gals. per acre by air). Apply when insect infestations first appear and repeat applications at 5- to 7-day intervals or as needed.

Note: Do not graze or feed treated plants to livestock within 3 days after last application.

IMPORTANT

BEFORE USING "LANNATE" L, READ AND CAREFULLY OBSERVE THE CAUTIONARY STATEMENTS AND ALL OTHER INFORMATION APPEARING ON THE PRODUCT LABEL.

This bulletin contains new or supplemental instructions for use of this product which may not appear on package label. Follow the instructions carefully.

6/2/76

