


352-370

02/28/1977

1/1



AGRICULTURAL BULLETIN



LANNATE® L
METHOMYL INSECTICIDE
BEANS

SUPPLEMENTAL LABELING
EPA REG. NO. 352-370

ACCEPTED
FEB 28 1977
Under the Federal Insecticide, Fungicide, and Plant Disease Act
EPA Reg. No. 352-370

LANNATE® L METHOMYL INSECTICIDE
FOR USE ON BEANS (FOR FRESH MARKET)

Du Pont "Lannate" L Methomyl Insecticide is recommended for control of the European corn borer on succulent beans produced for the fresh market.

HOW TO USE

Apply 2 to 4 pts. "Lannate" L per acre using sufficient water (minimum 5 gals. per acre by air).

Applications should be initiated when moth flights first appear as determined by light traps. Continue preventive treatments for larvae at 3- to 4-day intervals as long as insect pressure persists.

Note: Vines may not be foraged within 3 days of application or cut for hay within 7 days of application. Succulent beans may be harvested 3 days after last application.

IMPORTANT

BEFORE USING "LANNATE" L, READ AND CAREFULLY OBSERVE THE CAUTIONARY STATEMENTS AND ALL OTHER INFORMATION APPEARING ON THE PRODUCT LABEL.

This bulletin contains new or supplemental instructions for use of this product which may not appear on package label. Follow the instructions carefully.

ACCEPTED
FEB 28 1977
Under the Federal Insecticide, Fungicide, and Plant Disease Act
EPA Reg. No. 352-370

8/11/76