


352-370

07/19/1977

1/1

AGRICULTURAL BULLETIN

LANNATE® L METHOMYL INSECTICIDE
PEACHES



SUPPLEMENTAL LABELING
EPA REG. NO. 352-370

LANNATE® L METHOMYL INSECTICIDE FOR USE ON PEACHES

Du Pont "Lannate" L Methomyl Insecticide is recommended for use on peaches for control of oriental fruit moth.

HOW TO USE

Apply 4 to 8 pints "Lannate" L per acre by ground concentrate sprayer using sufficient water volume for thorough coverage. For dilute sprays, use 1 to 2 pints per 100 gals. and spray to run-off (400 gals./acre maximum). Begin applications at petal fall. Continue treatment in cover sprays at 7- to 10-day intervals.

Note: "Lannate" L is toxic to bees and should not be applied when bees are actively visiting the area. Do not treat within 4 days of harvest. Do not graze livestock in treated orchards for 10 days after treatment.

IMPORTANT

BEFORE USING "LANNATE" L, READ AND CAREFULLY OBSERVE THE CAUTIONARY STATEMENTS AND ALL OTHER INFORMATION APPEARING ON THE PRODUCT LABEL.

This bulletin contains new or supplemental instructions for use of this product which may not appear on package label. Follow the instructions carefully.

5/20/76