

## **PLEASE NOTE**

**This image contains more than one label approved for this product on this date.**



352-370

4-2-1978

# AGRICULTURAL BULLETIN



LANNATE® L INSECTICIDE  
ALFALFA, POTATO, AND SUGAR BEET

## RESTRICTED USE PESTICIDE

For retail sale to and use only by Certified Applicators or persons under their direct supervision and only for those uses covered by the Certified Applicator's certification.

SUPPLEMENTAL LABELING  
EPA REG. NO. 352-370

LANNATE® L INSECTICIDE  
FOR USE ON ALFALFA, POTATO, AND SUGAR BEET

**ACCEPTED**  
APR 2 1978  
Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under 352-370  
alfalfa, potato,

Du Pont "Lannate" L Insecticide is recommended for use on alfalfa and sugar beet to control variegated cutworm.

### HOW TO USE

Crops	Lbs. Per Acre*	Last Application - Days	
		To Harvest	To Livestock Grazing/Feeding
Alfalfa - Do not apply to dormant or semi-dormant alfalfa when min. daily temperature is 50° F. or lower.	1-2		7
Potato	2	6	
Sugar Beet	2	7	30 tops

\*Apply "Lannate" L in sufficient water (use a minimum of 3 gals. per acre by air) to obtain thorough coverage. Apply when insects appear in damaging numbers. Make additional treatments as needed to maintain control.

### IMPORTANT

BEFORE USING "LANNATE" L, READ AND CAREFULLY OBSERVE THE CAUTIONARY STATEMENTS AND ALL OTHER INFORMATION APPEARING ON THE PRODUCT LABEL.

This bulletin contains new or supplemental instructions for use of this product which may not appear on package label. Follow the instructions carefully.

2/23/79

**NEXT**

**LABEL**



352-370

4-2-1978

# AGRICULTURAL BULLETIN



2/1

LANNATE® L INSECTICIDE  
MINT

## RESTRICTED USE PESTICIDE

For retail sale to and use only by Certified Applicators or persons under their direct supervision and only for those covered by the Certified Applicator's certification.

SUPPLEMENTAL LABELING  
EPA REG. NO. 352-370

LANNATE® L INSECTICIDE  
FOR USE ON MINT

Du Pont "Lannate" L Insecticide is recommended for use on mint to control mint flea beetles.

### HOW TO USE

Apply 3 to 4 pts. "Lannate" L per acre in sufficient water to give uniform coverage (10 to 20 gallons of water per acre) by air or ground equipment. Begin applications when insects first appear and repeat at 5- to 7-day intervals or as needed.

Note: Do not apply within 14 days of harvest. Do not apply when bees are actively foraging mint fields in bloom.

### IMPORTANT

BEFORE USING "LANNATE" L, READ AND CAREFULLY OBSERVE THE CAUTIONARY STATEMENTS AND ALL OTHER INFORMATION APPEARING ON THE PRODUCT LABEL.

This bulletin contains new or supplemental instructions for use of this product which may not appear on package label. Follow the instructions carefully.

2/21/79

