



CULTURAL BULLETIN

LANNATE® L INSECTICIDE
CROPS

352-370

04/06/1978

SUPPLEMENTAL LABELING
EPA REG. NO. 352-370

ACCEPTED

LANNATE® L INSECTICIDE
FOR CONTROL OF LOOPERS
ON CROPS

APR 6 1978

Under the Federal Insecticide,
Fungicide, and Rodenticide Act,
as amended, this product is
registered under
EPA Reg. No. 352-370

Du Pont "Lannate" L Insecticide is recommended for use on beans, broccoli, Brussels sprouts, cabbage, cauliflower, celery, cucumber, lettuce, melons, peas, potato, soybean, spinach, summer squash, tobacco and tomato to control loopers.

HOW TO USE

Refer to the package label for spray volume and general use instructions.

Use Rate and Preharvest Limitations:

Crops	Pints "Lannate" L Per Acre	Last Application - Days	
		To Harvest	To Livestock Grazing/Feeding
Beans (includes blackeyed peas & cowpeas)	2 - 4	Succulent beans 1 - 2 pts. = 1 Over 2 pts. = 3	3 Vines 7 Hay
Broccoli, Cauliflower	1 - 4*	3	
Brussels sprouts	2 - 4*	3	
Cabbage	1 - 4*	1	
Celery	4	7	
Chrysanthemum (weekly)	1-2/100 gals.		
Cucumber	2 - 4	3	
Lettuce (Head)	1 - 4	1 - 2 pts. = 7	
Lettuce (Leaf) CA,AZ only	1 - 4	Over 2 pts. = 10	
Melons	2 - 4	3	
Peas (up to 3 applns.)	2 - 4	1	5 Forage 14 Hay
Potato	2 - 4	6	
Soybean	1 - 4	14	Under 2 pts. = 3 Forage 7 Hay 2 - 4 pts. = 10 Forage 12 Hay

*Add wetting agent

2/2

Crops	Pints "Lannate" L Per Acre	Last Application - Days	
		To Harvest	To Livestock Grazing/Feeding
Spinach (Do not apply when min. daily temp is 32°F. or lower. Do not apply to seedlings less than 3" in diameter)	2 - 4	7	
Summer Squash	2 - 4	3	
Tobacco (except shade)	2	5 - Flue Cured 14 - Air or Fire Cured	
Tomato	2 - 4	2 pts. = 1 Over 2 pts. = 2	

IMPORTANT

BEFORE USING "LANNATE" L, READ AND CAREFULLY OBSERVE THE CAUTIONARY STATEMENTS AND ALL OTHER INFORMATION APPEARING ON THE PRODUCT LABEL.

This bulletin contains new or supplemental instructions for use of this product which may not appear on package label. Follow the instructions carefully.

11/16/77