



# AGRICULTURAL BULLETIN

LANNATE® L INSECTICIDE  
SPINACH

352-370

04/27/1978

SUPPLEMENTAL LABELING  
EPA REG. NO. 352-370

1/1

LANNATE® L INSECTICIDE  
FOR USE ON SPINACH

Du Pont "Lannate" L Insecticide is recommended for use on spinach for control of cabbage looper and beet armyworm.

### HOW TO USE

Apply 2 to 4 pts. "Lannate" L per acre in sufficient water (minimum 3 gals. per acre by air) to obtain thorough coverage. Apply at 5- to 7-day intervals or as needed. Apply the lower rate on small plants, small worms, and light infestations of insects. Use 1 to 3 applications of the highest recommended rate for controlling severe infestations. Thereafter, use the lowest rate possible to maintain control.

Note: Do not apply when minimum daily temperatures are 32°F. or lower. Do not apply within 7 days of harvest. Do not apply to seedling spinach when the whorl is less than 3" in diameter or injury to the crop may result.

### IMPORTANT

BEFORE USING "LANNATE" L, READ AND CAREFULLY OBSERVE THE CAUTIONARY STATEMENTS AND ALL OTHER INFORMATION APPEARING ON THE PRODUCT LABEL.

This bulletin contains new or supplemental instructions for use of this product which may not appear on package label. Follow the instructions carefully.

1/4/78

