


PLEASE NOTE

**This image contains more than one label
approved for this product on this date.**

42% OF ACTUAL SIZE



POISON

ANTIDOTE AND FIRST AID

ATROPINE IS AN ANTIDOTE—CONSULT PHYSICIAN FOR EMERGENCY SUPPLY OF 1/100 GRAIN ATROPINE TABLETS. CALL A PHYSICIAN AT ONCE IN ALL CASES OF SUSPECTED POISONING.

If Swallowed—Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger or blunt object. Do not induce vomiting or give anything by mouth to an unconscious person. Get medical attention.

If Inhaled, remove from exposure. Have patient lie down and keep quiet. If patient is not breathing, start artificial respiration immediately. Never give anything by mouth to an unconscious person.

If warning symptoms appear (See warning symptoms below), before physician arrives, immediately swallow two atropine tablets (each 1/100 gr.); thereafter, every 10 to 15 minutes, take one atropine tablet (1/100 gr.) until throat becomes dry and skin becomes dry and flushed. Take additional tablets as necessary to maintain a moderately dry throat and dry, flushed skin until physician arrives.

NOTE TO PHYSICIAN

WARNING SYMPTOMS—Methomyl poisoning produces effects associated with anticholinesterase activity which may include weakness, blurred vision, headache, nausea, abdominal cramps, discomfort in the chest, constriction of pupils, sweating, slow pulse, muscle tremors.

TREATMENT—Atropine sulfate should be used for treatment. Administer repeated doses, 1.2 to 2.0 mg. intravenously every 10 to 30 minutes until full atropinization is achieved. Maintain atropinization until the patient recovers. Artificial respiration or oxygen may be necessary. Allow no further exposure to any cholinesterase inhibitor until recovery is assured.

Do not use morphine or 2-PAM. However, for exposure to "Lannate" L and organophosphorous insecticides, 2-PAM may be used as required to supplement the atropine sulfate treatment as described above.

NOTICE OF WARRANTY

Du Pont warrants that this product conforms to the chemical description on the label thereof and is reasonably fit for the purposes stated on such label only when used in accordance with the directions under normal use conditions. It is impossible to eliminate all risks inherently associated with the use of this product. Crop injury, ineffectiveness, or other unintended consequences may result because of such factors as weather conditions, presence of other materials, or the manner of use or application, all of which are beyond the control of Du Pont. In no case shall Du Pont be liable for consequential, special or indirect damages resulting from the use or handling of this product. All such risks shall be assumed by the buyer. DU PONT MAKES NO WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE NOR ANY OTHER EXPRESS OR IMPLIED WARRANTY EXCEPT AS STATED ABOVE.

NOTICE TO BUYER—Purchase of this material does not confer any rights under patents of countries outside of the United States.

RESTRICTED USE PESTICIDE

For retail sale to and use only by Certified Applicators or persons under their direct supervision and only for those uses covered by the Certified Applicator's certification.



Lannate® L

INSECTICIDE

Water Soluble Liquid • 1 Gallon contains 1.8 lbs. Methomyl

ACTIVE INGREDIENT: Methomyl

S-methyl N-[(methylcarbamoyl)oxy]thioacetimidate 24%

INERT INGREDIENTS 76%

U.S. Pats. 3,576,834 3,639,633 & 3,862,316

EPA Reg. No. 352-370-AA

Keep out of reach of children

DANGER POISON

See Antidote in Left Panel

FLAMMABLE. CONTAINS METHANOL. MAY BE FATAL OR CAUSE BLINDNESS IF SWALLOWED. POISONOUS IF INHALED. CAUSES EYE DAMAGE.

Do not breathe vapors or spray mist. Do not get in eyes, on skin, on clothing. Keep away from heat, sparks, and open flame. Keep container closed. Use with adequate ventilation.

In case of contact, wash skin with plenty of soap and water; for eyes, flush with water for 15 minutes and get medical attention; remove and wash contaminated clothing before re-use.

IMPORTANT—When mixing spray, loading, applying or otherwise handling, wear protective clothing, goggles, and a mask or respirator suitable for protection against methomyl vapors or spray mist such as: Willson Products "Agri-Tox" R-533 Felt 11-P Cartridge or Mine Safety Appliances type H "Comfo". Wear clean clothes daily. Wash thoroughly after handling and before eating or smoking. **Pilot should not assist in the mixing and loading operation.** Do not contaminate or store near feed or foodstuffs.

Not for use or storage in or around the home. Keep animals and unprotected persons out of operational areas during treatment and while there is danger of drift. Do not re-use container; bury when empty.

This product is toxic to fish, birds and other wildlife. Keep out of any body of water. Do not apply where runoff is likely to occur. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water by cleaning of equipment, or disposal of wastes.

This product is toxic to bees and should not be applied when bees are actively visiting the area. Apply late in evening or early morning where honey bees visit fields. In alfalfa frequented by alkali or leafcutting bees, do not apply during bloom or when these bees will be present in fields.

5 U.S. GALLONS

DO NOT SUBJECT TO TEMPERATURES BELOW 32°F.

E. I. DU PONT DE NEMOURS & CO. (INC.) • BIOCHEMICALS DEPARTMENT • WILMINGTON, DELAWARE

352-370

09/13/1978

1/

NEXT

LABEL

352-370

09/13/1978



AGRICULTURAL BULLETIN




LANNATE® L INSECTICIDE
SOYBEANS

RESTRICTED USE PESTICIDE

For retail sale to and use only by Certified Applicators or persons under their direct supervision and only for those uses covered by the Certified Applicator's certification.

SUPPLEMENTAL LABELING
EPA REG. NO. 352-370

LANNATE® L INSECTICIDE
FOR USE ON SOYBEANS



Du Pont "Lannate" L Insecticide is recommended for insect control on soybeans. Low use rates will control light to moderate infestations of Mexican bean beetle, green cloverworm and corn earworm and help conserve beneficial predators.

HOW TO USE

Apply 1/2 to 1 pint per acre when insect populations build to economic levels. Use the lower rate on light infestations. Make additional applications as needed to retain control. Use sufficient water to obtain thorough coverage (min. of 2 gals. per acre aerial).

Periodic scouting of fields is required to insure proper timing of spray.

Note: Do not apply within 14 days of bean harvest. Do not graze or feed treated soybean forage to livestock within 3 days of last application nor soybean hay within 7 days of last application.

IMPORTANT

BEFORE USING "LANNATE" L, READ AND CAREFULLY OBSERVE THE CAUTIONARY STATEMENTS AND ALL OTHER INFORMATION APPEARING ON THE PRODUCT LABEL.

This bulletin contains new or supplemental instructions for use of this product which may not appear on package label. Follow the instructions carefully.

8/14/78

NEXT

LABEL



9-13-1978

AGRICULTURAL BULLETIN

LANNATE® L INSECTICIDE
ALFALFA •

RESTRICTED USE PESTICIDE

For retail sale to and use only by Certified Applicators or persons under their direct supervision and only for those uses covered by the Certified Applicator's Certification

SUPPLEMENTAL LABELING
EPA REG. NO. 352-370

LANNATE® L INSECTICIDE
FOR USE ON ALFALFA

SEP 13 1978

Under the Federal Insecticide,
Fungicide, and Rodenticide Act,
as amended, for the pesticide
registered under
EPA Reg. No. 352-370

Du Pont "Lannate" L Insecticide is recommended for use on alfalfa for the suppression of pea aphid. "Lannate" L aids in the control of pea aphid when used in a regular program to control Egyptian alfalfa weevil in California and Arizona or for the control of beet armyworm and lygus bugs in other areas of the U.S.

HOW TO USE

Apply 2 to 4 pts. "Lannate" L per acre in sufficient water (minimum 5 gals. per acre by air) to obtain thorough coverage of plants. Apply when insects appear in damaging numbers. Repeat application to maintain control.

- Note:
- 1) Do not apply to dormant or semi-dormant alfalfa when minimum daily temperature is 50°F. or lower.
 - 2) Do not graze or feed treated alfalfa to livestock within 7 days of last application.
 - 3) This product is toxic to bees and should not be applied when bees are actively visiting the area. In fields visited by honeybees, make application late in the evening or early morning. In areas frequented by alkali or leafcutting bees, do not apply during bloom or when the bees will be present in fields.

IMPORTANT

BEFORE USING "LANNATE" L, READ AND CAREFULLY OBSERVE THE CAUTIONARY STATEMENTS AND ALL OTHER INFORMATION APPEARING ON THE PRODUCT LABEL.

This bulletin contains new or supplemental instructions for use of this product which may not appear on package label. Follow the instructions carefully.

1/4/78-A