

PLEASE NOTE

This image contains more than one label approved for this product on this date.

352-370

11/16/1978



AGRICULTURAL BULLETIN



LANNATE® L INSECTICIDE
ROSE

RESTRICTED USE PESTICIDE

For retail sale to and use only by Certified Applicators or persons under their direct supervision and only for those uses covered by the Certified Applicator's certification.

SUPPLEMENTAL LABELING
EPA REG. NO. 352-370

LANNATE® L INSECTICIDE
FOR USE ON ROSE

Du Pont "Lannate" L Insecticide is recommended for use on rose to control omniverous leafroller.

HOW TO USE

Apply 1 to 2 pts. "Lannate" L per 100 gals. water. Spray plants (to run-off by ground equipment)..

Apply when insects first appear and continue at weekly intervals or as needed.


Note: Since varieties of rose are numerous and are continually changing, they may respond differently to "Lannate" L. Test "Lannate" L on a small scale before proceeding to large-scale application.

IMPORTANT

BEFORE USING "LANNATE" L, READ AND CAREFULLY OBSERVE THE CAUTIONARY STATEMENTS AND ALL OTHER INFORMATION APPEARING ON THE PRODUCT LABEL.

This bulletin contains new or supplemental instructions for use of this product which may not appear on package label. Follow the instructions carefully.

7/28/77-A
(Rev. 10/3/78)



NEXT

LABEL

352-370

11-16-1978



AGRICULTURAL BULLETIN



LANNATE® L INSECTICIDE
GLADIOLUS,

RESTRICTED USE PESTICIDE

For retail sale to and use only by Certified Applicators or persons under their direct supervision and only for those uses covered by the Certified Applicator's certification.

SUPPLEMENTAL LABELING
EPA REG. NO. 352-370

LANNATE® L INSECTICIDE
FOR USE ON GLADIOLUS

Du Pont "Lannate" L Insecticide is recommended for use on gladiolus to control cabbage looper.

HOW TO USE

Apply 1 to 2 pts. "Lannate" L per 100 gals. water. Spray plants thoroughly (to run-off by ground equipment).

Apply when insects first appear and continue at weekly intervals or as needed.


Note: Since varieties of gladiolus are numerous and are continually changing, they may respond differently to "Lannate" L. Test "Lannate" L on a small scale before proceeding to large-scale application.

IMPORTANT

BEFORE USING "LANNATE" L, READ AND CAREFULLY OBSERVE THE CAUTIONARY STATEMENTS AND ALL OTHER INFORMATION APPEARING ON THE PRODUCT LABEL.

This bulletin contains new or supplemental instructions for use of this product which may not appear on package label. Follow the instructions carefully.

7/28/77-A
(Rev. 10/3/78)



NEXT

LABEL

352-370

11-16-1978



AGRICULTURAL BULLETIN



LANNATE® L INSECTICIDE
CHRYSANTHEMUM

RESTRICTED USE PESTICIDE

For retail sale to and use only by Certified Applicators or persons under their direct supervision and only for those uses covered by the Certified Applicator's certification.

SUPPLEMENTAL LABELING
EPA REG. NO. 352-370

LANNATE® L INSECTICIDE
FOR USE ON CHRYSANTHEMUM

Du Pont "Lannate" L Insecticide is recommended for use on chrysanthemum to control omniverous leafroller.

HOW TO USE

Apply 1 to 2 pts. "Lannate" L per 100 gals. water. Spray plants thoroughly (to run-off by ground equipment).

Apply when insects first appear and continue at weekly intervals or as needed.

Note: Since varieties of chrysanthemum are numerous and are continually changing, they may respond differently to "Lannate" L. Test "Lannate" L on a small scale before proceeding to large-scale application.

IMPORTANT

BEFORE USING "LANNATE" L, READ AND CAREFULLY OBSERVE THE CAUTIONARY STATEMENTS AND ALL OTHER INFORMATION APPEARING ON THE PRODUCT LABEL.

This bulletin contains new or supplemental instructions for use of this product which may not appear on package label. Follow the instructions carefully.

7/28/77-A
(Rev. 10/3/78)

