

## **PLEASE NOTE**

**This image contains more than one label  
approved for this product on this date.**

352-370

02/14/1979



1/1



# AGRICULTURAL BULLETIN


LANNATE® L INSECTICIDE  
SWEET CORN

## RESTRICTED USE PESTICIDE

For retail sale to and use only by Certified Applicators or persons under their direct supervision and only for those uses covered by the Certified Applicator's certification.

SUPPLEMENTAL LABELING  
EPA REG. NO. 352-370

LANNATE® L INSECTICIDE  
FOR USE ON SWEET CORN



Du Pont "Lannate" L Insecticide is recommended for use on sweet corn for control of corn earworm. Control of earworm affecting ears is obtained through kill of eggs (ovicide) and larvae (larvicide).

## HOW TO USE

Apply 1 to 2 pts. "Lannate" L per acre using sufficient water to obtain uniform coverage (min. 3 gals. per acre by air). Apply when moths begin to lay eggs on silks and continue treatment at 1- to 3-day intervals.

Note: Do not graze or feed treated plants to livestock within 3 days after last application.

## IMPORTANT

BEFORE USING "LANNATE" L, READ AND CAREFULLY OBSERVE THE CAUTIONARY STATEMENTS AND ALL OTHER INFORMATION APPEARING ON THE PRODUCT LABEL.

This bulletin contains new or supplemental instructions for use of this product which may not appear on package label. Follow the instructions carefully.

8/18/78

**NEXT**

**LABEL**

352-370

2-14-1979



# AGRICULTURAL BULLETIN



LANNATE® L INSECTICIDE  
ALFALFA

## RESTRICTED USE PESTICIDE

For retail sale to and use only by Certified Applicators or persons under their direct supervision and only for those uses covered by the Certified Applicator's certification.

SUPPLEMENTAL LABELING  
EPA REG. NO. 352-370

LANNATE® L INSECTICIDE  
FOR USE ON ALFALFA

ACCEPTED

FEB 14 1979

Under the Federal Insecticide,  
Fungicide, and Rodenticide Act,  
as amended, this pesticide  
registered under  
Reg. No. 352-370

Du Pont Lannate® L Insecticide is recommended for use on alfalfa for the control of pea aphid. Treatment often results in a favorable ratio of predators to prey.

## HOW TO USE

Apply 2 to 4 pts Lannate® L per acre in sufficient water (minimum 5 gals per acre by air) to obtain thorough coverage of plants. Apply when insects appear in damaging numbers. Repeat application to maintain control.

- Note:
- 1) Do not apply to dormant or semi-dormant alfalfa when minimum daily temperature is 50°F or lower.
  - 2) Do not graze or feed treated alfalfa to livestock within 7 days of last application.
  - 3) This product is toxic to bees and should not be applied when bees are actively visiting the area. In fields visited by honeybees, make application late in the evening or early morning. In areas frequented by alkali or leafcutting bees, do not apply during bloom or when the bees will be present in fields.

## IMPORTANT

BEFORE USING LANNATE® L, READ AND CAREFULLY OBSERVE THE CAUTIONARY STATEMENTS AND ALL OTHER INFORMATION APPEARING ON THE PRODUCT LABEL.

This bulletin contains new or supplemental instructions for use of this product which may not appear on package label. Follow the instructions carefully.

9/19/78

**NEXT**

**LABEL**

352-370

02/14/1979

1/1



# AGRICULTURAL BULLETIN




LANNATE® L INSECTICIDE  
FOREST WOODLOTS,  
PLANTATIONS, NURSERIES

## RESTRICTED USE PESTICIDE

For retail sale to and use only by Certified Applicators or persons under their direct supervision and only for those uses covered by the Certified Applicator's certification.

SUPPLEMENTAL LABELING  
EPA REG. NO. 352-370

LANNATE® L INSECTICIDE  
FOR USE ON  
FOREST WOODLOTS, PLANTATIONS, NURSERIES



Du Pont "Lannate" L Insecticide is recommended for use on forest woodlots, plantations, nurseries and similar areas to control forest tent caterpillar and western tent caterpillar.

## HOW TO USE

Apply 2 to 4 pts. "Lannate" L per acre by mist blower or conventional power sprayer. Use sufficient water to obtain thorough, uniform coverage. Retreat as needed to maintain control.

## IMPORTANT

BEFORE USING "LANNATE" L, READ AND CAREFULLY OBSERVE THE CAUTIONARY STATEMENTS AND ALL OTHER INFORMATION APPEARING ON THE PRODUCT LABEL.

This bulletin contains new or supplemental instructions for use of this product which may not appear on package label. Follow the instructions carefully.

1/20/78-A

001143