

## **PLEASE NOTE**

**This image contains more than one label approved for this product on this date.**



352-370

4-6-1979

# AGRICULTURAL BULLETIN



LANNATE® L INSECTICIDE  
SOYBEANS

## RESTRICTED USE PESTICIDE

For retail sale to and use only by Certified Applicators or persons under their direct supervision and only for those covered by the Certified Applicator's certification.

SUPPLEMENTAL LABELING  
EPA REG. NO. 352-370

LANNATE® L INSECTICIDE  
FOR USE ON SOYBEANS

Du Pont "Lannate" L Insecticide is recommended for use on soybeans for the control of salt marsh caterpillar.

### HOW TO USE

Apply 1 to 2 pts. "Lannate" L per acre when insects appear in damaging numbers. Make additional applications as needed to maintain control. Use sufficient water to obtain thorough coverage. Use a minimum of 2 gals. per acre for aerial application.


Note: Do not apply within 14 days of bean harvest. Do not graze or feed treated soybean forage to livestock within 10 days of last application nor soybean hay within 12 days of last application.

### IMPORTANT

BEFORE USING "LANNATE" L, READ AND CAREFULLY OBSERVE THE CAUTIONARY STATEMENTS AND ALL OTHER INFORMATION APPEARING ON THE PRODUCT LABEL.

This bulletin contains new or supplemental instructions for use of this product which may not appear on package label. Follow the instructions carefully.

2/24/79



**NEXT**

**LABEL**

352-370

4-6-1979



# AGRICULTURAL BULLETIN



LANNATE® L INSECTICIDE  
ASPARAGUS

## RESTRICTED USE PESTICIDE

For retail sale to and use only by Certified Applicators or persons under their direct supervision and only for those uses covered by the Certified Applicator's certification.

SUPPLEMENTAL LABELING  
EPA REG. NO. 352-370

LANNATE® L INSECTICIDE  
FOR USE ON ASPARAGUS

Du Pont "Lannate" L Insecticide is recommended for use on asparagus for control of white cutworms.

### HOW TO USE


Apply 2 to 4 pts. "Lannate" L per acre in sufficient water to obtain thorough coverage. Apply when insects first appear in damaging numbers and repeat at 5- to 7-day intervals or as needed. Use the highest recommended rate for controlling severe infestations.

Note: Do not apply within 1 day of harvest.

### IMPORTANT

BEFORE USING "LANNATE" L, READ AND CAREFULLY OBSERVE THE CAUTIONARY STATEMENTS AND ALL OTHER INFORMATION APPEARING ON THE PRODUCT LABEL.

This bulletin contains new or supplemental instructions for use of this product which may not appear on package label. Follow the instructions carefully.



2/25/79

