

## **PLEASE NOTE**

**This image contains more than one label  
approved for this product on this date.**

352-370

05/08/1979



11



# AGRICULTURAL BULLETIN


LANNATE® L INSECTICIDE  
TURF  
EAST OF ROCKY MOUNTAINS

## RESTRICTED USE PESTICIDE

For retail sale to and use only by Certified Applicators or persons under their direct supervision and only for those uses covered by the Certified Applicator's certification.

SUPPLEMENTAL LABELING  
EPA REG. NO. 352-370

LANNATE® L INSECTICIDE  
FOR USE ON TURF  
EAST OF THE ROCKY MOUNTAINS



Du Pont "Lannate" L Insecticide is recommended for use on bluegrass and bentgrass turf for control of sod webworm east of the Rocky Mountains.

### HOW TO USE

Apply 4 to 8 pts. "Lannate" L per acre (1.5 to 3.0 fluid ounces per 1,000 square feet). After application, sprinkler irrigate for 15 minutes to wash the "Lannate" L into the turf. Apply when worms first appear and repeat as needed.

NOTE: Not for use in or around the home. Do not graze or feed clippings from treated areas to livestock.

### IMPORTANT

BEFORE USING "LANNATE" L, READ AND CAREFULLY OBSERVE THE CAUTIONARY STATEMENTS AND ALL OTHER INFORMATION APPEARING ON THE PRODUCT LABEL.

This bulletin contains new or supplemental instructions for use of this product which may not appear on package label. Follow the instructions carefully.

3/7/77-A  
Reissued 3/20/78


**NEXT**

**LABEL**

352-370

5/8/1979

1/1



# AGRICULTURAL BULLETIN



LANNATE® L INSECTICIDE  
POTATO

## RESTRICTED USE PESTICIDE

For retail sale to and use only by Certified Applicators or persons under their direct supervision and only for those uses covered by the Certified Applicator's certification.

SUPPLEMENTAL LABELING  
EPA REG. NO. 352-370

LANNATE® L INSECTICIDE  
FOR USE ON POTATO

Du Pont "Lannate" L Insecticide is recommended for use on potato for control of leafhoppers west of the Mississippi River.

### HOW TO USE

Apply 2 to 4 pts. "Lannate" L per acre in sufficient water (5 to 15 gals. per acre by air) to obtain thorough coverage. Apply at 5- to 7-day intervals or as needed. Do not apply within 6 days of harvest.

### IMPORTANT

BEFORE USING "LANNATE" L, READ AND CAREFULLY OBSERVE THE CAUTIONARY STATEMENTS AND ALL OTHER INFORMATION APPEARING ON THE PRODUCT LABEL.

This bulletin contains new or supplemental instructions for use of this product which may not appear on package label. Follow the instructions carefully.

9/2/77

Reissued 12/8/78

