

CONTROL OF A PORTION OF A PLANT

For control of only a portion of a plant, as in trimming, direct the spray to thoroughly cover only the section of the plant to be controlled.

Equipment—Spray Volumes and Pressures—Apply either by air or ground equipment. Before applying, calibrate equipment to determine quantity of water necessary to thoroughly and uniformly cover the plants, without drenching, in a measured area to be treated. For ground equipment use a minimum of 1 1/2 gals "Krenite" per 100 gals of spray solution not to exceed 200 gals of volume per acre. Gallonage required depends on height, density and type of brush, and on type of equipment used. Spray pressure at nozzles for ground equipment should be 100 to 300 psi. Use 10 to 40 gals of spray per acre with aerial equipment.

Spray Preparation—Measure the proper amount of Krenite and use agitation to thoroughly mix into the necessary volume of water. Add a surfactant such as DuPont Surfactant WK at the rate of 1/2 oz per 100 gals spray. After "Krenite" has been thoroughly mixed in the spray tank, agitation of the spray solution is not required.

Note: Effectiveness may be reduced if following treatment, rainfall occurs the same day. Do not cut treated brush until stems are dried or sprouting may occur.

NOTICE TO BUYER: Purchase of this material does not confer any rights under patents of countries outside of the United States.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

PESTICIDE DISPOSAL: Pesticide spray material in container that cannot be used according to label instructions must be disposed of according to Federal, State or local procedures under the Resource Conservation and Recovery Act.

CONTAINER DISPOSAL: Triple rinse or equivalent and dispose of in a sanitary and responsible manner or recycle plastic jugs if permitted by State and local authorities.

REG. NO. 136

Made in U.S.A.

PRINTED IN U.S.A.

136

DU PONT DE NEMO, & CO (INC) BIOCHEMICALS DEPT, WILMINGTON, DELAWARE



KRENITE

BRUSH CONTROL AGENT

Water Soluble Liquid

Contains 4 Lbs Active Per Gallon

ACTIVE INGREDIENT
Ammonium salt of fosamine
[Phenyl hydrogen (aminocarbonyl) phosphonate] 41.5
INERT INGREDIENTS 58.5
EPA Reg. No. 352-376

Keep out of reach of children
PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS

CAUTION! MAY IRRITATE EYES, NOSE, THROAT, AND SKIN.

Avoid breathing spray or mist.
Avoid contact with skin, eyes, and clothing.

ENVIRONMENTAL HAZARDS

Do not apply directly to water. Do not contaminate water by cleaning of equipment or disposal of wastes.

1 U.S. GALLON

ACCEPTED
JUL 6 1981
U.S. FEDERAL INSECTICIDE
AND FUNGICIDE
ADMINISTRATION
EPA REG. NO. 352-376

Do not
desirat
applic
insect
Therap
chemis
severe
clean

Do not
desirat
applic
insect
Therap
chemis
severe
clean

Do not
desirat
applic
insect
Therap
chemis
severe
clean

KRENITE

BRUSH CONTROL AGENT

Liquid
per Gallon

Net Weight 41.5
58.5
EPA Reg. No. 352-376

Keep out of reach of children
Irritates eyes, nose, throat, and skin.
Wash hands thoroughly with soap and water after use.
Wash clothing before reuse.

Use on lawns, gardens, and shrubs.

MADE IN U.S.A.
WILMINGTON, DELAWARE

IMPORTANT

Do not use on fruit trees. Do not allow drift or spray mist to contact desirable trees, shrubs, or other plants, as injury may result. Do not apply to brush in standing water. Keep from contact with fertilizers, insecticides, fungicides, and seeds.

Thoroughly clean all traces of "Krenite" from application equipment immediately after use. Flush tank, pump, hoses, and boom with several changes of water after removing nozzle tips and screens (clean these parts separately).

GENERAL INFORMATION

Du Pont "Krenite" Brush Control Agent is a water soluble liquid to be diluted with water and applied as a foliar spray for control and/or growth suppression of many woody species on non-cropland areas including land adjacent to and surrounding domestic water supply reservoirs, supply streams, lakes and ponds. It is non-flammable and non-volatile.

"Krenite" is to be applied to brush in late summer or early fall, and response is usually not observed until the following spring except for pines which may show a response soon after application. Susceptible treated plants fail to rebud and subsequently die.

A spray directed to only part of a susceptible plant will provide control of only the portion sprayed, resulting in a trimming effect.

NOTICE OF WARRANTY

Du Pont warrants that this product conforms to the chemical description on the label thereof and is reasonably fit for purposes stated on such label only when used in accordance with the terms under normal use conditions. It is impossible to eliminate all risks inherently associated with the use of this product. Inefficiency or other unintended consequences may result because of such factors as weather conditions, presence of other materials, or the manner of use or application, all of which are beyond the control of Du Pont. In no case shall Du Pont be liable for consequential, special or indirect damages resulting from the use or handling of this product. All such risks shall be assumed by the buyer. DU PONT MAKES NO WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE NOR ANY OTHER EXPRESS OR IMPLIED WARRANTY EXCEPT AS STATED ABOVE.

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

"Krenite" Brush Control Agent should be used only in accordance with recommendations on this label, or in separate published Du Pont recommendations available through local dealers.

Du Pont will not be responsible for losses or damages resulting from use of this product in any manner not specifically recommended by Du Pont. User assumes all risk associated with such non-recommended use.

General Brush Control—Non-Cropland Areas—Railroad, pipeline, utility and highway right of ways, drainage ditch banks, storage areas, industrial plant sites, reforestation areas prior to planting, and other similar areas.

"Krenite" at the following recommended rates, controls undesirable brush such as:

1 1/2 to 3 Gals./Acre		2 to 3 Gals./Acre
Bigleaf maple*	Red maple*	American elder
Birch	Red oak	Basswood*
Blackberry	Sailorberry	Eastern cottonwood
Black cherry*	Sassafras*	Eastern white pine
Blackgum*	Sourwood*	Field bindweed
Black locust	Sumac	Multiflora rose
Bracken (fern)	Sweet gum	Slippery elm
Croaker cherry*	Thimbleberry	Sycamore
Elm*	Tulip tree	Tree of heaven
Hawthorn*	(yellow poplar)*	Wild grape
Hickory*	Vine maple	Wild plum
Loblolly pine	Virginia pine	Winged elm*
Persimmon*	Water oak	
Pin cherry	White ash*	
Quaking aspen	White oak	
Red alder	Willow*	

Make a single foliar application of the recommended rate of "Krenite" during the 2 month period prior to fall leaf coloration. For control of field bindweed, apply after plants begin to bloom.

Use the highest rate of the recommended rate range on dense brush stands and on species which are partially controlled and suppressed area.

137

138