

29 MAR 1993

Mr. Richard M. Vaught
Ag Products
E. I. du Pont de Nemours & Co. Inc.
Barley Mill Plaza, WM6-151
Wilmington, DE 19880-0038

Dear Mr. Vaught:

Subject: Du Pont Velpar® Herbicide
EPA Registration No. 352-378
Application Dated March 12, 1993, Requested Amendment
of Supplemental Labeling for Lowbush and Highbush
Blueberries To Reflect PHI's for These Sites
of Applications

The proposed amendments described in your applications of March 12, 1993 and in the caption subject of this letter are acceptable for registration under section 3 of the Federal Insecticide, Fungicide and Rodenticide Act (FIFRA) as amended are acceptable provided that you:

- o Submit five (5) printed copies of the final printed label before releasing the product for shipment, under these labels.

If this condition is not complied with, the registration will be subject to cancellation in accordance with FIFRA, Section 6(a). Your release for shipment of the product constitutes acceptance of this condition.

A stamped copy of the labeling is enclosed for your records.

Sincerely yours,

Joanne I. Miller
Product Manager (23)
Fungicide-Herbicide Branch
Registration Division (2-7505C)

Enclosure

E. Wilson: Diskette #0009: 03-26-93

BEST AVAILABLE COPY

AGRICULTURAL PRODUCTS

'..... A Growing Partnership With Nature'

**VELPAR® HERBICIDE
LOWBUSH BLUEBERRIES**

VELPAR® HERBICIDE

(EPA REG. NO. 352-378)

FOR USE ON LOWBUSH BLUEBERRIES

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

Du Pont "Velpar" Herbicide is recommended for control of certain herbaceous and woody weeds in established lowbush blueberry fields.

HOW TO USE

When applied in the spring before blueberry emergence "Velpar" controls:

1/2 to 1 lb/acre	1 to 2 lb/acre	2 to 3 lb/acre
Certain grasses	Aster	Dogbane*
Certain flowering	Cinquefoil	Meadowsweet
Herbaceous weeds	Fireweed	Trailing blackberry
	Goldenrod	Sheep-laurel
	Hawkweeds	Wild rose*
	Pearly everlasting	
	Sheep sorrel	
	Wild strawberry	
	Yarrow	

*Considered hard to kill - control may not be adequate.

Apply 1/2 to 3 pound "Velpar" per acre to pruned blueberry fields in the spring before blueberry emergence. Do not apply to frozen or snow covered ground. Using properly calibrated air or ground equipment, make application in sufficient water to provide thorough a uniform coverage of the treated area, (usually 5 gallons per acre by air and 20 gallons per acre by ground). Spray booms must be shut off while starting, turning, slowing or stopping as injury to the crop may result.

Do not apply within 450 days of harvest.

CAUTION

Since the effect of "Velpar" on blueberries varies with soils, uniformity of application, and amount of rainfall, it is suggested that growers limit their first use to small areas. Most lowbush blueberries are resistant to "Velpar" but some clones are susceptible to injury. Use lower rates on poorly drained soils, but do not use if there is standing water. Use lower rates (1 lb or less) on steep slopes as severity of erosion will increase.

IMPORTANT

BEFORE USING "VELPAR", READ AND CAREFULLY OBSERVE THE CAUTIONARY STATEMENTS AND ALL OTHER INFORMATION APPEARING ON THE PRODUCT LABEL.

This bulletin contains new or supplemental instructions for use of this product which may not appear on the package label. Follow the instructions carefully.

Do not apply this product through any type of irrigation system.

This labeling must be in the possession of the user at the time of pesticide applications.

041488
073191 (Replaces H-04419)
D-073091

ACCEPTED
with COMMENTS
EPA Letter Date:

29 MAR 1993

Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, for the pesticide
registered under EPA Reg. No.

352-378

AGRICULTURAL PRODUCTS

"..... A Growing Partnership With Nature"

**VELPAR® HERBICIDE
HIGHBUSH BLUEBERRIES**

VELPAR® HERBICIDE

(EPA REG. NO. 352-378)

FOR USE ON HIGHBUSH BLUEBERRIES

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

DuPont "Velpar" Herbicide is recommended for control of certain herbaceous and woody weeds in established highbush blueberry fields.

HOW TO USE

Apply 1 to 2 pounds "Velpar" per acre (broadcast; for band treatment use proportionately less) to pruned blueberry fields in the spring before blueberry leaf emergence (but at least 50 days prior to harvest). "Velpar" spray should be directed to the soil and weeds. When applied properly, "Velpar" controls many herbaceous and woody plants including: barnyardgrass, briars* (blackberry, raspberry), wild cherry, goldenrod, hawkweed, quackgrass, sheep sorrel, red sorrel, witch grass, yellow foxtail broomsedge*, dog fennel, fall panicum, and panic grass. Using properly calibrated ground equipment, make application in sufficient water to provide thorough and uniform coverage of the treated area, (usually 20 gallons per acre). Spray booms must be shut off while starting, turning, slowing or stopping, as injury to the crop may result.

*Suppression or partial control only.

Do not apply within 90 days of harvest.

NOTE: Treat only plantings established for 3 years or more.

CAUTION

Since the effect of "Velpar" on blueberries varies with soils, plant vigor, uniformity of application, and amount of rainfall, it is suggested that growers limit their first use to small areas. Most blueberries are resistant to "Velpar", but some clones are susceptible to injury. Application to blueberry plants after leaf emergence will result in injury. Application to blueberry plants after leaf emergence will result in injury. Use lower rates on poorly drained soils, but do not use if there is standing water. Do not use sands, loamy sands or sandy loam soils. Do not apply to frozen or snow covered ground.

Not for use in the Northeastern U.S.

IMPORTANT

BEFORE USING "VELPAR", READ AND CAREFULLY OBSERVE THE CAUTIONARY STATEMENTS AND ALL OTHER INFORMATION APPEARING ON THE PRODUCT LABEL.

This bulletin contains new or supplemental instructions for use of this product which may not appear on the package label. Follow the instructions carefully.

Do not apply this product through any type of irrigation system.

This labeling must be in the possession of the user at the time of pesticide applications.

ACCEPTED
with COMMENTS
in EPA Letter Dated

29 MAR 1993

Under the Federal Insecticide,
Fungicide, and Herbicide Act
as amended, this pesticide
registered under EPA Reg. No.

352-378

021788
073191 (Replaces H-04418)
D-073091

