



POISON



DIRECTIONS FOR USE - See label on reverse side

BEST AVAILABLE COPY



AGRICULTURAL BULLETIN



Lannate® LV Insecticide
Low Volume
Use on Soybeans

RESTRICTED USE PESTICIDE

For retail sale to and use only by Certified Applicators or persons under their direct supervision and only for those uses covered by the Certified Applicator's certification.

SUPPLEMENTAL LABELING
EPA REG. NO. 352-384

LANNATE® LV INSECTICIDE
FOR USE ON SOYBEANS

ACCEPTED

OCT 31 1985

U. S. E. P. A.
OFFICE OF PESTICIDE REGISTRATION
WASHINGTON, D. C. 20460
362-384

Du Pont Lannate® LV Insecticide is recommended for use in low-volume aerial-applied sprays for control of certain insect pests on soybeans. Water or once refined vegetable oils are recommended as diluents.

How to Use

Apply as follows in a minimum total spray volume of two liters (0.53 gallon) per acre. Water or a once-refined vegetable oil may be used as the spray carrier. Continue application at 5- to 7-day intervals or as needed to maintain control.

Soybeans	Insects		Pints/Acre	Last Application	
				Harvest	To Livestock Grazing/Feeding
AK, AL, LA, MS, TN, TX only	Green Cloverworm	Light to moderate infestations	2/5-3/4	14	Under 1 1/2 pts
	Velvetbean Caterpillar, Mexican Bean Beetle	Moderate to severe infestations			
	Corn Earworm	Moderate to severe infestations	3/4-1 1/2		3 Forage; 7 hay
		Light to moderate infestations	2/5-3/4		1 1/2 - 3 pts;
	Beet Armyworm	Light to moderate infestations	3/4 - 1		10 Forage;
	Salt Marsh Caterpillar, Fall Armyworm, Bean Leaf Beetle	Moderate to severe	1-1 1/2		10 hay
	Thrips, Silver Spotted Skipper				
	Soybean Looper (worms up to 1/2" long)	Use higher rate for severe infestations	1 1/2-3		