DU PONT

RESTRICTED USE PESTICIDE

For retail sale to and use only by Certified Applicators or persons under their direct supervision and only for those uses covered by the Certified Applicator's certification

LANNATE® P

INSECTICIDE — WATER SOLUBLE POWDER

Keep out of reach of children

DANGER ☠ POISON

BE FATAL IF SWALLOWED. POISONOUS IF INHALED.

In case of contact, wash skin with plenty of soap and water, for eyes, flush with water for 15 minutes and get medical attention. remove and wash contaminated clothing before re use

ANTIDOTE AND FIRST AID

If swallowed, drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger or blunt object **Do not induce vomiting or give anything by mouth to an unconscious person.** Get medical attention

If inhaled, remove from exposure Have patient lie down and keep quiet If patient is not breathing, start artificial respiration immediately **Never give anything by mouth to an unconscious person.**

If warning symptoms appear (See **warning symptoms** below), before physician arrives, immediately swallow two atropine tablets (each gr); thereafter, every 10 to 15 minutes, take one atropine tablet (1/100 gr) until throat becomes dry and skin becomes dry and flushed Take additional tablets as necessary to maintain a moderately dry throat and dry, flushed skin until physician arrives

NOTE TO PHYSICIAN

WARNING SYMPTOMS—Methomyl poisoning produces effects associated with anticholinesterase activity which may include weakness, blurred vision, headache, nausea, abdominal cramps, discomfort in the chest, constriction of pupils, sweating, slow pulse, muscle tremors

TREATMENT—Atropine sulfate should be used for treatment Administer repeated doses, 1 2 to 2 0 mg intravenously every 10 to 30 minutes until full atropinization is achieved Maintain atropinization until the patient recovers Artificial respiration or oxygen may be necessary **Allow** no further exposure to any cholinesterase inhibitor until recovery is assured

Do not use morphine or 2 PAM However for exposure to Lannate P and organophosphorous insecticides 2 PAM may be used as required to supplement the atropine sulfate treatment as described above

ACTIVE INGREDIENT Methomyl
S methyl N [(methylcarbamoyl)oxy]thioacetimidate — 90%
INERT INGREDIENTS — 10%
U S Pats 3576834 & 3639633 — EPA Reg No 352-389

[illegible]

[illegible]

DIRECTIONS

Du Pont Lannate P insecticide should be used only in accordance with recommendations on this label or in separate published Du Pont recommendations available through local dealers

Lannate P is a dry powder to be dissolved in water for application by ground or air equipment Use an application only where recommended Use only in commercial plantings do not use in home plantings

SPRAY PREPARATION — Fill spray tank ⅓ to ¾ full of water Add Lannate P directly to spray tank
Mix thoroughly to fully dissolve the insecticide once dissolved continued agitation is not required Use mechanical or hydraulic means do not use air agitation

APPLICATION — Apply at the recommended rates when insects first appear Unless otherwise noted continue applications at 5 to 7 day intervals as needed Use sufficient water to obtain thorough uniform coverage For aerial use a minimum of 5 gals per acre (gpa) except 2 gpa for peanuts and soybeans 3 gpa for cabbage corn cotton (east of Rocky Mts) lettuce onions and peas 10 gpa for grapes nectarines 15 gpa for oranges and lemons Apply the low rates on small plants young insects and light infestations of insects Use intermediate rates on large insects and heavier infestations of insects Use 1 to 3 applications of the highest recommended rate for control of severe infestations Thereafter use the lowest rate possible to maintain control

Crop	Pests	Lbs Per Acre	Amount
Alfalfa (G)	Bee Armyworm Loopers		
	Alfalfa Weevil Larvae		
	Bee Armyworm		
	Alfalfa Caterpillar		
LA & AZ only	Agrotis Egyptian Alfalfa Weevil Larvae		
Apples East of Rockies	Apple Aphid Rosy Apple Aphid Tufted Apple Bud Moth		per 100 gals up to 400 gals per acre
	Codling Moth 10 day intervals		
Asparagus	Leafrollers Fruitworms Cutworms Pestbanes Yellowstriped Armyworm Lesser Appleworm White Apple Leafhopper Tarnished Plant Bug		per 100 gals up to 400 gals per acre
	Bee Armyworm Western Yellowstriped Armyworm		
Beans (G) Lima Beans Blackeyed Peas Soybeans	Leafhopper Mexican Bean Beetle		
	Bee Armyworm Cabbage Looper Corn Earworm		
Cowpeas	Lygus Bugs		
Broccoli Cauliflower	Cabbage Looper Imported Cabbageworm Diamondback Moth		
Brussels Sprouts	Cabbage Looper Imported Cabbageworm		
Cabbage	Cabbage Looper Imported Cabbageworm Diamondback Moth		
Carrots (A & AZ)	Beet Armyworm		
Celery	Cabbage Looper		
Chrysanthemum (G)	Cabbage Looper Corn Earworm Beet Armyworm Thrips—Weevils		per 100 gals
	Earworm Aphids as needed		
Sweet Corn	Earworm Fall Armyworm European Corn Borer First 3 days or as needed		
	Earworm		
Fall Armyworm			
Eggplant (Fruiting)	Bollworm Tobacco Budworm Beet Armyworm Cotton Leafperforator Salt marsh caterpillar Spray at regular scheduled intervals not to exceed maximum every 10 days		
Artichokes	Bollworm Tobacco Budworm Beet Armyworm Cotton Leafperforator Armyworm Spray at 3 5 day intervals		
	Bollworm		
	Beet Armyworm		
	Cotton Leafperforator		
	Cabbage Looper		
Peppers (G)	Thrips		
Potatoes (A & AZ)	Fruitworm Leafhopper		

E. I. DU PONT DE NEMOURS & CO. (INC.), BIOCHEMICALS DEPARTMENT, WILMINGTON, DEL.

BEST DOCUMENT AVAILABLE

Insecticide, dry, n.o.s.

(Methomyl)

NET 110.23 LBS. (50 KILOS)



Grapes East of Rockies–	Grape Berry Moth, Armyworm, Aphid, Fruit & Spotted Mites, Leafhoppers	1 Fresh & Raisin 14 days Grapes
CA & AZ only	Leafhoppers	
West of Rockies–	Saltmarsh Caterpillar	
Lemon–CA & AZ only	Thrips	1
Lettuce (Head)	Beet Armyworm, Cutworm, Cabbage Looper, Alfalfa Looper	
Lettuce (Leaf) CA & AZ only		over 10
Melons	Cabbage Looper	1
Mint	Variegated Cutworm, Alfalfa Looper	14
Nectarine CA & AZ only	Thrips–Upto 3 applications	1
Onions West of Rockies–	Beet Armyworm, Cutworm, Up to 2 applications	28 (over 10 dry onions)
AZ only	Thrips–Up to 2 applications	
Oranges CA & AZ only	Thrips	1
Oranges CA only	Fruit Tree Leafroller, Cutworm	
Peanuts	Corn Earworm, Beet Armyworm, Up to 2 applications	Do not feed treated vines
Peppers	Green Peach Aphid	
Potatoes–U.S. East of Miss. River	Cutworm, Cabbage Looper, Aphids, Leafhoppers, Flea Beetles	
Soybean	Soybean Looper, Green Cloverworm, Beet Armyworm, Velvetbean Caterpillar, Mexican Bean Beetle, Corn Earworm–Up to 2 applications	14
Sorghum	Corn Earworm	14
Spinach	Cabbage Looper, Beet Armyworm	
Sugar Beet–U.S.	Beet Armyworm, Cutworm, Up to 4 applications	
CA & AZ only	Beet Armyworm, Aphid, Up to 4 applications	
Summer Squash–U.S.	Cabbage Looper	
Southeast only	Melonworm, Pickleworm, Thrips	
Tangerines CA & AZ only	Thrips	
Tobacco	Flea Beetle, Hornworm	
Tomatoes	Cabbage Looper, Aphids, Tobacco Budworm	
Tomato	Tomato Fruitworm, Cabbage Looper, Beet Armyworm	
Turnips	Aphid	
Walnuts	Aphid, Armyworm, Cutworm	

*Application rate

POISON

6

NOTICE OF WARRANTY

Du Pont warrants that this product conforms to the chemical description on the label thereof and is reasonably fit for the purposes stated in such label only when used in accordance with the directions under normal use conditions. It is impossible to eliminate all risks inherently associated with the use of this product. Crop injury, ineffectiveness or other unintended consequences may result because of such factors as weather conditions, presence of other materials, or the manner of use or application, all of which are beyond the control of Du Pont. In no case shall Du Pont be liable for consequential, special or indirect damages resulting from the use or handling of this product. All such risks shall be assumed by the buyer. DU PONT MAKES NO WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE NOR ANY OTHER EXPRESS OR IMPLIED WARRANTY EXCEPT AS STATED ABOVE.

NOTICE TO BUYER—Purchase of this material does not confer any rights under patents of countries outside of the United States.

MADE IN U.S.A.

PRINTED IN U.S.A.

BEST DOCUMENT AVAILABLE