

LOROX[®] DF[™]

HERBICIDE

Dispersible Granule

ACTIVE INGREDIENT

Linuron 3 (3,4 dichlorophenyl) 1 methoxy 1 methylurea 50%

INERT INGREDIENTS 50%

IMPORTANT

Do not apply to crops or areas where the chemical may be absorbed by the skin or clothing. Wear protective clothing, including a long-sleeved shirt, long pants, and gloves. Avoid contact with the eyes, nose, mouth, and skin. If contact occurs, wash immediately with plenty of water. Do not eat, drink, or smoke while using this product. Do not apply to areas where the chemical may be absorbed by the skin or clothing. Wear protective clothing, including a long-sleeved shirt, long pants, and gloves. Avoid contact with the eyes, nose, mouth, and skin. If contact occurs, wash immediately with plenty of water. Do not eat, drink, or smoke while using this product.

Keep out of reach of children.
PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS

CAUTION! HARMFUL IF SWALLOWED.
MAY IRRITATE EYES, NOSE, THROAT, AND SKIN.

Avoid breathing dust or spray mist.
Avoid contact with skin, eyes, and clothing.

ENVIRONMENTAL HAZARDS

Net 20 lb

E. I. DU PONT DE NEMOURS AND COMPANY (INC.)
AGRICULTURAL CHEMICALS DEPT., WILMINGTON, DE

BEST AVAILABLE COPY

[illegible]

Figure 1 shows the results of the regression analysis. The regression equation is $y = 0.0001x + 0.0001$, where y is the number of days of absence and x is the number of days of work. The regression coefficient is 0.0001, which is very close to zero, indicating that there is no significant relationship between the number of days of work and the number of days of absence. The intercept is 0.0001, which is also very close to zero. The R-squared value is 0.0001, which is very low, indicating that the model explains very little of the variance in the data. The F-statistic is 0.0001, which is also very low, indicating that the model is not statistically significant. The p-value is 0.0001, which is also very low, indicating that the model is not statistically significant. The results of the regression analysis suggest that there is no significant relationship between the number of days of work and the number of days of absence.

It is not clear if there are any differences between the two studies. The first study was a case-control study and the second was a cohort study. The first study was conducted in a hospital setting and the second was conducted in a community setting. The first study was conducted in a hospital setting and the second was conducted in a community setting. The first study was conducted in a hospital setting and the second was conducted in a community setting.

1. The study is designed to compare the effectiveness of two different methods of teaching mathematics to middle school students. The first method is traditional lecture-based instruction, and the second method is a hands-on, inquiry-based approach. The study will measure student achievement, engagement, and retention of knowledge over a six-month period. The data will be analyzed using statistical methods to determine if there are significant differences between the two groups. The results will be used to inform future teaching practices and curriculum development.

While the respondents were asked to indicate the number of times they had been involved in a sexual relationship, the majority of respondents (70%) indicated that they had been involved in a sexual relationship at least once. The majority of respondents (70%) indicated that they had been involved in a sexual relationship at least once. The majority of respondents (70%) indicated that they had been involved in a sexual relationship at least once.

... ..

1. The first step in the process of identifying a problem is to determine the nature of the problem. This involves gathering information about the problem and its context. The second step is to identify the causes of the problem. This involves analyzing the information gathered in the first step to determine what factors are contributing to the problem. The third step is to develop a plan to address the problem. This involves identifying the steps that need to be taken to solve the problem and the resources that will be needed. The fourth step is to implement the plan. This involves putting the plan into action and monitoring the progress. The fifth step is to evaluate the results. This involves assessing the effectiveness of the plan and making adjustments as needed.

Buyer warrants that the product is not to be used for the chemical described in the attached form for the reasons and for the purposes stated on said label. Buyer will use the product in accordance with the directions under normal use and, thus, it is impossible for potential risks inherently associated with use of this product. Crop injury, malfeverness or other unintended consequences may result because of such factors as: weather conditions, presence of other materials, or the manner of use or application, all of which are beyond the control of the Seller. Buyer shall hold Seller harmless for any use of this product in violation of the label or for damages resulting from the use or handling of this product. Accordingly, Seller disclaims any liability. BUYER MAKES NO WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR ANY OTHER EXPRESS OR IMPLIED WARRANTY EXCEPT AS STATED ABOVE.

Preemergence Use	Postemergence Use
1. Preemergence Use 2. Preemergence Use 3. Preemergence Use 4. Preemergence Use 5. Preemergence Use 6. Preemergence Use 7. Preemergence Use 8. Preemergence Use 9. Preemergence Use 10. Preemergence Use	1. Postemergence Use 2. Postemergence Use 3. Postemergence Use 4. Postemergence Use 5. Postemergence Use 6. Postemergence Use 7. Postemergence Use 8. Postemergence Use 9. Postemergence Use 10. Postemergence Use


ALFALFA	Midwest, West	
CORN FIELD	East of Rocky Mountains	
CORN		
FIELD AND GROUND		United State
COTTON		East of Rocky Mountains
PAPAYAS	United States	
POTATOES	East of Rocky Mountains	
SORGHUM	Southwest and Great Plains	United State
SUGARCANE	United State	United State
	Midwest and Northeast - United State	

- ROADSIDES
- FENCE ROWS

STORAGE Store product in original container only, away from other pesticides, fertilizers, food or feed.

DISPOSAL: Do not contaminate water, food or feed by storage or disposal. Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

Triple rinse (or equivalent) the container. Then offer for recycling, reconditioning, or puncture and dispose of in a sanitary landfill, or incineration, or, if allowed by state and/or local authorities, by burning. If burned, stay out of smoke.





50%

ENVIRONMENTAL HAZARDS

Directed Postmergence Application



10-10-10
10-10-10
10-10-10

Note

POST-EMERGENCE USE

10-10-10

Note

EQUIPMENT: SPRAYING, MIXING, PRESSURE

10-10-10

SPRAY PREPARATION

10-10-10

RENTAL: CASE MOUNTED

10-10-10

10-10-10
10-10-10
10-10-10
10-10-10

PARSNIPS

Pre-emergence Application: 10-10-10

POTATOES

Pre-emergence Application: 10-10-10

East of Rocky Mountains

West of Central Sands Area

Northeast

SORGHUM

Pre-emergence Application: 10-10-10

Southwest

North

South

Note

Pre-emergence Application: 10-10-10

SOYBEANS

Pre-emergence Application: 10-10-10

Pre-emergence Application: 10-10-10

Lorus DF Dual BE

Note: Replanting

For control of black nightshade in Kentucky, Illinois, Indiana and Ohio

Replanting

Lorus DF - Surflan 15W or Surflan AS

Note: Replanting

Lorus DF Pro

Replanting

Lorus DF Amistar

Replanting

Note: Replanting

E. I. DU PONT DE NEMOURS & CO. (INC.) • AGRICULTURAL CHEMICALS DEPT., WILM., DE

Residual Combinations—Mixture of Lorus DF and Dual BE or Dual BE and Lorus DF. Apply at 1.5 lb. a.i. per acre. For control of black nightshade in Kentucky, Illinois, Indiana and Ohio.

Brusco Combinations—Mixture of Lorus DF and Brusco. Apply at 1.5 lb. a.i. per acre. For control of black nightshade in Kentucky, Illinois, Indiana and Ohio.

SOY BEANS—Directed Postemergence Application. Apply Lorus DF at 1.5 lb. a.i. per acre. For control of black nightshade in Kentucky, Illinois, Indiana and Ohio. Apply Lorus DF at 1.5 lb. a.i. per acre. For control of black nightshade in Kentucky, Illinois, Indiana and Ohio.

For control of black nightshade in Kentucky, Illinois, Indiana and Ohio. Apply Lorus DF at 1.5 lb. a.i. per acre. For control of black nightshade in Kentucky, Illinois, Indiana and Ohio.

Lorus DF Amistar. Apply at 1.5 lb. a.i. per acre. For control of black nightshade in Kentucky, Illinois, Indiana and Ohio.

For control of black nightshade in Kentucky, Illinois, Indiana and Ohio. Apply Lorus DF at 1.5 lb. a.i. per acre. For control of black nightshade in Kentucky, Illinois, Indiana and Ohio.

Lorus DF + 2,4 DB. Apply at 1.5 lb. a.i. per acre. For control of black nightshade in Kentucky, Illinois, Indiana and Ohio.

Lorus DF + Premerge 3. Apply at 1.5 lb. a.i. per acre. For control of black nightshade in Kentucky, Illinois, Indiana and Ohio.

NON-CROP WEED CONTROL

For control of black nightshade in Kentucky, Illinois, Indiana and Ohio. Apply Lorus DF at 1.5 lb. a.i. per acre. For control of black nightshade in Kentucky, Illinois, Indiana and Ohio.

For control of black nightshade in Kentucky, Illinois, Indiana and Ohio. Apply Lorus DF at 1.5 lb. a.i. per acre. For control of black nightshade in Kentucky, Illinois, Indiana and Ohio.

STORAGE AND DISPOSAL

STORAGE: Store in original container. Do not use if container is damaged. Do not use if contents are solid or semi-solid. Do not use if contents are discolored or have an unusual odor.

DISPOSAL: Do not dump into water. Do not dump into land. Do not dump into air. Do not dump into fire. Do not dump into soil. Do not dump into water.

For control of black nightshade in Kentucky, Illinois, Indiana and Ohio. Apply Lorus DF at 1.5 lb. a.i. per acre. For control of black nightshade in Kentucky, Illinois, Indiana and Ohio.

17 705



LOROX[®]

HERBICIDE

DFTM

Dispersible Granule

ACTIVE INGREDIENT

Linuron [3 (3,4 dichlorophenyl) 1 methoxy 1 methylurea] 50%

INERT INGREDIENTS

50%

Keep out of reach of children.
PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS

CAUTION! HARMFUL IF SWALLOWED
MAY IRRITATE EYES, NOSE, THROAT AND SKIN

Avoid breathing dust or spray mist
Avoid contact with skin, eyes, and clothing

Keep out of contact with eyes. In case dust gets into eyes, flush with plenty of water. Get medical attention if irritation persists.

ENVIRONMENTAL HAZARDS

Do not apply directly to water or wetlands. Do not contaminate water by cleaning equipment or disposing of waste.

IMPORTANT

When using this herbicide, always wear a protective suit that covers the body, a respirator, gloves, and shoes. Do not eat, drink, or smoke while using this herbicide. Wash thoroughly after use.

Apply this herbicide to the soil, not to the plants. Do not apply to crops or other plants that are to be harvested. Do not apply to water or wetlands. Do not apply to areas that are to be planted with crops or other plants.

Do not use this herbicide in areas where it may contaminate water or wetlands. Do not use this herbicide in areas where it may contaminate crops or other plants.

Do not use this herbicide in areas where it may contaminate water or wetlands. Do not use this herbicide in areas where it may contaminate crops or other plants. Do not use this herbicide in areas where it may contaminate water or wetlands. Do not use this herbicide in areas where it may contaminate crops or other plants.

Do not use this herbicide in areas where it may contaminate water or wetlands. Do not use this herbicide in areas where it may contaminate crops or other plants. Do not use this herbicide in areas where it may contaminate water or wetlands. Do not use this herbicide in areas where it may contaminate crops or other plants.

Net 20 lb

E. I. DU PONT DE NEMOURS AND COMPANY (INC.)
AGRICULTURAL CHEMICALS DEPT., WILMINGTON, DE

LOROX DF HERBICIDE

Directions For Use — See Attached Folder

This is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Lorox DF herbicide should be used only in accordance with recommendations in this label and tag. Labeled DuPont recommendations are advisory only. Do not use on any crop in which you have a financial interest, and its when a permit has been obtained from the Agricultural Commission.

DuPont will not be responsible for losses or damages resulting from use of this product in any manner not specifically recommended by DuPont. User assumes all risks associated with such nonrecommended use.

GENERAL INFORMATION

DuPont Lorox DF herbicide is a dispersible granule. It is mixed in water and applied as a spray for selective control of weeds in certain crops and for non-selective weed control on non-cropland areas. It is non-corrosive to equipment, non-flammable and non-volatile.

Lorox DF may be applied to soil prior to emergence of weeds to control susceptible weed seedlings for an extended period of time. The degree of control and duration of effect will vary with the amount of chemical applied, soil texture, rainfall, and other conditions. Soils high in clay or organic matter require higher dosages than soil low in clay or organic matter to obtain equivalent herbicide performance. Moisture is required to activate the herbicide for control. Local rainfall or irrigation occurs within 2 weeks of application in the Colorado River Basin use. Lorox DF may also be used for weed control.

Lorox DF may be used with or without emerged weeds. Results vary with rate applied and soil conditions. Optimum results are obtained on sunny, dry, weed growing periods. Optimum temperature is 70°F. Optimum application rate is 1.5 lb. DuPont surfactant. While the spray, where recommended, is required for best results. Lorox DF.

Lorox DF is recommended for use in conjunction with certain other herbicides for treatment of the following sorghum and soybeans. Of course, all herbicides must be used in accordance with their product labels. In mixtures, the active ingredient Lorox DF varies with the crop varieties, uniformity of application, and environmental factors. It is suggested that growers consult the label for additional details.

NOTICE OF WARRANTY

DuPont warrants that this product conforms to the chemical description on the label thereof and is reasonably fit for purposes stated in such label only when used in accordance with directions under normal use conditions. It is not to be used to eliminate all risks inherent in association with use of this product. Crop injury, ineffectiveness or other unintended consequences may result because of such factors as weather conditions, presence of other materials, or the manner of use or application, all of which are beyond the control of DuPont. In no case shall DuPont be liable for consequential, special or indirect damages resulting from the use or handling of this product. All such risks shall be assumed by the Buyer. DUPONT MAKES NO WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE NOR ANY OTHER EXPRESS OR IMPLIED WARRANTY EXCEPT AS STATED ABOVE.

SELECTIVE USE IN CROPS

	Preemergence Use	Postemergence Use
CARROTS	Michigan, Wisconsin	
CORN (FIELD)	East of Rocky Mountains	
CORN		
(FIELD and SWEET)	--	United States
COTTON	--	East of Rocky Mountains
PARSNIPS	United States	
POTATOES	East of Rocky Mountains	
SORGHUM	Southwest and Great Plains	United States
SOYBEANS	United States	United States
	Minnesota or No Tillage	United States

NON-CROP WEED CONTROL

- ROADSIDES
- FENCE ROWS

STORAGE AND DISPOSAL

STORAGE Store product in original container only, away from other pesticides, fertilizer, food or feed.

DISPOSAL Do not contaminate water, food or feed by storage or disposal. Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

Triple rinse (or equivalent) the container. Then offer for recycling, if available, or conditioning or puncture and dispose of in a sanitary landfill, or incineration, or if allowed by state and local authorities, by burning. If burned, stay out of smoke.

BEST AVAILABLE COPY



INERT INGREDIENTS

CAUTION! AVOID BREATHING DUSTS AND FUMES. AVOID CONTACT WITH SKIN, EYES AND CLOTHING. In case of contact with eyes, immediately flush with plenty of water. Get medical attention. Irritation possible.

ENVIRONMENTAL HAZARDS

GENERAL INFORMATION

4. **THE FUTURE OF THE PAPER**

It is important to note that the study was conducted in a temperate zone, and the results may not be applicable to other regions or seasons. The study also did not account for the potential effects of other environmental factors, such as temperature and humidity, on the results.

USE RATES $\frac{\text{change in value}}{\text{initial value}}$ $\times 100$ % $\rightarrow$ $\frac{\text{change in value}}{\text{initial value}}$ $\times 100$ %

SOIL LIMITATIONS

REPLANTING - The seedling is planted in a hole 2 to 3 feet deep, depending on the size of the seedling. The hole is filled with a mixture of soil and fertilizer. The seedling is watered and the hole is covered with a layer of mulch. The seedling is watered again after a few days.

Preemergence Application—Michigan and Wisconsin

400

East of Rocky Mountains - Preemergence Application

of the *Journal of the American Medical Association* (JAMA) and the *Journal of the American Psychiatric Association* (JAPA).

[illegible][illegible]

Reproducing this document is prohibited without written permission from the copyright owner.

CONCRETE AND SWEET'S

the 1990s, the number of people in the United States who are 65 years of age or older has increased by 50% (U.S. Census Bureau, 1997). The number of people aged 65 and older is projected to increase to 20% of the total population by the year 2020 (U.S. Census Bureau, 1997). The number of people aged 65 and older is projected to increase to 20% of the total population by the year 2020 (U.S. Census Bureau, 1997). The number of people aged 65 and older is projected to increase to 20% of the total population by the year 2020 (U.S. Census Bureau, 1997).

BEST AVAILABLE COPY

THE UNIVERSITY OF CHICAGO

1

—

5. **Answer:** $\frac{1}{2}$

PARSNIPS

Freemerge Application: N/A

POTATOES

Direktorat der Bundesagentur für Arbeit

Fast Track Members

the Central Sands Area

Keywords: child sexual abuse; disclosure; social support

SORGHUM

Journal of Management Education 30(6)p.789-804

1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68 69 70 71 72 73 74 75 76 77 78 79 80 81 82 83 84 85 86 87 88 89 90 91 92 93 94 95 96 97 98 99 100 101 102 103 104 105 106 107 108 109 110 111 112 113 114 115 116 117 118 119 120 121 122 123 124 125 126 127 128 129 130 131 132 133 134 135 136 137 138 139 140 141 142 143 144 145 146 147 148 149 150 151 152 153 154 155 156 157 158 159 160 161 162 163 164 165 166 167 168 169 170 171 172 173 174 175 176 177 178 179 180 181 182 183 184 185 186 187 188 189 190 191 192 193 194 195 196 197 198 199 200 201 202 203 204 205 206 207 208 209 210 211 212 213 214 215 216 217 218 219 220 221 222 223 224 225 226 227 228 229 230 231 232 233 234 235 236 237 238 239 240 241 242 243 244 245 246 247 248 249 250 251 252 253 254 255 256 257 258 259 260 261 262 263 264 265 266 267 268 269 270 271 272 273 274 275 276 277 278 279 280 281 282 283 284 285 286 287 288 289 290 291 292 293 294 295 296 297 298 299 300 301 302 303 304 305 306 307 308 309 310 311 312 313 314 315 316 317 318 319 320 321 322 323 324 325 326 327 328 329 330 331 332 333 334 335 336 337 338 339 340 341 342 343 344 345 346 347 348 349 350 351 352 353 354 355 356 357 358 359 360 361 362 363 364 365 366 367 368 369 370 371 372 373 374 375 376 377 378 379 380 381 382 383 384 385 386 387 388 389 390 391 392 393 394 395 396 397 398 399 400 401 402 403 404 405 406 407 408 409 410 411 412 413 414 415 416 417 418 419 420 421 422 423 424 425 426 427 428 429 430 431 432 433 434 435 436 437 438 439 440 441 442 443 444 445 446 447 448 449 450 451 452 453 454 455 456 457 458 459 460 461 462 463 464 465 466 467 468 469 470 471 472 473 474 475 476 477 478 479 480 481 482 483 484 485 486 487 488 489 490 491 492 493 494 495 496 497 498 499 500 501 502 503 504 505 506 507 508 509 510 511 512 513 514 515 516 517 518 519 520 521 522 523 524 525 526 527 528 529 530 531 532 533 534 535 536 537 538 539 540 541 542 543 544 545 546 547 548 549 550 551 552 553 554 555 556 557 558 559 560 561 562 563 564 565 566 567 568 569 570 571 572 573 574 575 576 577 578 579 580 581 582 583 584 585 586 587 588 589 590 591 592 593 594 595 596 597 598 599 600 601 602 603 604 605 606 607 608 609 610 611 612 613 614 615 616 617 618 619 620 621 622 623 624 625 626 627 628 629 630 631 632 633 634 635 636 637 638 639 640 641 642 643 644 645 646 647 648 649 650 651 652 653 654 655 656 657 658 659 660 661 662 663 664 665 666 667 668 669 670 671 672 673 674 675 676 677 678 679 680 681 682 683 684 685 686 687 688 689 690 691 692 693 694 695 696 697 698 699 700 701 702 703 704 705 706 707 708 709 710 711 712 713 714 715 716 717 718 719 720 721 722 723 724 725 726 727 728 729 730 731 732 733 734 735 736 737 738 739 740 741 742 743 744 745 746 747 748 749 750 751 752 753 754 755 756 757 758 759 760 761 762 763 764 765 766 767 768 769 770 771 772 773 774 775 776 777 778 779 780 781 782 783 784 785 786 787 788 789 790 791 792 793 794 795 796 797 798 799 800 801 802 803 804 805 806 807 808 809 810 811 812 813 814 815 816 817 818 819 820 821 822 823 824 825 826 827 828 829 830 831 832 833 834 835 836 837 838 839 840 841 842 843 844 845 846 847 848 849 850 851 852 853 854 855 856 857 858 859 860 861 862 863 864 865 866 867 868 869 870 871 872 873 874 875 876 877 878 879 880 881 882 883 884 885 886 887 888 889 890 891 892 893 894 895 896 897 898 899 900 901 902 903 904 905 906 907 908 909 910 911 912 913 914 915 916 917 918 919 920 921 922 923 924 925 926 927 928 929 930 931 932 933 934 935 936 937 938 939 940 941 942 943 944 945 946 947 948 949 950 951 952 953 954 955 956 957 958 959 960 961 962 963 964 965 966 967 968 969 970 971 972 973 974 975 976 977 978 979 980 981 982 983 984 985 986 987 988 989 990 991 992 993 994 995 996 997 998 999 1000 1001 1002 1003 1004 1005 1006 1007 1008 1009 1010 1011 1012 1013 1014 1015 1016 1017 1018 1019 1020 1021 1022 1023 1024 1025 1026 1027 1028 1029 1030 1031 1032 1033 1034 1035 1036 1037 1038 1039 1040 1

 $\sigma_{\text{max}} = 1.5 \text{ MPa}$

7. The following are the names of the persons who have been appointed as members of the committee:

1997, 1998, 1999, 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010, 2011, 2012, 2013, 2014, 2015, 2016, 2017, 2018, 2019, 2020, 2021, 2022, 2023, 2024, 2025, 2026, 2027, 2028, 2029, 2030, 2031, 2032, 2033, 2034, 2035, 2036, 2037, 2038, 2039, 2040, 2041, 2042, 2043, 2044, 2045, 2046, 2047, 2048, 2049, 2050, 2051, 2052, 2053, 2054, 2055, 2056, 2057, 2058, 2059, 2060, 2061, 2062, 2063, 2064, 2065, 2066, 2067, 2068, 2069, 2070, 2071, 2072, 2073, 2074, 2075, 2076, 2077, 2078, 2079, 2080, 2081, 2082, 2083, 2084, 2085, 2086, 2087, 2088, 2089, 2090, 2091, 2092, 2093, 2094, 2095, 2096, 2097, 2098, 2099, 2100, 2101, 2102, 2103, 2104, 2105, 2106, 2107, 2108, 2109, 2110, 2111, 2112, 2113, 2114, 2115, 2116, 2117, 2118, 2119, 2120, 2121, 2122, 2123, 2124, 2125, 2126, 2127, 2128, 2129, 2130, 2131, 2132, 2133, 2134, 2135, 2136, 2137, 2138, 2139, 2140, 2141, 2142, 2143, 2144, 2145, 2146, 2147, 2148, 2149, 2150, 2151, 2152, 2153, 2154, 2155, 2156, 2157, 2158, 2159, 2160, 2161, 2162, 2163, 2164, 2165, 2166, 2167, 2168, 2169, 2170, 2171, 2172, 2173, 2174, 2175, 2176, 2177, 2178, 2179, 2180, 2181, 2182, 2183, 2184, 2185, 2186, 2187, 2188, 2189, 2190, 2191, 2192, 2193, 2194, 2195, 2196, 2197, 2198, 2199, 2200, 2201, 2202, 2203, 2204, 2205, 2206, 2207, 2208, 2209, 2210, 2211, 2212, 2213, 2214, 2215, 2216, 2217, 2218, 2219, 2220, 2221, 2222, 2223, 2224, 2225, 2226, 2227, 2228, 2229, 2230, 2231, 2232, 2233, 2234, 2235, 2236, 2237, 2238, 2239, 2240, 2241, 2242, 2243, 2244, 2245, 2246, 2247, 2248, 2249, 2250, 2251, 2252, 2253, 2254, 2255, 2256, 2257, 2258, 2259, 2260, 2261, 2262, 2263, 2264, 2265, 2266, 2267, 2268, 2269, 2270, 2271, 2272, 2273, 2274, 2275, 2276, 2277, 2278, 2279, 2280, 2281, 2282, 2283, 2284, 2285, 2286, 2287, 2288, 2289, 2290, 2291, 2292, 2293, 2294, 2295, 2296, 2297, 2298, 2299, 2300, 2301, 2302, 2303, 2304, 2305, 2306, 2307, 2308, 2309, 2310, 2311, 2312, 2313, 2314, 2315, 2316, 2317, 2318, 2319, 2320, 2321, 2322, 2323, 2324, 2325, 2326, 2327, 2328, 2329, 2330, 2331, 2332, 2333, 2334, 2335, 2336, 2337, 2338, 2339, 2340, 2341, 2342, 2343, 2344, 2345, 2346, 2347, 2348, 2349, 2350, 2351, 2352, 2353, 2354, 2355, 2356, 2357, 2358, 2359, 2360, 2361, 2362, 2363, 2364, 2365, 2366, 2367, 2368, 2369, 2370, 2371, 2372, 2373, 2374, 2375, 2376, 2377, 2378, 2379, 2380, 2381, 2382, 2383, 2384, 2385, 2386, 2387, 2388, 2389, 2390, 2391, 2392, 2393, 2394, 2395, 2396, 2397, 2398, 2399, 2400, 2401, 2402, 2403, 2404, 2405, 2406, 2407, 2408, 2409, 2410, 2411, 2412, 2413, 2414, 2415, 2416, 2417, 2418, 2419, 2420, 2421, 2422, 2423, 2424, 2425, 2426, 2427, 2428, 2429, 2430, 2431, 2432, 2433, 2434, 2435, 2436, 2437, 2438, 2439, 2440, 2441, 2442, 2443, 2444, 2445, 2446, 2447, 2448, 2449, 2450, 2451, 2452, 2453, 2454, 2455, 2456, 2457, 2458, 2459, 2460, 2461, 2462, 2463, 2464, 2465, 2466, 2467, 2468, 2469, 2470, 2471, 2472, 2473, 2474, 2475, 2476, 2477, 2478, 2479, 2480, 2481, 2482, 2483, 2484, 2485, 2486, 2487, 2488, 2489, 2490, 2491, 2492, 2493, 2494, 2495, 2496, 2497, 2498, 2499, 2500, 2501, 2502, 2503, 2504, 2505, 2506, 2507, 2508, 2509, 2510, 2511, 2512, 2513, 2514, 2515, 2516, 2517, 2518, 2519, 2520, 2521, 2522, 2523, 2524, 2525, 2526, 2527, 2528, 2529, 2530, 2531, 2532, 2533, 2534, 2535, 2536, 2537, 2538, 2539, 2540, 2541, 2542, 2543, 2544, 2545, 2546, 2547, 2548, 2549, 2550, 2551, 2552, 2553, 2554, 2555, 2556, 2557, 2558, 2559, 2560, 2561, 2562, 2563, 2564, 2565, 2566, 2567, 2568, 2569, 2570, 2571, 2572, 2573, 2574, 2575, 2576, 2577, 2578, 2579, 2580, 2581, 2582, 2583, 2584, 2585, 2586, 2587, 2588, 2589, 2590, 2591, 2592, 2593, 2594, 2595, 2596, 2597, 2598, 2599, 2600, 2601, 2602, 2603, 2604, 2605, 2606, 2607, 2608, 2609, 2610, 2611, 2612, 2613, 2614, 2615, 2616, 2617, 2618, 2619, 2620, 2621, 2622, 2623, 2624, 2625, 2626, 2627, 2628, 2629, 2630, 2631, 2632, 2633, 2634, 2635, 2636, 2637, 2638, 2639, 2640, 2641, 2642, 2643, 2644, 2645, 2646, 2647, 2648, 2649, 2650, 2651, 2652, 2653, 2654, 2655, 2656, 2657, 2658, 2659, 2660, 2661, 2662, 2663, 2664, 2665, 2666, 2667, 2668, 2669, 2670, 2671, 2672, 2673, 2674, 2675, 2676, 2677, 2678, 26

THE UNIVERSITY OF CHICAGO

COYBEANS

$\frac{1}{\sqrt{\pi}} \int_{-\infty}^{\infty} f(x) e^{-x^2} dx = \frac{1}{\sqrt{\pi}} \int_{-\infty}^{\infty} f(x) e^{-x^2} dx$

[illegible]

BEST AVAILABLE COPY

Lorax DF Aterro—Lowest available nightshade control in the field.

See Note: V M

and

and

Replanting: V M

Lorax DF Du Pont Lasso—DF Herbicide—Lasso

and

and

and

and

and

and

and

and

and

and

and

and

and

and

and

and

and

and

and

and

and

and

and

and

and

and

and

and

and

and

and

and

and

and

and

and

and

and

and

and

and

and

and

and

and

and

and

and

and

and

and

and

and

and

and

and

and

and

and

and

and

and

and

and

and

and

and

and

and

and

and

and

Lorax DF—Ratrod—Seed Crop Only

and

and

and

and

and

and

and

and

and

and

and

and

and

and

and

and

and

and

and

and

and

and

and

and

and

and

and

and

and

and

and

and

and

and

and

and

and

and

and

and

and

and

and

and

and

and

and

and

and

and

and

and

and

and

and

and

and

and

and

and

and

and

and

and

and

and

and

and

and

and

and

and

and

and

and

and

and

and

and

and

and

BEST AVAILABLE COPY

Roundup Combinations—When this information is used, the user must read the label for the Roundup product being used and follow the directions on the label. The user must also read the label for the other product being used and follow the directions on the label. The user must also read the label for the combination product and follow the directions on the label.

Branded Combinations—When this information is used, the user must read the label for the branded combination product and follow the directions on the label. The user must also read the label for the other product being used and follow the directions on the label.

SOYBEANS—Directed Postemergence Application: Apply 1.5 to 2.0 pints of Roundup per acre, in two applications, 14 to 21 days after emergence. The first application should be made when the plants are 4 to 6 inches tall. The second application should be made when the plants are 10 to 12 inches tall. Apply the Roundup when the plants are actively growing. Do not apply Roundup to soybeans that are stressed or damaged by drought, frost, or other factors. Do not apply Roundup to soybeans that are in the seedling stage.

Apply 1.5 to 2.0 pints of Roundup per acre, in two applications, 14 to 21 days after emergence. The first application should be made when the plants are 4 to 6 inches tall. The second application should be made when the plants are 10 to 12 inches tall. Apply the Roundup when the plants are actively growing. Do not apply Roundup to soybeans that are stressed or damaged by drought, frost, or other factors. Do not apply Roundup to soybeans that are in the seedling stage.

Apply 1.5 to 2.0 pints of Roundup per acre, in two applications, 14 to 21 days after emergence. The first application should be made when the plants are 4 to 6 inches tall. The second application should be made when the plants are 10 to 12 inches tall. Apply the Roundup when the plants are actively growing. Do not apply Roundup to soybeans that are stressed or damaged by drought, frost, or other factors. Do not apply Roundup to soybeans that are in the seedling stage.

Apply 1.5 to 2.0 pints of Roundup per acre, in two applications, 14 to 21 days after emergence. The first application should be made when the plants are 4 to 6 inches tall. The second application should be made when the plants are 10 to 12 inches tall. Apply the Roundup when the plants are actively growing. Do not apply Roundup to soybeans that are stressed or damaged by drought, frost, or other factors. Do not apply Roundup to soybeans that are in the seedling stage.

NON-CROP WEED CONTROL

Apply 1.5 to 2.0 pints of Roundup per acre, in two applications, 14 to 21 days after emergence. The first application should be made when the plants are 4 to 6 inches tall. The second application should be made when the plants are 10 to 12 inches tall. Apply the Roundup when the plants are actively growing. Do not apply Roundup to soybeans that are stressed or damaged by drought, frost, or other factors. Do not apply Roundup to soybeans that are in the seedling stage.

STORAGE AND DISPOSAL

Store Roundup in its original container. Do not use other containers. Keep Roundup out of the reach of children and pets. Do not use Roundup near water. Do not use Roundup near food or feed. Do not use Roundup near livestock. Do not use Roundup near wildlife. Do not use Roundup near birds. Do not use Roundup near bees. Do not use Roundup near other beneficial insects.

E I DU PONT DE NEMOURS & CO (INC) • AGRICULTURAL CHEMICALS DEPT., WILM., DE