



AGRICULTURAL BULLETIN



LOROX® DF™
PLUS ATRAZINE
PLUS LASSO® EC - CORN

SUPPLEMENTAL LABELING
EPA REG. NO. 352-394

LOROX® DF™ HERBICIDE PLUS ATRAZINE
PLUS
LASSO® EC AS A TANK MIXTURE FOR
PREEMERGENCE WEED CONTROL IN CORN (FIELD)

ACCEPTED
OCT - 3 1985
This is a Federal Insecticide
Fungicide and Rodenticide Act.
as provided for the pesticide
registered under
EPA Reg. No. 352-394

DIRECTIONS FOR USE

It is a violation of federal law to use these products
in a manner inconsistent with the labeling

Du Pont Lorox® DF™ Herbicide plus atrazine plus "Lasso" EC is recommended
as a tank mixture for control of many annual weeds in field corn. Refer to
package labels of each product for specific weeds controlled and special use
instructions.

HOW TO APPLY

Make a single application of the tank mix after planting, but before crop
emerges; use 20 to 60 gallons of water per acre. Plant seed at least 1 3/4
inches deep on flat or raised seedbeds only or injury to the crop may result.
Do not spray over top of emerged corn.

Apply at the following broadcast rates per acre; for band treatment use
proportionately less. For example, for 14" band on 42" row, use 1/3 of the
broadcast rate.

Soil Textures	Lbs. Product Per Acre*	
	1 to 2% Organic Matter "Lorox" DF™ + atrazine 80%**	2 to 3% Organic Matter "Lorox" DF™ + atrazine 80%**
Sandy loam	2/3 to 1 + 1/2 to 2/3	1 to 2 + 2/3 to 1 1/4
Silt loam	1 to 1 1/2 + 2/3 to 1	1 1/2 to 2 1/2 + 1 to 1 1/2
Clay loam	1 1/3 to 1 2/3 + 3/4 to 1	1 2/3 to 3 + 1 to 2

* For improved control of annual grasses, add "Lasso" EC as recommended
on "Lasso" EC labeling for "Lasso" EC/atrazine combinations.

** For atrazine liquid 4 lbs/gal, 1 pint = 3/5 lb of 80% wettable powder.

Do not use this mixture on coarse soil (loamy sand, sand) nor on soils with less than 1% organic matter as crop injury may occur. Do not use on soils with more than 5% organic matter as poor weed control will result.

If initial seeding fails to produce a stand, treated fields may be replanted to corn. Do not retreat field with a second application as injury to the crop may result. After 6 months, any crop may be planted except do not follow treated corn with sugar beets, tobacco, or vegetables in rotation.

IMPORTANT

BEFORE USING "LOROX" DFTM PLUS ATRAZINE PLUS "LASSO" ¹/₂ EC, READ AND CAREFULLY OBSERVE THE CAUTIONARY STATEMENTS AND ALL OTHER INFORMATION APPEARING ON THE PRODUCT LABELS.

This bulletin contains new or supplemental instructions for use of these products which may not appear on package labels. Follow the instructions carefully.

This labeling must be in the possession of the user at the time of pesticide application.

¹/₂ Registered trademark of Monsanto Co., "Lasso" EC contains 4 lbs. alachlor per gallon.