

Pm 25 352-394 P-9 17-2

DuPont Agricultural Products

..... A Growing Partnership With Nature

SUPPLEMENTAL LABELING

LOROX® DF HERBICIDE PREEMERGENCE USE IN CARROTS IN THE STATES OF OR AND WA

LOROX® DF HERBICIDE

(EPA Reg. No. 352 - 394)

FOR PREEMERGENCE USE IN CARROTS IN THE STATES OF OREGON AND WASHINGTON

DIRECTIONS FOR USE

It is a violation of federal law to use these products in a manner inconsistent with its labeling.

GENERAL INFORMATION

DuPont "Lorox" DF Herbicide is recommended for selective weed control in carrots that are planted at least 3/8 to 1/2 inch deep. Make a single application of "Lorox" DF as a uniform broadcast spray after planting but before carrots emerge.

See "Lorox" DF package label for weeds claimed and other directions and precautions concerning use on carrots. Before use, read and carefully observe all cautionary statements and other information that appears on this label and the package label.

USE RATES AND SOIL LIMITATIONS

Sandy Soils Having 0.5 to 0.9% Organic Matter:
Apply "Lorox" DF at 0.50 lbs per acre.

Soils Having at Least 1.0% Organic Matter:
Apply "Lorox" DF at 1.0 to 2.0 lbs per acre. Use the lower rate on coarse textured soils and the higher rate on medium to fine textured soils.

PREEMERGENCE PLUS POSTEMERGENCE USE

Subsequent postemergence applications can be made providing the total amount applied per acre per crop does not exceed 3 lbs of "Lorox" DF. See postemergence use instructions on "Lorox" DF package label.

RAINFALL/IRRIGATION REQUIREMENTS

When soil conditions are very dry at planting, it is recommended that fields be irrigated either before or after planting, but prior to the application of "Lorox" DF.

Rainfall or overhead irrigation (generally 1/2 to 1 inch on moist soils and 1 to 2 inches on dry soils) is required to move "Lorox" DF into the weed root zone before weeds germinate and develop an established root system. Heavy rainfall or excessive irrigation after treatment may concentrate "Lorox" DF in crop root zone and cause crop injury.

PRECAUTIONS

When using "Lorox" DF preemergence to carrots for the first time, limit use to a small area to determine safety before using on a large scale.

When treating a particular variety of carrots for the first time, limit use to a small area to determine crop safety before using on a large scale.

Do not use on soils having less than 0.5% organic matter.

Do not use on gravelly soils.

IMPORTANT


BEFORE USING "LOROX" DF, READ AND FOLLOW ALL APPLICABLE DIRECTIONS, RESTRICTIONS AND PRECAUTIONS ON THE EPA-REGISTERED LABEL.

This bulletin contains new or supplemental instructions for use of this product which do not appear on the EPA-registered package label. Follow the instructions carefully.

This bulletin must be in the possession of the user at the time of pesticide application.

D-030794

BEST AVAILABLE COPY



© 1994 E. I. du Pont de Nemours and Company, DuPont Agricultural Products, Wilmington, Delaware 19898

PM 28

352-394

Page 272

SUPPLEMENTAL LABELING

DuPont Agricultural Products

..... A Growing Partnership With Nature

LOROX® DF HERBICIDE PREEMERGENCE USE IN CARROTS IN THE STATES OF MN AND ND

LOROX® DF HERBICIDE

(EPA Reg. No. 352 - 394)

FOR PREEMERGENCE USE IN CARROTS IN THE STATES OF MINNESOTA AND NORTH DAKOTA

DIRECTIONS FOR USE

It is a violation of federal law to use these products in a manner inconsistent with its labeling.

GENERAL INFORMATION

DuPont "Lorox" DF Herbicide is recommended for selective weed control in carrots that are planted at least 3/8 to 1/2 inch deep. Make a single application of "Lorox" DF as a uniform broadcast spray after planting but before carrots emerge.

See "Lorox" DF package label for weeds claimed and other directions and precautions concerning use on carrots. Before use, read and carefully observe all cautionary statements and other information that appears on this label and the package label.

USE RATES AND SOIL LIMITATIONS

Sandy Soils Having 0.5 to 0.9% Organic Matter:
Apply "Lorox" DF at 0.50 lbs per acre.

Soils Having at Least 1.0% Organic Matter:
Apply "Lorox" DF at 1.0 to 2.0 lbs per acre. Use the lower rate on coarse textured soils and the higher rate on medium to fine textured soils.

PREEMERGENCE PLUS POSTEMERGENCE USE

Subsequent postemergence applications can be made providing the total amount applied per acre per crop does not exceed 3 lbs of "Lorox" DF. See postemergence use instructions on "Lorox" DF package label.

RAINFALL/IRRIGATION REQUIREMENTS

When soil conditions are very dry at planting, it is recommended that fields be irrigated either before or after planting, but prior to the application of "Lorox" DF.

Rainfall or overhead irrigation (generally 1/2 to 1 inch on moist soils and 1 to 2 inches on dry soils) is required to move "Lorox" DF into the weed root zone before weeds germinate and develop an established root system. Heavy rainfall or excessive irrigation after treatment may concentrate "Lorox" DF in crop root zone and cause crop injury.

PRECAUTIONS

When using "Lorox" DF preemergence to carrots for the first time, limit use to a small area to determine safety before using on a large scale.

When treating a particular variety of carrots for the first time, limit use to a small area to determine crop safety before using on a large scale.

Do not use on soils having less and 0.5% organic matter.

Do not use on gravelly soils.

IMPORTANT

BEFORE USING "LOROX" DF, READ AND FOLLOW ALL APPLICABLE DIRECTIONS, RESTRICTIONS AND PRECAUTIONS ON THE EPA-REGISTERED LABEL.

This bulletin contains new or supplemental instructions for use of this product which do not appear on the EPA-registered package label. Follow the instructions carefully.

This bulletin must be in the possession of the user at the time of pesticide application.

D-030794

BEST AVAILABLE COPY

