

JAN 29 1997

Mr. Richard M. Vaught
E.I. DuPont de Nemours & Co.
P.O. Box 80038
Wilmington, DE 19880-0038

Dear Mr. Vaught:

Subject: DuPont Krenite® S (UT) Brush Control Agent
EPA Registration No. 352-395
Application and Your Letter Dated December 17, 1996,
Supplemental Labeling for Application To Cut
Stumps of Specific Species

The proposed amendments and supplemental labeling to allow the application of DuPont Krenite S and UT to cut stumps of specific species to control resprouting have been reviewed and found acceptable for registration under the Federal Insecticide, Fungicide and Rodenticide Act, as amended, provided that you:

- o Submit one (1) copy of the final printed labeling before you release the product for shipment under the subject labeling.

If this condition is not complied with, the registration will be subject to cancellation in accordance with FIFRA, Section 5(e). Your release for shipment of the product under the subject labeling constitutes acceptance of this condition.

A stamped copy of the label is enclosed for your records.

Sincerely yours,

Joanne I. Miller
Product Manager (23)
Fungicide-Herbicide Branch
Registration Division (7505C)

Enclosure

BEST AVAILABLE COPY

| | | CONCURRENCES | | | | | |
|---------|----------------------------------|--------------|--|--|--|--|--|
| SYMBOL | Wilson: Diskette ABC 37:01-29-97 | | | | | | |
| SURNAME | | | | | | | |
| DATE | | | | | | | |



DuPont Agricultural
Products

"... A Growing Partnership With Nature"



SUPPLEMENTAL LABELING

2/3

KRENITE® UT

BRUSH CONTROL AGENT

KRENITE® UT BRUSH CONTROL AGENT

EPA Reg. No. 352-395

CUT SURFACE APPLICATION FOR THE CONTROL OF BRUSH

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

DuPont KRENITE UT Brush Control Agent is recommended for the control of resprouting of cut stumps of susceptible species in noncrop areas. Species controlled include ash, aspen, black locust, cherries, dogwood, elms, hickories, oaks, red maple, sassafras and sweetgum.

HOW TO USE

KRENITE UT may be used undiluted or mixed with water in a ratio no less than 1 part KRENITE UT to 1 part water on volume basis. To control resprouting, apply the undiluted KRENITE UT or KRENITE UT plus water solution to wet the area adjacent to the cambium and bark around the entire circumference and the sides of the cut stumps. The sides of stumps should be thoroughly wetted down to the root collar area. Apply with an appropriate sprayer using low pressure. Applications can be made at any time of the year, except during periods of heavy sap flow in the spring. Applications should be made soon after cutting, before the stump surface forms a glazed surface or layer of callous tissue.

To prevent freezing of the spray solution add ethylene glycol (commercial antifreeze) to the water used in preparing the spray solution. Add the antifreeze according to the manufacturer's label for preventing freezing of water at the lowest expected ambient temperature. Krenite UT will freeze at -11 °F. A 1:1 aqueous dilution of Krenite UT will freeze at 21 °F.

A water soluble dye may be used to facilitate application. The user should check the compatibility of the dye with the spray solution before using in large quantities.

Read and follow the cautionary statements appearing on the package label.

IMPORTANT

BEFORE USING KRENITE® UT, READ AND FOLLOW ALL APPLICABLE DIRECTIONS, RESTRICTIONS AND PRECAUTIONS ON ITS PACKAGE LABEL.

This bulletin contains new and supplemental instructions for use of KRENITE UT Brush Control Agent. Follow the instructions carefully.

This labeling must be in the immediate possession of the applicator at the time of application.

ACCEPTED
with COMMENTS
In EPA Letter Dated

JAN 29 1997


Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, for the pesticide
registered under EPA Reg. No.

352-395

BEST AVAILABLE COPY



DuPont Agricultural
Products



SUPPLEMENTAL LABELING

3/3

KRENITE® S

BRUSH CONTROL AGENT

"..... A Growing Partnership With Nature"

KRENITE® S BRUSH CONTROL AGENT

EPA Reg. No. 352-395

CUT SURFACE APPLICATION FOR THE CONTROL OF BRUSH

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

DuPont KRENITE S Brush Control Agent is recommended for the control of resprouting of cut stumps of susceptible species in noncrop areas. Species controlled include ash, aspen, black locust, cherries, dogwood, elms, hickories, oaks, red maple, sassafras and sweetgum.

HOW TO USE

KRENITE S may be used undiluted or mixed with water in a ratio no less than 1 part KRENITE S to 1 part water on a volume basis. To control resprouting, apply the undiluted KRENITE S or KRENITE S plus water solution to wet the area adjacent to the cambium and bark around the entire circumference and the sides of the cut stumps. The sides of stumps should be thoroughly wetted down to the root collar area. Apply with an appropriate sprayer using low pressure. Applications can be made at any time of the year, except during periods of heavy sap flow in the spring. Applications should be made soon after cutting, before the stump surface forms a glazed surface or layer of callous tissue.

To prevent freezing of the spray solution add ethylene glycol (commercial antifreeze) to the water used in preparing the spray solution. Add the antifreeze according to the manufacturer's label for preventing freezing of water at the lowest expected ambient temperature. Krenite S will freeze at -11 °F. A 1:1 aqueous dilution of Krenite S will freeze at 21 °F.

A water soluble dye may be used to facilitate application. The user should check the compatibility of the dye with the spray solution before using in large quantities.

Read and follow the cautionary statements appearing on the package label.

IMPORTANT

BEFORE USING KRENITE S, READ AND FOLLOW ALL APPLICABLE DIRECTIONS, RESTRICTIONS AND PRECAUTIONS ON ITS PACKAGE LABEL.

This bulletin contains new and supplemental instructions for use of KRENITE S Brush Control Agent. Follow the instructions carefully.

This labeling must be in the immediate possession of the applicator at the time of application.

ACCEPTED
with COMMENTS
In EPA Letter Dated

JAN 29 1997

Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, for the pesticide
registered under EPA Reg. No.
352-395

BEST AVAILABLE COPY