

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS & DOMESTIC ANIMALS

DANGER: Avoid contact with eyes. If in eyes, flush thoroughly with water. Avoid contact with skin. If on skin, flush thoroughly with water. Avoid breathing spray. If inhaled, get fresh air. If swallowed, drink plenty of water. Do not eat, drink, or use tobacco products while using this product. Wash hands thoroughly after handling.

Note to Physicians: For emergency information, call 415-243-3333.

ENVIRONMENTAL HAZARDS: This product is highly toxic to fish and aquatic life. Do not apply near water. Do not apply to lawns or gardens.

PHYSICAL OR CHEMICAL HAZARDS: None known.

DIRECTIONS FOR USE: Spray thoroughly on upper and lower leaf surfaces, including new growth. For best results, apply with an ORTHO SPRAY EIT, ORTHO Lawn and Garden Spray, or a pump sprayer. Use mixture of once. Does not require retreatment.

To Open: Remove cap and spray immediately.

READ ENTIRE LABEL USE STRICTLY IN ACCORDANCE WITH LABEL PRECAUTIONARY STATEMENTS AND DIRECTIONS

DIRECTIONS: Spray thoroughly on upper and lower leaf surfaces, including new growth. For best results, apply with an ORTHO SPRAY EIT, ORTHO Lawn and Garden Spray, or a pump sprayer. Use mixture of once. Does not require retreatment.

Chevron

ORTHO

Rose Disease Control

ENDORSED BY THE AMERICAN ROSE SOCIETY

Contains TRIFORINE Fungicide

Controls and Prevents the
Three Major Diseases of Roses:
Black Spot, Powdery Mildew and Rust

Active Ingredient: Triforine (N,N'-1,4-piperazinediylbis[2,2,2-trichloroethylidene]bis[formamide]) 6.5%

Inert Ingredients: 93.5%

FUNGICIDE (EPA Reg. No. 100-100000)

Keep out of reach of children

DANGER

See label for additional precautionary statements.

BEST DOCUMENT AVAILABLE

NET CONTENTS 1 QT

6.5% Triforine per gallon of water. Spray thoroughly on upper and lower leaf surfaces, including new growth. For best results, apply with an ORTHO SPRAY EIT, ORTHO Lawn and Garden Spray, or a pump sprayer. Use mixture of once. Does not require retreatment.

WHEN TO USE

To prevent disease, begin spraying with ORTHO Rose Disease Control when first sign of listed diseases appear in the spring. Apply every 7 to 10 days during the spring and fall. However, if weather conditions that encourage the growth and spread of the disease causing fungi occur during the summer months, it may be necessary to continue spraying through the growing season. **NOTE:** If infection is already present on the plants at time of spraying, follow a 7 to 10 day application schedule to control the fungus. Leaves on which infection is already developed will not clear up, but the new growth will be protected if a regular spray schedule is followed.

Combination Spray with Insecticides on Roses — ORTHO Rose Disease Control may be mixed with ISOION Insecticide or Orthene Systemic Insecticide. Spray with ORTHO Rose Disease Control and ISOION or Orthene Systemic Insecticide. Apply ORTHO Rose Disease Control and ISOION or Orthene Systemic Insecticide. Apply ORTHO Rose Disease Control and ISOION or Orthene Systemic Insecticide.

STORAGE AND DISPOSAL

STORAGE: Store in original container. Do not use if container is damaged. Do not use if contents are solid, lumpy, or have changed color.

DISPOSAL: PRODUCT: Do not use if container is damaged. Do not use if contents are solid, lumpy, or have changed color. **CONTAINER:** Do not reuse.

NOTICE: This product is not for use on lawns or gardens.

Chevron Chemical Company

10000 Wilshire Blvd., Suite 1000, Los Angeles, CA 90024-0001

10000 Wilshire Blvd., Suite 1000, Los Angeles, CA 90024-0001

10000 Wilshire Blvd., Suite 1000, Los Angeles, CA 90024-0001



NET 2½ GALS.

MANZATE

FUNGICIDE

200
FLOWABLE

Contains 4.0 Lbs. Active Per Gallon

ACTIVE INGREDIENT

Manzate 200 Flowable contains 4.0 lbs. active per gallon.

Manzate 200 Flowable is a fungicide.

Manzate 200 Flowable is a fungicide.

Manzate 200 Flowable is a fungicide.

INERT INGREDIENTS

Keep out of reach of children

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION!

CAUSES EYE IRRITATION
MAY IRRITATE NOSE, THROAT AND SKIN
MAY BE HARMFUL IF INHALED OR SWALLOWED

Do not get in eyes. Avoid contact with skin and clothing. Avoid breathing spray mist.

Wear protective clothing including long pants, long sleeve shirt, gloves, hat and boots during mixing and loading operations.

First Aid: If in eyes, flush with water for 15 minutes. If swallowed, drink water and seek medical attention.

ENVIRONMENTAL HAZARDS

Manzate 200 Flowable is a fungicide. It is highly toxic to fish and aquatic life. It is also toxic to birds and mammals. It is not toxic to bees.

NOTICE TO BUYER: Manzate 200 Flowable is a fungicide. It is highly toxic to fish and aquatic life. It is also toxic to birds and mammals. It is not toxic to bees.

STORAGE AND DISPOSAL

STORAGE: Important: Store in a cool place but not below 32°F. Temperature extremes will affect the quality of Manzate 200 Flowable. Store product in original container only away from other pesticides, fertilizers, food or feed.

DISPOSAL: Do not contaminate water, food or feed by storage or disposal. Awaft resulting from the use of this product may be disposed of on site or at approved waste disposal facility. Triple rinse the container before disposal. Do not reuse or dispose of in a way that will cause contamination. If a leak occurs, notify the authority having jurisdiction and turn the material over to them.

E. I. DU PONT DE NEMOURS & CO. (INC.), BIOCHEMICALS DEPARTMENT, WILMINGTON, DELAWARE

Manzate 200 Flowable is a fungicide. It is highly toxic to fish and aquatic life. It is also toxic to birds and mammals. It is not toxic to bees.

Manzate 200 Flowable is a fungicide. It is highly toxic to fish and aquatic life. It is also toxic to birds and mammals. It is not toxic to bees.

Manzate 200 Flowable is a fungicide. It is highly toxic to fish and aquatic life. It is also toxic to birds and mammals. It is not toxic to bees.

Manzate 200 Flowable is a fungicide. It is highly toxic to fish and aquatic life. It is also toxic to birds and mammals. It is not toxic to bees.

Manzate 200 Flowable is a fungicide. It is highly toxic to fish and aquatic life. It is also toxic to birds and mammals. It is not toxic to bees.

Manzate 200 Flowable is a fungicide. It is highly toxic to fish and aquatic life. It is also toxic to birds and mammals. It is not toxic to bees.

Manzate 200 Flowable is a fungicide. It is highly toxic to fish and aquatic life. It is also toxic to birds and mammals. It is not toxic to bees.

Manzate 200 Flowable is a fungicide. It is highly toxic to fish and aquatic life. It is also toxic to birds and mammals. It is not toxic to bees.

Manzate 200 Flowable is a fungicide. It is highly toxic to fish and aquatic life. It is also toxic to birds and mammals. It is not toxic to bees.

Manzate 200 Flowable is a fungicide. It is highly toxic to fish and aquatic life. It is also toxic to birds and mammals. It is not toxic to bees.

Manzate 200 Flowable is a fungicide. It is highly toxic to fish and aquatic life. It is also toxic to birds and mammals. It is not toxic to bees.

Manzate 200 Flowable is a fungicide. It is highly toxic to fish and aquatic life. It is also toxic to birds and mammals. It is not toxic to bees.

Manzate 200 Flowable is a fungicide. It is highly toxic to fish and aquatic life. It is also toxic to birds and mammals. It is not toxic to bees.

Manzate 200 Flowable is a fungicide. It is highly toxic to fish and aquatic life. It is also toxic to birds and mammals. It is not toxic to bees.

Manzate 200 Flowable is a fungicide. It is highly toxic to fish and aquatic life. It is also toxic to birds and mammals. It is not toxic to bees.

Manzate 200 Flowable is a fungicide. It is highly toxic to fish and aquatic life. It is also toxic to birds and mammals. It is not toxic to bees.

Manzate 200 Flowable is a fungicide. It is highly toxic to fish and aquatic life. It is also toxic to birds and mammals. It is not toxic to bees.

Manzate 200 Flowable is a fungicide. It is highly toxic to fish and aquatic life. It is also toxic to birds and mammals. It is not toxic to bees.

Manzate 200 Flowable is a fungicide. It is highly toxic to fish and aquatic life. It is also toxic to birds and mammals. It is not toxic to bees.

Manzate 200 Flowable is a fungicide. It is highly toxic to fish and aquatic life. It is also toxic to birds and mammals. It is not toxic to bees.

Manzate 200 Flowable is a fungicide. It is highly toxic to fish and aquatic life. It is also toxic to birds and mammals. It is not toxic to bees.

Manzate 200 Flowable is a fungicide. It is highly toxic to fish and aquatic life. It is also toxic to birds and mammals. It is not toxic to bees.

Manzate 200 Flowable is a fungicide. It is highly toxic to fish and aquatic life. It is also toxic to birds and mammals. It is not toxic to bees.

Manzate 200 Flowable is a fungicide. It is highly toxic to fish and aquatic life. It is also toxic to birds and mammals. It is not toxic to bees.

Manzate 200 Flowable is a fungicide. It is highly toxic to fish and aquatic life. It is also toxic to birds and mammals. It is not toxic to bees.

Manzate 200 Flowable is a fungicide. It is highly toxic to fish and aquatic life. It is also toxic to birds and mammals. It is not toxic to bees.

Manzate 200 Flowable is a fungicide. It is highly toxic to fish and aquatic life. It is also toxic to birds and mammals. It is not toxic to bees.

Manzate 200 Flowable is a fungicide. It is highly toxic to fish and aquatic life. It is also toxic to birds and mammals. It is not toxic to bees.

Manzate 200 Flowable is a fungicide. It is highly toxic to fish and aquatic life. It is also toxic to birds and mammals. It is not toxic to bees.

Manzate 200 Flowable is a fungicide. It is highly toxic to fish and aquatic life. It is also toxic to birds and mammals. It is not toxic to bees.

Manzate 200 Flowable is a fungicide. It is highly toxic to fish and aquatic life. It is also toxic to birds and mammals. It is not toxic to bees.

Manzate 200 Flowable is a fungicide. It is highly toxic to fish and aquatic life. It is also toxic to birds and mammals. It is not toxic to bees.

Manzate 200 Flowable is a fungicide. It is highly toxic to fish and aquatic life. It is also toxic to birds and mammals. It is not toxic to bees.

Manzate 200 Flowable is a fungicide. It is highly toxic to fish and aquatic life. It is also toxic to birds and mammals. It is not toxic to bees.

Manzate 200 Flowable is a fungicide. It is highly toxic to fish and aquatic life. It is also toxic to birds and mammals. It is not toxic to bees.

Manzate 200 Flowable is a fungicide. It is highly toxic to fish and aquatic life. It is also toxic to birds and mammals. It is not toxic to bees.

Manzate 200 Flowable is a fungicide. It is highly toxic to fish and aquatic life. It is also toxic to birds and mammals. It is not toxic to bees.

Manzate 200 Flowable is a fungicide. It is highly toxic to fish and aquatic life. It is also toxic to birds and mammals. It is not toxic to bees.

Manzate 200 Flowable is a fungicide. It is highly toxic to fish and aquatic life. It is also toxic to birds and mammals. It is not toxic to bees.

Manzate 200 Flowable is a fungicide. It is highly toxic to fish and aquatic life. It is also toxic to birds and mammals. It is not toxic to bees.

Manzate 200 Flowable is a fungicide. It is highly toxic to fish and aquatic life. It is also toxic to birds and mammals. It is not toxic to bees.

Manzate 200 Flowable is a fungicide. It is highly toxic to fish and aquatic life. It is also toxic to birds and mammals. It is not toxic to bees.

Manzate 200 Flowable is a fungicide. It is highly toxic to fish and aquatic life. It is also toxic to birds and mammals. It is not toxic to bees.

Manzate 200 Flowable is a fungicide. It is highly toxic to fish and aquatic life. It is also toxic to birds and mammals. It is not toxic to bees.

Manzate 200 Flowable is a fungicide. It is highly toxic to fish and aquatic life. It is also toxic to birds and mammals. It is not toxic to bees.

Manzate 200 Flowable is a fungicide. It is highly toxic to fish and aquatic life. It is also toxic to birds and mammals. It is not toxic to bees.

Manzate 200 Flowable is a fungicide. It is highly toxic to fish and aquatic life. It is also toxic to birds and mammals. It is not toxic to bees.

Manzate 200 Flowable is a fungicide. It is highly toxic to fish and aquatic life. It is also toxic to birds and mammals. It is not toxic to bees.

Manzate 200 Flowable is a fungicide. It is highly toxic to fish and aquatic life. It is also toxic to birds and mammals. It is not toxic to bees.

Manzate 200 Flowable is a fungicide. It is highly toxic to fish and aquatic life. It is also toxic to birds and mammals. It is not toxic to bees.

Manzate 200 Flowable is a fungicide. It is highly toxic to fish and aquatic life. It is also toxic to birds and mammals. It is not toxic to bees.

Manzate 200 Flowable is a fungicide. It is highly toxic to fish and aquatic life. It is also toxic to birds and mammals. It is not toxic to bees.

Manzate 200 Flowable is a fungicide. It is highly toxic to fish and aquatic life. It is also toxic to birds and mammals. It is not toxic to bees.

ATE 200

IDE FLOWABLE

[illegible]

STORAGE Important: Keep in airtight plastic bag below 32°F. Temperature extremes will affect the quality of Manate 200F water. Store product in original container only, away from other pesticides, fertilizer, food, or feed.

人 員 姓 名 年 齡 性 別 籍 貫 職 務 備 註

[illegible]

As a Spray: Dilute with water to 1000 ppm. Apply 1/2 gallon of the 1000 ppm dilution per 1000 sq ft of foliage. Use sufficient water to provide thorough coverage of the foliage. Do not apply to plants under severe drought conditions. Use the spray tank contents immediately after mixing. Add 1/2 gallon of 1000 ppm dilution to the spray tank with agitation or sufficient water to maintain agitation is required to keep the product in suspension.

APPLICATIONS		TECHNICAL SKILLS		PERSONAL TRAITS		EDUCATION		EXPERIENCE	
1. <u>Application of knowledge</u>	2. <u>Application of skills</u>	3. <u>Application of knowledge</u>	4. <u>Application of skills</u>	5. <u>Application of knowledge</u>	6. <u>Application of skills</u>	7. <u>Application of knowledge</u>	8. <u>Application of skills</u>	9. <u>Application of knowledge</u>	10. <u>Application of skills</u>
11. <u>Application of knowledge</u>	12. <u>Application of skills</u>	13. <u>Application of knowledge</u>	14. <u>Application of skills</u>	15. <u>Application of knowledge</u>	16. <u>Application of skills</u>	17. <u>Application of knowledge</u>	18. <u>Application of skills</u>	19. <u>Application of knowledge</u>	20. <u>Application of skills</u>
21. <u>Application of knowledge</u>	22. <u>Application of skills</u>	23. <u>Application of knowledge</u>	24. <u>Application of skills</u>	25. <u>Application of knowledge</u>	26. <u>Application of skills</u>	27. <u>Application of knowledge</u>	28. <u>Application of skills</u>	29. <u>Application of knowledge</u>	30. <u>Application of skills</u>
31. <u>Application of knowledge</u>	32. <u>Application of skills</u>	33. <u>Application of knowledge</u>	34. <u>Application of skills</u>	35. <u>Application of knowledge</u>	36. <u>Application of skills</u>	37. <u>Application of knowledge</u>	38. <u>Application of skills</u>	39. <u>Application of knowledge</u>	40. <u>Application of skills</u>
41. <u>Application of knowledge</u>	42. <u>Application of skills</u>	43. <u>Application of knowledge</u>	44. <u>Application of skills</u>	45. <u>Application of knowledge</u>	46. <u>Application of skills</u>	47. <u>Application of knowledge</u>	48. <u>Application of skills</u>	49. <u>Application of knowledge</u>	50. <u>Application of skills</u>
51. <u>Application of knowledge</u>	52. <u>Application of skills</u>	53. <u>Application of knowledge</u>	54. <u>Application of skills</u>	55. <u>Application of knowledge</u>	56. <u>Application of skills</u>	57. <u>Application of knowledge</u>	58. <u>Application of skills</u>	59. <u>Application of knowledge</u>	60. <u>Application of skills</u>
61. <u>Application of knowledge</u>	62. <u>Application of skills</u>	63. <u>Application of knowledge</u>	64. <u>Application of skills</u>	65. <u>Application of knowledge</u>	66. <u>Application of skills</u>	67. <u>Application of knowledge</u>	68. <u>Application of skills</u>	69. <u>Application of knowledge</u>	70. <u>Application of skills</u>
71. <u>Application of knowledge</u>	72. <u>Application of skills</u>	73. <u>Application of knowledge</u>	74. <u>Application of skills</u>	75. <u>Application of knowledge</u>	76. <u>Application of skills</u>	77. <u>Application of knowledge</u>	78. <u>Application of skills</u>	79. <u>Application of knowledge</u>	80. <u>Application of skills</u>
81. <u>Application of knowledge</u>	82. <u>Application of skills</u>	83. <u>Application of knowledge</u>	84. <u>Application of skills</u>	85. <u>Application of knowledge</u>	86. <u>Application of skills</u>	87. <u>Application of knowledge</u>	88. <u>Application of skills</u>	89. <u>Application of knowledge</u>	90. <u>Application of skills</u>
91. <u>Application of knowledge</u>	92. <u>Application of skills</u>	93. <u>Application of knowledge</u>	94. <u>Application of skills</u>	95. <u>Application of knowledge</u>	96. <u>Application of skills</u>	97. <u>Application of knowledge</u>	98. <u>Application of skills</u>	99. <u>Application of knowledge</u>	100. <u>Application of skills</u>

BEST DOCUMENT AVAILABLE

[illegible]