



Net wt 215.9 kg (475)

# VYDATE<sup>®</sup> CONCENTRATE 42

## INSECTICIDE/NEMATICIDE

### FOR REFORMULATION PURPOSES ONLY

ACTIVE INGREDIENT: Oxamyl  
Methyl N'N'-dimethyl-N-[(methylcarbamoyl)oxy]-1-thioxamimidate ..... 42%  
INERT INGREDIENTS ..... 58%

U.S. Pats. 3,530,220 & 3,658,870

EPA Est. 352 TX 1

EPA Reg. No. 352-400

Keep out of reach of children

**DANGER**  **POISON**

#### STATEMENT OF PRACTICAL TREATMENT

**If swallowed:** Call a physician or Poison Control Center. Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person.

**If inhaled:** Remove from exposure and have patient lie down and keep quiet. If patient is not breathing, start artificial respiration immediately. Never give anything by mouth to an unconscious person.

**In case of contact,** wash skin with plenty of soap and water, for eyes, flush with water for 15 minutes and get medical attention; remove and wash contaminated clothing before re-use

**ATROPINE IS AN ANTIDOTE — SEEK MEDICAL ATTENTION AT ONCE IN ALL CASES OF SUSPECTED POISONING**

**If warning symptoms appear** (see **WARNING SYMPTOMS** in opposite column), get medical attention.

**IMPORTANT** — Wear a mask or respirator of a type suitable for protection against insecticide vapor. Wear goggles when handling or using. Wear clean clothes daily. Wash thoroughly after handling and before eating or smoking.

#### STORAGE AND DISPOSAL

Not for use in or around the home. Do not contaminate water, food or feed by storage or disposal. Pesticide, spray mixture or rinsate that cannot be used according to label instructions must be disposed of according to Federal, State or local procedures under the Resource Conservation and Recovery Act.

Triple rinse (or equivalent) and offer for recycling or reconditioning, or dispose of in a sanitary landfill, or by other approved State and local procedures.

**PRECAUTIONARY STATEMENTS**  
**HAZARDS TO HUMANS AND DOMESTIC ANIMALS**  
**MAY BE FATAL IF SWALLOWED, INHALED OR ABSORBED THROUGH SKIN.**  
**CAUSES EYE IRRITATION.**

Do not breathe vapors. Do not get in eyes, on skin, or on clothing.

**WARNING SYMPTOMS** — Oxamyl poisoning produces effects associated with cholinesterase activity which may include weakness, blurred vision, headache, nausea, vomiting, discomfort in the chest, constriction of pupils, sweating, slow pulse, muscle twitching.

**NOTE TO PHYSICIAN** — **Treatment:** Atropine sulfate should be used for treatment of poisoning. Repeat doses, 1.2 to 2.0 mg. intravenously every 10 to 30 minutes until full effect is achieved. Maintain atropinization until the patient recovers. Artificial respiration necessary. Allow no further exposure to any cholinesterase inhibitor until recovery is complete. Do not use morphine or 2-PAM.

#### ENVIRONMENTAL HAZARDS

This product is toxic to fish, birds, and other wildlife. Keep out of any body of water. Contaminate water by cleaning of equipment or disposal of wastes.

#### PHYSICAL AND CHEMICAL HAZARDS

Keep container closed. Use with adequate ventilation.

Formulators using this product are responsible for obtaining EPA registration for their product.

**NOTICE TO BUYER** — Purchase of this material does not confer any right of use in countries outside of the country in which it was purchased from Du Pont, except as conferred by operation of law.

8 22173 3 81

MADE IN U.S.A.

**E. I. DU PONT DE NEMOURS & CO. (INC.), BIOCHEMICALS DEPARTMENT, WILMINGTON, DE**

Net wt 215.9 kg (475 lb)

# CONCENTRATE 42

INSECTICIDE/NEMATICIDE

FOR TREATMENT PURPOSES ONLY

Thiobenzothiazolyl(methylcarbamoyloxy)-1-thioxamimidate ..... 42%  
..... 58%

EPA Est. 352 TX 1

EPA Reg. No. 352 400

IN

IT

of water and induce anything by mouth

et. If patient is not to an unconscious

h with water for 15 before re-use

ITION NG

(olumn), get medical

at insect. In vapor, after handling, and

storage or disposal instructions must be Conservation and

use of in a sanitary

### PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS MAY BE FATAL IF SWALLOWED, INHALED OR ABSORBED THROUGH SKIN. CAUSES EYE IRRITATION.

Do not breathe vapors. Do not get in eyes, on skin, or on clothing.

**WARNING SYMPTOMS** — Oxamyl poisoning produces effects associated with anticholinesterase activity which may include weakness, blurred vision, headache, nausea, abdominal cramps, discomfort in the chest, constriction of pupils, sweating, slow pulse, muscle tremors

**NOTE TO PHYSICIAN — Treatment:** Atropine sulfate should be used for treatment. Administer repeated doses, 1.2 to 2.0 mg. intravenously every 10 to 30 minutes until full atropinization is achieved. Maintain atropinization until the patient recovers. Artificial respiration or oxygen may be necessary. Allow no further exposure to any cholinesterase inhibitor until recovery is assured. Do not use morphine or 2-PAM.

### ENVIRONMENTAL HAZARDS

This product is toxic to fish, birds, and other wildlife. Keep out of any body of water. Do not contaminate water by cleaning of equipment or disposal of wastes.

### PHYSICAL AND CHEMICAL HAZARDS

Keep container closed. Use with adequate ventilation.

Formulators using this product are responsible for obtaining EPA registration for their formulated product.

**NOTICE TO BUYER** — Purchase of this material does not confer any rights under patents of countries outside of the country in which it was purchased from Du Pont, except where rights are conferred by operation of law.

MADE IN U.S.A.

PRINTED IN U.S.A.

DUPONT (U.S.), BIOCHEMICALS DEPARTMENT, WILMINGTON, DE — U.S.A.



## THIS END UP

D.O.T.

Insecticide, liquid, n.o.s. (Contains)

I.M.C.O.

Pesticides, liquid, n.o.s. (Contains)



# POISON

ACCEPTED

352-400

JUL 15 1981

Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended for the pesticide registered under EPA Reg. No.

6

1.9 kg (475 lb)

**TE 42**

**IS ONLY**

..... 42%  
..... 58%  
EPA Reg. No. 15, 002

**CAUTIONARY STATEMENTS**

**HUMANS AND DOMESTIC ANIMALS**

**DEADLY IF SWALLOWED, INHALED**

**Absorbed through skin.**

**Causes eye irritation.**

Do not get in eyes, on skin, or on clothing.

Acute poisoning produces effects associated with anticholinesterase poisoning: blurred vision, headache, nausea, abdominal cramps, salivation, pupils, sweating, slow pulse, muscle tremors.

**Treatment:** Atropine sulfate should be used for treatment. Administer intravenously every 10 to 30 minutes until full atropinization is reached, the patient recovers. Artificial respiration or oxygen may be necessary. Do not use any cholinesterase inhibitor until recovery is assured. Do not use any cholinesterase inhibitor until recovery is assured. Do not use any cholinesterase inhibitor until recovery is assured.

**ENVIRONMENTAL HAZARDS**

Keeps out of water. Keep out of any body of water. Do not contaminate water, soil, or food. Do not use near water. Do not use near water. Do not use near water.

**PERSONAL AND CHEMICAL HAZARDS**

Adequate ventilation.

Responsible for obtaining EPA registration for their formulated product.

This material does not confer any rights under patents of Du Pont, except where rights are specifically stated.

DU PONT DE NEMOURS AND COMPANY  
WILMINGTON, DE — U.S.A.

↑ **THIS END UP** ↑

D.O.T. **Insecticide, liquid, n.o.s.** (Contains Oxamyl) **NA 2902**

I.M.C.O. **Pesticides, liquid, n.o.s.** (Contains Oxamyl) **UN 2902**

