



Net wt 215.9 kg (475 lb)

# OXAMYL TECHNICAL 42

## INSECTICIDE/NEMATICIDE

### FOR FORMULATION PURPOSES

RECEIVED  
SEP 20 1982  
Under the Federal Insecticide,  
Fungicide, and Rodenticide Act,  
this product is registered under  
EPA Reg. No. 352-400

ACTIVE INGREDIENT: Oxamyl

Methyl N'N'-dimethyl-N-[(methylcarbamoyl)oxy]-1-thiooxamimidate ..... 42%

INERT INGREDIENTS ..... 58%

U.S. Pats. 3,530,220 & 3,658,870

EPA Est. 352-TX-1

EPA Reg No. 352-400

Keep out of reach of children

### DANGER POISON

#### STATEMENT OF PRACTICAL TREATMENT

**If swallowed:** Call a physician or Poison Control Center. Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person.

**If inhaled:** Remove from exposure and have patient lie down and keep quiet. If patient is not breathing, start artificial respiration immediately. Never give anything by mouth to an unconscious person.

**In case of contact,** wash skin with plenty of soap and water; for eyes, flush with water for 15 minutes and get medical attention; remove and wash contaminated clothing before re-use.

**ATROPINE IS AN ANTIDOTE — SEEK MEDICAL ATTENTION AT ONCE IN ALL CASES OF SUSPECTED POISONING**

**If warning symptoms appear** (see WARNING SYMPTOMS in opposite column), get medical attention.

#### PRECAUTIONARY STATEMENTS

**HAZARDS TO HUMANS AND DOMESTIC ANIMALS  
MAY BE FATAL IF SWALLOWED, INHALED,  
OR ABSORBED THROUGH SKIN.  
CAUSES EYE IRRITATION.**

**Do not breathe vapors. Do not get in eyes, on skin, or on clothing.**

**WARNING SYMPTOMS** — Oxamyl poisoning produces effects associated with anticholinesterase activity which may include weakness, blurred vision, headache, nausea, abdominal cramps, discomfort in the chest, constriction of pupils, sweating, slow pulse, muscle tremors.

**NOTE TO PHYSICIAN — Treatment:** Atropine sulfate should be used for treatment. Administer repeated doses, 1.2 to 2.0 mg. intravenously every 10 to 30 minutes until full atropinization is achieved. Maintain atropinization until the patient recovers. Artificial respiration or oxygen may be necessary. Allow no further exposure to any cholinesterase inhibitor until recovery is assured. Do not use morphine or 2-PAM.

#### ENVIRONMENTAL HAZARDS

This product is toxic to fish, birds, and other wildlife. Keep out of any body of water. Do not contaminate water by cleaning of equipment or disposal of wastes.

#### PHYSICAL AND CHEMICAL HAZARDS

Keep container closed. Use with adequate ventilation.

#### STORAGE AND DISPOSAL

**PROHIBITIONS** — Do not contaminate water, food, or feed by storage, disposal, or cleaning of equipment. Open dumping is prohibited. Avoid contamination of feed and food-stuff. Not for use or storage in or around the home.

**PESTICIDE DISPOSAL** — Pesticide or rinse water that cannot be used according to label instructions must be disposed of according to applicable Federal, state, or local procedures.

**CONTAINER DISPOSAL** — Triple rinse (or equivalent) and offer for recycling or reconditioning, or dispose of in a sanitary landfill, or by other approved State and local procedures.

**INSTRUCTIONS TO FORMULATORS** - It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Formulators using this product are responsible for obtaining EPA registration for their formulated product.

**IMPORTANT** — Wear a mask or respirator of a type suitable for protection against insecticide vapor. Wear goggles when handling or using. Wear clean clothes daily. Wash thoroughly after handling and before eating or smoking.

MADE IN U.S.A.

PRINTED IN U.S.A.

352-400

09/20/82

1/1