

Net wt 215 kg (475 lb)

OXAMYL TECHNICAL 42

INSECTICIDE/NEMATICIDE

FOR FORMULATION PURPOSES ONLY



ACCEPTED

Under the Federal Insecticide, Fungicide, and Rodenticide Act and the pesticide laws of the States and EPA Reg. No. 352-400

ACTIVE INGREDIENT: Oxamyl
Methyl N'N'-dimethyl-N-[(methylcarbamoyl)oxy]-1-thiooxamimidate 42%

INERT INGREDIENTS 58%

U.S. Pat. 3,658,870 EPA Est. 5785-TN-01 EPA Reg. No. 352-400

Keep out of reach of children

DANGER  **POISON**

STATEMENT OF PRACTICAL TREATMENT

If swallowed: Call a physician or Poison Control Center. Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person.

If inhaled: Remove from exposure and have patient lie down and keep quiet. If patient is not breathing, start artificial respiration immediately. Never give anything by mouth to an unconscious person.

In case of contact, wash skin with plenty of soap and water, for eyes, flush with water for 15 minutes and get medical attention; remove and wash contaminated clothing before re-use.

ATROPINE IS AN ANTIDOTE — SEEK MEDICAL ATTENTION AT ONCE IN ALL CASES OF SUSPECTED POISONING

If warning symptoms appear (see WARNING SYMPTOMS in opposite column), get medical attention.

NOTICE OF WARRANTY

Du Pont warrants that this product conforms to the chemical description on the label thereof and is reasonably fit for purposes stated on such label only when used in accordance with the directions under normal use conditions. It is impossible to eliminate all risks inherently associated with the use of this product. Crop injury, ineffectiveness, or other unintended consequences may result because of such factors as weather conditions, presence of other materials, or the manner of use or application, all of which are beyond the control of Du Pont. In no case shall Du Pont be liable for consequential, special or indirect damages resulting from the use or handling of this product. All such risks shall be assumed by the Buyer. DU PONT MAKES NO WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE NOR ANY OTHER EXPRESS OR IMPLIED WARRANTY EXCEPT AS STATED ABOVE.

STORAGE AND DISPOSAL

STORAGE: Store product in original container only, away from other pesticides, fertilizer, food or feed. Not for use or storage in or around the home.

DISPOSAL: Do not contaminate water, food, or feed by storage or disposal. Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

Triple rinse (or equivalent) the container. Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER  **POISON**

Fatal if swallowed or inhaled. May be fatal if absorbed through the eyes.
Causes irreversible eye damage. May be harmful if absorbed through the skin.

Do not breathe vapors. Do not get in eyes, on skin, or on clothing.

HANDLE THE CONCENTRATE ONLY WHEN WEARING THE FOLLOWING PROTECTIVE CLOTHING AND EQUIPMENT:

Wear a protective suit of one or two pieces that covers all parts of the body except the head, hands, and feet. Wear chemical-resistant gloves, chemical-resistant apron, and chemical-resistant shoes, shoe coverings, or boots. Wear goggles or a face shield. Wear a pesticide respirator approved by the National Institute for Occupational Safety and Health (NIOSH) and the Mine Safety and Health Administration (MSHA). Wash thoroughly with soap and water after handling and before eating or smoking. Remove contaminated clothing and wash before reuse.

WARNING SYMPTOMS — Oxamyl poisoning produces effects associated with anticholinesterase activity which may include weakness, blurred vision, headache, nausea, abdominal cramps, discomfort in the chest, constriction of pupils, sweating, slow pulse, muscle tremors.

NOTE TO PHYSICIAN — Treatment: Atropine sulfate should be used for treatment. Administer repeated doses, 1.2 to 2.0 mg, intravenously every 10 to 30 minutes until full atropinization is achieved. Maintain atropinization until the patient recovers. Artificial respiration or oxygen may be necessary. Allow no further exposure to any cholinesterase inhibitor until recovery is assured. Do not use morphine or 2-PAM.

For medical emergencies involving this product, call toll free 1-800-441-3637.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to wildlife. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or public waters unless this product is specifically identified and addressed in an NPDES permit. Do not discharge effluent containing this product to sewer systems without previously notifying the sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

PHYSICAL AND CHEMICAL HAZARDS

Keep container closed. Use with adequate ventilation.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

This product is intended for use in the formulation of other OXAMYL products intended for the following uses only:

Terrestrial Food Crops—Apple, apples (nonbearing), cantaloupe, carrots, celery, cherry (nonbearing), citrus fruits, citrus fruits (nonbearing), cotton, cucumber, eggplant, garlic, ginger, honeydew melons, onions, peach (nonbearing), peanuts, pear, pear (nonbearing), bell peppers, pepper, melon, pineapple, plum (nonbearing), potato, soybeans, spearmint, squash, strawberry (nonbearing), sweet potato, tomato, watermelons.

Terrestrial Nonfood Crops—Tobacco, ornamental plants and forest trees.

Greenhouse Food Crops—Apple (nonbearing), cherry (nonbearing), citrus fruits (nonbearing), peach (nonbearing), pear (nonbearing), plum (nonbearing), and strawberry (nonbearing).

Greenhouse Nonfood Crops—Ornamental plants and forest trees.

Products formulated from this product will require registration with the Environmental Protection Agency.

Handwritten mark resembling a stylized 'A' or '2'.

(CONTAINS 42% OXAMYL)
Class 6.1

UN 2902



6

U 6HA1/Y/130/88
N USA/CCA