

"OUST" HERBICIDE PLUS 2,4-D OR "TORDON"
EPA REG. NO. 352-401

SUPPLEMENTAL LABELING
"OUST" HERBICIDE PLUS 2,4-D OR "TORDON"
FOR CONTROL OF LEAFY SPURGE ON INDUSTRIAL SITES
IN MINNESOTA

ACCEPTED

OCT 12 1988

Under the Federal Insecticide,
Fungicide, and Rodenticide Act,
as amended, for the pesticide
registered under
EPA Reg. No. 352-401

DIRECTIONS FOR USE

It is a violation of federal law to use this product
in a manner inconsistent with its labeling.

Du Pont "Oust"¹ Herbicide plus 2,4-D amine or "Tordon"² is recommended
for suppression and/or control of leafy spurge on industrial non-cropland
sites in MN.

HOW TO USE

Apply 1 1/2 to 2 1/2 ounces "Oust" plus either 1 lb. a.i. 2,4-D amine or
1/3 to 1/2 lb. a.i. "Tordon" per acre. .

For best results, apply to leafy spurge during the bloom (flowering)
stage.

NON-SELECTIVE WEED CONTROL

Add surfactant at 0.25% by volume.

SELECTIVE WEED CONTROL

If desirable grasses are present, do not add surfactant or apply before
or after bloom as severe injury to grasses may occur.

Note: Do not apply "Oust" combinations in pastures, rangeland or areas
immediately adjacent to agricultural land.

¹ Registered Trademark of E. I. du Pont de Nemours and Co. (Inc.)

² Registered Trademark of Dow Chemical Company

CONTAINER LABELS.

This bullerin contains new or supplemental instructions for use of these products in combination which does not appear on the package label. Follow the instructions carefully.

This labeling must be in the possession of the user at the time of pesticide application.

Do not apply this product through any type of irrigation system.


E. I. du Pont de Nemours & Co. Inc.
Agricultural products Department
Wilmington, Delaware

060788

"OUST" HERBICIDE
EPA REG. NO. 352-401

SUPPLEMENTAL LABELING
"OUST" HERBICIDE FOR HARDWOODS
SITE PREPARATION IN INDIANA

DIRECTIONS FOR USE



It is a violation of federal law to use this product
in a manner inconsistent with its labeling.

Du Pont "Oust"¹ Herbicide is recommended for control of weeds such as ox-eye daisy, goldenrod, wild carrot and fescue as site preparation of transplanting northern red oak, white oak, white ash and yellow poplar in the state of Indiana.

How to Use

Apply 3 to 5 ounces "Oust" in a minimum of 15 gallons water per acre. Apply by ground sprayer in the spring shortly before or after weeds germinate.

1. Extreme care must be taken to prevent drift or runoff to homesteads, desirable plantings, agricultural or any body of water. Do not apply when weather conditions favor drift from treated areas.
2. Use extreme care when applying in areas adjacent to any body of water. Keep out of lakes, streams, ponds, reservoirs or any body of water.
3. Do not apply where hardwoods are suffering from loss of vigor caused by insects, diseases, drought, winter damage or other stresses, as injury may result.
4. "Oust" is not recommended for use on poorly drained or marshy sites, but it may be used where hardwoods have been planted in beds.
5. Use the lower rates on coarse textured soils (i.e., loamy sands, sandy loams) and higher rates on the fine textured soils (i.e., sandy clay loams and silty clay loams). Do not use on gravelly or rocky soils, exposed subsoils, or heavy clay soils (i.e., sandy clay, silty clay or clay).

¹ Registered Trademark of E. I. du Pont de Nemours and Co. (Inc.)

BEFORE USING THIS, READ AND CAREFULLY OBSERVE THE CAUTIONARY STATEMENTS
AND ALL OTHER INFORMATION APPEARING ON THE PRODUCTS LABEL.

This bulletin contains new or supplemental instructions for use of this
product which may not appear on the package label. Follow the
instructions carefully.

This labeling must be in the possession of the user at the time of
pesticide application.

Do not apply this product through any type of irrigation system.

E. I. du Pont de Nemours & Co. Inc.
Agricultural Products Department
Wilmington, Delaware


060688

"OUST" HERBICIDE
EPA REG. NO. 352-401

SUPPLEMENTAL LABELING
"OUST" HERBICIDE FOR WEED CONTROL
IN LONGLEAF PINE SITE PREPARATION AND RELEASE

DIRECTIONS FOR USE

It is a violation of federal law to use this product
in a manner inconsistent with its labeling.



"Oust"¹ provides both foliar and residual control of many herbaceous grass and broadleaf weeds in longleaf pine reforestation areas.

When used as described, "Oust" controls many herbaceous plants such as: crabgrass, dog fennel, fescue, fireweed (willowweed), goldenrod, (broadleaf, fall narrow) pokeweed, ragweed, white snakeroot, and yellow sweetclover.

Preplant - Site preparation (trees not present)/Postplant - release (trees present). Make application from spring through late fall; do not apply to frozen ground; do not apply within 60 days of transplanting.

Apply 2-8 ounces of "Oust" per acre using appropriate ground or air (helicopter only) equipment. Add surfactant at 0.25% by volume for site preparation. Do not use surfactant for pine release (trees present).

Note: 1. Do not apply by air within 200 feet of any homestead, agricultural land or other desirable plantings. Extreme care must be taken to prevent drift or runoff to homesteads, desirable plantings, agricultural land or any body of water. Do not apply when weather conditions favor drift from treated areas.

¹ Registered Trademark of E. I. du Pont de Nemours and Co. (Inc.)

are suffering from loss of vigor caused by insects, diseases, drought, winter damage or other stresses, as injury may result. "Oust" is not recommended for use on poorly drained or marsh sites, but it may be used where pines have been planted in beds. "Oust" applications may result in damage to Douglas fir and Ponderosa pine. Use the lower rates on coarse textured soils (i.e., loamy sands, sandy loams) and higher rates on fine textured soils (i.e., sandy clay loams and silty clay loams).

IMPORTANT

BEFORE USING "OUST", READ AND CAREFULLY OBSERVE THE CAUTIONARY STATEMENTS AND ALL OTHER INFORMATION APPEARING ON THE PRODUCT LABEL.

This bulletin contains new or supplemental instructions for use of this product which may not appear on the package label. Follow the instructions carefully.

This labeling must be in the possession of the user at the time of pesticide application.

Do not apply this product through any type of irrigation system


E. I. du Pont de Nemours & Co. Inc.
Agricultural Products Department
Wilmington, Delaware

060588

"OUST" HERBICIDE
EPA REG. NO. 352-401

SUPPLEMENTAL LABELING
"OUST" HERBICIDE FOR HARDWOODS
SITE PREPARATION IN INDIANA

DIRECTIONS FOR USE



It is a violation of federal law to use this product
in a manner inconsistent with its labeling.

Du Pont "Oust"¹ Herbicide is recommended for control of weeds such as ox-eye daisy, goldenrod, wild carrot and fescue as site preparation of transplanting northern red oak, white oak, white ash and yellow poplar in the state of Indiana.

How to Use

Apply 3 to 5 ounces "Oust" in a minimum of 15 gallons water per acre. Apply by ground sprayer in the spring shortly before or after weeds germinate.

1. Extreme care must be taken to prevent drift or runoff to homesteads, desirable plantings, agricultural or any body of water. Do not apply when weather conditions favor drift from treated areas.
2. Use extreme care when applying in areas adjacent to any body of water. Keep out of lakes, streams, ponds, reservoirs or any body of water.
3. Do not apply where hardwoods are suffering from loss of vigor caused by insects, diseases, drought, winter damage or other stresses, as injury may result.
4. "Oust" is not recommended for use on poorly drained or marshy sites, but it may be used where hardwoods have been planted in beds.
5. Use the lower rates on coarse textured soils (i.e., loamy sands, sandy loams) and higher rates on the fine textured soils (i.e., sandy clay loams and silty clay loams). Do not use on gravelly or rocky soils, exposed subsoils, or heavy clay soils (i.e., sandy clay, silty clay or clay)

¹ Registered Trademark of E. I. du Pont de Nemours and Co. (Inc.)

BEFORE USING "OUST", READ AND CAREFULLY OBSERVE THE CAUTIONARY STATEMENTS AND ALL OTHER INFORMATION APPEARING ON THE PRODUCTS LABEL.

This bulletin contains new or supplemental instructions for use of this product which may not appear on the package label. Follow the instructions carefully.

This labeling must be in the possession of the user at the time of pesticide application

Do not apply this product through any type of irrigation system.

E. I. du Pont de Nemours & Co. Inc.
Agricultural Products Department
Wilmington, Delaware


060688

"OUST" HERBICIDE
EPA REG. NO. 352-401

SUPPLEMENTAL LABELING
"OUST" HERBICIDE FOR WEED CONTROL
IN LONG LEAF PINE SITE PREPARATION AND RELEASE

DIRECTIONS FOR USE

It is a violation of federal law to use this product
in a manner inconsistent with its labeling



"Oust"¹ provides both foliar and residual control of many herbaceous, grass and broadleaf weeds in longleaf pine reforestation areas.

When used as described, "Oust" controls many herbaceous plants such as crabgrass, pigweed, fescue, fireweed (willowweed), goldenrod, (broadleaf, tall narrow) pokeweed, ragweed, white snakeroot, and yellow sweetclover.

Preplant - site preparation (trees not present)/**Postplant** - release (trees present) - Make application from spring through late fall, do not apply to frozen ground, do not apply within 60 days of transplanting.

Apply 2-8 ounce of "Oust" per acre using appropriate ground or air (helicopter only) equipment. Add surfactant at 0.25% by volume for site preparation. Do not use surfactant for pine release (trees present).

Note: 1 Do not apply by air within 200 feet of any homestead, agricultural land or other desirable plantings. Extreme care must be taken to prevent drift or runoff to homesteads, desirable plantings, agricultural land or any body of water. Do not apply when weather conditions favor drift from treated areas.

¹ Registered Trademark of E. I. du Pont de Nemours and Co. (Inc.)

result. "Oust" is not recommended for use on poorly drained or marsh sites, but it may be used where pines have been planted in beds. "Oust" applications may result in damage to Douglas fir and Ponderosa pine. Use the lower rates on coarse textured soils (i.e., loamy sands, sandy loams) and higher rates on fine textured soils (i.e., sandy clay loams and silty clay loams).

IMPORTANT

BEFORE USING "OUST", READ AND CAREFULLY OBSERVE THE CAUTIONARY STATEMENTS AND ALL OTHER INFORMATION APPEARING ON THE PRODUCT LABEL.

This bulletin contains new or supplemental instructions for use of this product which may not appear on the package label. Follow the instructions carefully.

This labeling must be in the possession of the user at the time of pesticide application.

Do not apply this product through any type of irrigation system.


E. I. du Pont de Nemours & Co., Inc.
Agricultural Products Department
Wilmington, Delaware

"GUST" HERBICIDE PLUS 2,4-D OR "TORDON"
EPA REG. NO. 352-401

SUPPLEMENTAL LABELING
"GUST" HERBICIDE PLUS 2,4-D OR "TORDON"
FOR CONTROL OF LEAFY SPURGE ON INDUSTRIAL SITES
IN MINNESOTA

DIRECTIONS FOR USE

It is a violation of federal law to use this product
in a manner inconsistent with its labeling.



Du Pont "Gust"¹ Herbicide plus 2,4-D amine or "Tordon"² is recommended for suppression and/or control of leafy spurge on industrial non-cropland sites in MN.

HOW TO USE

Apply 1 lb. to 2 lb. of "Gust" plus either 1 lb. a.i. 2,4-D amine or 1 lb. to 1 1/2 lb. a.i. "Tordon" per acre.

For best results, apply to leafy spurge during the bloom (flowering) stage.

NON-SELECTIVE WEED CONTROL

Add surfactant at 0.25% by volume.

SELECTIVE WEED CONTROL

If desirable grasses are present, do not add surfactant or apply before or after bloom as severe injury to grasses may occur.

Note: Do not apply "Gust" combinations in pastures, rangeland or areas immediately adjacent to agricultural land.

¹ Registered Trademark of E. I. du Pont de Nemours and Co. (Inc.)

² Registered Trademark of Dow Chemical Company

This bulletin contains new or supplemental instructions for use of these products in combination which does not appear on the package label. Follow the instructions carefully.

This labeling must be in the possession of the user at the time of pesticide application.

Do not apply this product through any type of irrigation system.

E. I. du Pont de Nemours & Co., Inc.
Agricultural Products Department
Wilmington, Delaware

0661788