

OUST® HERBICIDE

EPA REG. NO. 352-401

"OUST" HERBICIDE FOR WEED CONTROL IN PLANTINGS OF WHITE PINE

DIRECTIONS

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

APPLICATION

Use Oust® Herbicide is recommended for control of herbaceous weeds, such as ragweed, chickweed, mare's tail, fireweed, pigweed, poke-weed, shepherd's-purse, fescue, bluegrass and crabgrass in plantings of white pine.

Apply 1 to 1-1/2 ozs "Oust" per acre; do not use a surfactant. Apply after transplanting and while plants are dormant--before bud break. Best results follow treatment in late winter or early spring.

Note: Injury to pines may result where roots are exposed or insufficiently packed in the soil.

Injury to pines may occur if treatment is made at bud break or later.

Do not apply by air within 200 feet of any homestead, agricultural land or other desirable plantings. Extreme care must be taken to prevent drift or runoff to homesteads, desirable plantings, agricultural land or any body of water. Do not apply when weather conditions favor drift from treated areas.

Use extreme care when applying in areas adjacent to any body of water. Keep out of lakes, streams, ponds, reservoirs or any body of water. "Oust" is not recommended for use on poorly drained or marsh sites, but it may be used where pines have been planted on beds. Use the lower rates on coarse textured soils (i.e., loamy sands, sandy loams) and higher rates on fine textured soils (i.e., sandy clay loams and silty clay loams).

IMPORTANT


BEFORE USING "OUST", READ AND CAREFULLY OBSERVE THE CAUTIONARY STATEMENTS AND ALL OTHER INFORMATION APPEARING ON THE PRODUCT LABEL.

This bulletin contains new or supplemental instructions for use of this product which may not appear on the package label. Follow the instructions carefully.

This labeling must be in the possession of the user at the time of pesticide application.

Do not apply this product through any type of irrigation system.

D-041791



OUST® HERBICIDE

EPA REG. NO. 352-401

"OUST" HERBICIDE FOR WEED CONTROL IN PLANTINGS OF WHITE SPRUCE

DIRECTIONS

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

APPLICATION

Du Pont "Oust" Herbicide is recommended for control of herbaceous weeds, such as ragweed, chickweed, mare's tail, fireweed, pigweed, pokeweed, shepherd's-purse, fescue, bluegrass and crabgrass, in plantings of white spruce.

Apply 1-1/2 to 3 ozs "Oust" per acre; do not use a surfactant. Apply after transplanting of conifers and while plants are dormant—before bud break. Best results follow treatment in late winter or early spring.

Note: Injury to conifers may result where roots are exposed or insufficiently packed in the soil.

Injury to conifers may occur if treatment is made at bud break or later.

Do not apply by air within 200 feet of any homestead, agricultural land or other desirable plantings. Extreme care must be taken to prevent drift or runoff to homesteads, desirable plants, agricultural land or any body of water. Do not apply when weather conditions favor drift from treated areas.

Use extreme care when applying in areas adjacent to any body of water. Keep out of lakes, streams, ponds, reservoirs or any body of water. "Oust" is not recommended for use on poorly drained or marsh sites, but it may be used where conifers have been planted on bogs. Use the lower rates on coarse textured soils (i.e., loamy sands, sandy loams) and higher rates on fine textured soils (i.e., sandy clay loams and silty clay loams).

IMPORTANT

BEFORE USING "OUST", READ AND CAREFULLY OBSERVE THE CAUTIONARY STATEMENTS AND ALL OTHER INFORMATION APPEARING ON THE PRODUCT LABEL.

This bulletin contains new or supplemental instructions for use of this product which may not appear on the package label. Follow the instructions carefully.

This labeling must be in the possession of the user at the time of pesticide application.

Do not apply this product through any type of irrigation system.

D-041791

